# 



# TABLE OF CONTENTS

**ATV Accessory Compatibility Guide** 


## **FEATURED PACKAGES**


2024 OutbnderPRO XU	6
2024 Outlander PRO Hunting Edition	8
2024 Outlander 500 2W D	10
2024 OutlanderDPS 500 / 700	12
2024 OutbnderXT 700	14
2024 OutlanderX m r850	16
2024 OutbnderX m r1000R	18
2024 OutlanderXT-P 850 / 1000R	20
2024 OutlanderM AX Lim ited 1000R	22
2024 OutbnderXT 850 / 1000R	24
2024 Renegade X m r1000R	26

# COMPARATIVE CHART C2, C2L, C2S ACCESSORES 41 C3L ACCESSORES 81 PARTS AND MAINTENANCE 109

#### CANANOTIFOADCOM

1 2023 Bom bardierRecreationalP roducts Nc. @RP).Allrights reserved.@,TM and the BRP bgo are tradem arks of BRP or its affiliates. In the USA, products are distributed by BRP US Inc. All other tradem arks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, Radiumes, models or equipm ent without incurring obligation. Som em ode is depicted may include optional equipm ent.Products perform ancem ay vary depending on weather, tem perature, a hithed, driving ability and driver/passenger we eight. BRP recom mends that all ATV-6xS drivers take a training course. See your dealer or call the ATV Safety Institute at 18-00-887-2887 USA) or the Canadian Safety Councilat 1-613-739-1535 Canada). ATVs and SSS can be hazardous to operate. Neverexceed the ATV-6xS spassengercapacity. All adultm ode IATV earm meant to be used by drivers aged 16 and older. Care fully read the vehicle soperators quiffe. Follow all instructional and safety material and observe applicable laws and regulations. ATVs and SSS are for offerned use only inever ride on paved surfaces or public mads. For your safety, the operator and passengerly must wear a helm et, eye protection and applicable protective colthing. Always rem ember that riding, alcohol and drugs don tm ix. Never engage in stunt driving. Avoid excessive speed and be particularly camfillon difficult winn in A ways ride responsibly and safely. See your authorized BRP dealer for details and visibilitys/can-em but on. Printed in Canada.









If you can dream it, you can build it. And ride it. Creating a Can-Am vehicle tailorm ade forour riders needs has neverbeen easier. Scan the QR code and follow the step-by-step above.



## ATV ACCESSORY COM PATBLITY GU D

# We ve made things super simple.

- Check yourm odelyear
- Choose engine and model
- Learn your **PLATFORM CODE**

This **PLATFORM CODE** will letyou know at a glance if the accessory is compatible with your vehicle.

M odel year	Model	Engine confguration	Platorm code
2015	Outlander L	450,500	G2L
2010	Outlander	500,650,800,1000	G2
	Outlander L M AX	450,500	G2L
	Outlander M AX	500,650,800,1000	G2
	6x6	650,1000	G2
	Renegade	500,800,1000	G2S
2016	Outlander L	450,570	G2L
2010	Outlander	570,650,850,1000	G2
	Outlander L M AX	450,570	G2L
	Outlander M AX	570,650,850,1000	G2
	6x6	650,1000	G2
	Renegade	570,850,1000	G2S
2017	Outlander	450,570	G2L
2018	Outlander	650, 850, 1000	G2
2010	Outlander M AX	450,570	G2L
	Outlander M AX	650, 850, 1000	G2
	6x6	650,1000	G2
	Renegade	570,850,1000	G2S
2019	Outlander	450,570	G2L
2020	Outlander	650,850,1000R	G2
2021	Outlander M AX	450,570	G2L
	Outlander M AX	650,850,1000R	G2
2022	6x6	450	G2L
2023	6x6	650,1000	G2
2024	Renegade	570,650,850,1000R	G2S
	Outlander	500,700	G3L
	Outlander PRO	HD5, HD7	G3 L













# 2024 CUILANDER PROXU



 $<sup>\</sup>label{thm:control} Visco Lok \ is a tradem \ ark of GKN \ Visco drive \ Gm \ bH . \\ All other tradem \ arks \ are the property of their respective ow ners. \\ \ ^4Base \ m \ odel dry \ w \ eight shown .$ 





#### Lending a Hand for Steering

The Can-Am Outlander PRO XU comes with high torqueDynamicPowerSteering DPS). The technology counteracts unstable or difficult steering caused by externalforces like strong crosswinds or uncorner roads. With DPS, you getpropersteering assistance from the steering gear to never veer offpath.



#### **Rugged XPS Tires and Steel Wheels**

The Can-Am Outlander PRO XU sits on 26 in .XPS TrailKing, 6-ply rating times with 12 in .cast-alum inum wheels built to perform in any condition and in rougher termains. If you plan to haul, tow, or carry heavy bads with your vehicle, you me in good hands driving on these times. Because the weather shouldn't stop you from getting work done.



#### Full Speed Ahead? Almost, But No!

The Can-Am Outlander PRO XU comes with a built-in speed limiter. Where sithe fin in that? Wellwhen itcomes time to getwork done, you lisee why itcomes in handy.



#### **Protection Where It Counts**

Thism odelis equipped with a premium frontbum per, a central skidplate and a rearbum per to cover all angles. Think of these as the protective arm or of your Can-Am Outlander PRO nom atterthe termin, this ATV is protected from the worst of than dolls of fobstacles.



#### New and Intelligent Braking

The Intelligent Engine Braking (EB) of the Can-Am Outlander PRO XU puts the rider in control of the engine braking. When you re carrying heavy bads or riding downhillw th full cargo, more engine braking is needed.



#### Fits Just Like a Glovebox

The Can-Am Outlander PRO XU is equipped with a weather resistant Premin G byebox with cellphone holder and USB charger. Right and durable, this feature protects your wallet, keys, or whateverelse you need from the wildelements. Plus, the magneton the holder keeps yoursmatphone in place as it charges up.

# 2024 CUTLANDER PROHUMINGEDTION







#### Lending a Hand for Steering

The Can-Am Outlander PRO Hunting Edition comeswith high torque Dynamic Power Steering DPS). The technology counteracts unstable ordifficults teering caused by external forces like strong crosswinds or uneven roads. With DPS, you getpropersteering assistance from the steering gear to neverveer of fipath.



# Rugged XPS Tires and Steel Wheels

The Can-Am Outlander PRO Hunting Edition sits on 26 in .XPS TrailKing 6-ply rating times with 12 in.cast-alum inum wheels built to perform in any condition and in rougher termains. If you plan to haultow, or carry heavy bads with your vehicle, you me in good hands driving on these times. Because the weather should not get in the way of a ride. It should encourage one.



#### Full Speed Ahead? Almost, But No!

The Can-Am Outlander PRO Hunting Edition comes with a built-in speed lim iter. Where s the fun in that? Well when it comes time to getwork done, you lise why itcomes in handy.



#### New and Intelligent Braking

The Intelligent Engine Braking (EB) of the Can-Am Outlander PRO Hunting Edition puts the rider in control of the engine braking. When you re carrying heavy bads or riding down hillwith full cargo, more engine braking is needed.



## Di erential that Makes a Di erence

The Can-Am Outlander PRO Hunting Edition has a Visco-4 Lok front differential that delivers grip and traction for days whereveryou me riding. Engage 4-wheeldrive bokm ode to deliver equal power to your four wheels, and keep rolling on.



#### Made for the Longer Haul

The Can-Am Outlander PRO Hunting Edition comes equipped with a 3,500 b (1,588 kg)winch. You can engage itwith only the flick of a switch to reach the perfect hunting spot. This feature is effective for vehicle recovery, hunting trips, clearing brush, and every tough challenge at the worksite.



#### **Protection Where It Counts**

Thism odelis equipped with a premium front bum per, an full skil plate, a rear bum per, and a high molecular weight polyethylene (HMWPE) footwell skil plate, as well as alum inum front and mear A-amm protectors. Think of these as the protective arm or of your Can-Amm Outlander PRO Hunting Edition: no matter the termain or the weather, this ATV is protected from the worstoft.



#### Fits Just Like a Glovebox

The Can-Am Outlander PRO Hunting Edition is equipped with a weather-resistant Premium Glovebox with cellphone holder and USB charger Rigid and durable, this feature protects your wallet, keys, orw hatevere be you need from the wildelements. Plus, them agnet on the holder keeps yoursmartphone in place as it charges up.

# 2024 **CUILANDER**500 2WD



 $<sup>\</sup>label{thm:property} Visco-Lok \ is a tradem \ ark of G KN \ Viscodrive \ G m \ bH \ . A llother tradem \ arks \ are the property of their respective ow ners. \\ \ ^*Base \ modeldry \ w \ eight shown.$ 





#### It Takes Two to Ride

On the Can-Am Outlander, two wheels propelyou forward, while allfour of them rotate. Those two wheels receive power and torque from your engine to make your riding smooth and efficient.



#### Stands Out and Stands Tall

W ho says size doesn tm atter? At12 inches high, the Can-Am Outlander boks down on anything in its way. Thatam ountofground clearance m eans it can easily absorb shocks and avoid damage to the chassis and underbody from scraping Goahead and tame the will terrains you drive across.



#### **Durable, Strong and Reliable**

The fillskii plate on the Can-Am Outlanderprotects the underbelly of your ride as you chase thrills. Sm oothen the roughest types of terrain and glide overthe biggestobstacles.

# 2024 OJILANDER DPS 500 / 700



 $<sup>\</sup>label{thm:property} Visco-Lok \ is a tradem \ ark of G KN \ Viscodrive \ G m \ bH \ . A llother tradem \ arks \ are the property of their respective ow ners. \\ \ ^*Base \ modeldry \ w \ eight shown.$ 





#### Lending a Hand for Steering

The Can-Am OutlanderDPS 500/700 com esw ith high torqueDynam inPowerSteering DPS). The technology counteracts unstable or difficult steering caused by externalforces like strong crossw inds or uneven moads. With DPS, you getpropersteering assistance from the steering gear to neverveer offpath.



#### Di erential That Makes a Di erence

The Can-Am OutlanderD PS 500/700 has a Visco-Lok QE Quick Engagem ent) auto-bocking front differential that de livers grip fordays. The advantage of this feature is that engaging the front differential is quicker: with no revorspeed limiter, optimally heel traction follows you on every ride.



#### **Durable, Strong and Reliable**

The full skid plate on the Can-Am Outlander DPS 500/700 protects the underbelly of your ride as you chase thrils. Sm oothen the roughest types of termin and glide over the biggest obstacles.

# **2024 OJILANDERXT 700**







#### Lending a Hand for Steering

The Can-Am Outlander XT 700 comes with high torqueDynamicPowerSteering DPS). The technology counteracts unstable or difficult steering caused by externalforces like strong crosswinds or uncorner roads. With DPS, you getpropersteering assistance from the steering gear to neverveer offpath.



#### Versatility in a Pinch

With a Can-Am HD 3500 Winch on, your ATV is fill of versatility. Engage it with the flick of a switch to get the most difficult tasks done and keep things no ling on your Can-Am Outlander XT 700. Whether you need to clear the way, rescue a friend or pullout of a tough spot, this winch helps you make it happen: its effective for vehicle recovery, hunting trips, clearing brush, and at the job size.



#### Di erential That Makes a Di erence

The Can-Am Outlander XT 700 has a Visco-Lok QE Quick Engagement) auto-boking front differential that delivers grip for days. The advantage of this feature is that engaging the front differential is quicker: with no zev or speed limiter, optimal wheel traction follows you on every ride.



#### **Protection Where It Counts**

Thism odelis equipped with a fullskip late as wellas front and mearbum pers. Think of these as your Can-Am Outlander XT 700 s protective arm or:no matter the tenain, this ATV is protected from the worstofit.



#### Rugged XPS Tires and Steel Wheels

The Can-Am OutlanderXT 700 sis on 26 in XPS Trail Force times with 14 in alum inum wheels built to perform in any condition. Because the weather should neget in the way of a ride. It should encourage one.



#### Fits Just Like a Glovebox

The Can-Am Outlander XT 700 is equipped with a weather resistant Premium G byebox with cellphone holder and USB charger Right and durable, this feature protects your wallet, keys, or whateverelse you need from the will elements. Plus, the magneton the holder keeps yoursmarphone in place as it charges up.

# 2024 **CUTLANDER**XMR850



 $<sup>\</sup>label{thm:property} Visco-Lok \ is a tradem \ ark of G KN \ Viscodrive \ G m \ bH \ . A llother tradem \ arks \ are the property of their respective ow ners. \\ \ ^*Base \ modeldry \ w \ eight shown.$ 





#### **Ever Been Snorkeling?**

The snorkeled CVT and engine intake and exhauston the Can-Am Outlander X m r850 is everym ud riders dream .On this ATV, the air intake is strategically positioned to provide your engine with cooler intake air tem peratures for additional perform ance when you hit the swamp.



## Versatile Tires and Aluminum Wheels

The Can-Am Outlander X m r850 sits on 30 in. MP Cryptid times with 14 in. alum inum wheels. Its designed and built forthose who bve the mud, those who bve the trail, and those who bve both! Because the weather shouldn t get in the way of a good ride, it should encourage one.




#### Feel It in the Air

The Can-Am OutlanderX m r850 m akes things easier for you when you ride: with a melocated radiator, the airflow will be better on your ATV. Plus, the new location makes it easier to clean and maintain the radiator. Thats what you call win win.



#### **Protection Where It Counts**

This model is equipped with heavy-duty front and mearbum pers. Think of these as your ATV spotective arm orno matter the terman, this ATV is protected from the worst of it. Clear the way confidently with enhanced protection from obstacles you drive across.



#### Lending a Hand for Steering

The Can-Am OutlanderX m r850 com es with TriM odeD ynam in PowerSteering OPS). With progressive trim odes (min, med,max), the technology counteracts unstable ordifficult steering caused by externalforces like strong crosswinds or uneven roads. With DPS, you getproper steering assistance from the steering gear to never veeroffpath.



#### Made for the Muddier Ride

The Can-Am OutlanderX m r850 com es equipped with a 3,500-b (1,588 kg) winch. You can engage it with only the flick of a switch to dominate the most challenging terrain. This feature is effective for vehicle recovery, hunting trips, clearing brush, and pushing further on every mud adventure.



## Di erential that Makes a Di erence

The Can-Am OutlanderX m r850 has a Visco-4 Lok front differential that delivers grip and traction for days wheneveryou meriding Engage 4-wheeldrive bock mode to deliverequal power to your four wheels, and keep molling on.



#### The Perfect Place to Rest

Dependable mud-riding footnests are a godsend on this model. With an innovative design that keeps riders in their seat regardless of how messy the adventure gets, these footnests deliver a more thrilling and comfortable mud ride. Stay firm by saddled on this ATV at alltimes and in all conditions.

# **2024 CUTLANDER X**MR **1000R**







#### **Ever Been Snorkeling?**

The Rotaxfi snorkeled CVT and engine intake and exhaust on the Can-Am Outlander X m r 1000R is every m ud riders dream . On this ATV, the air intake provides your engine with cooler intake air tem peratures for additional perform ance when you hit the swamp. And with a capacity of up to 91 hp, its ready to go fullthrottle!



#### Versatile Tires and **Aluminum Wheels**

The Can-Am OutlanderX m r1000R sits on 30 in. ITP Cryptid tires with 14 in. alum inum wheels. Its designed and built for those who love the mud, those who bve the trail, and those who bve both!




#### Feel It in the Air

The Can-Am Outlander X m r 1000R m akes things easier for you when you ride: with a relocated radiator, the airflow willbe betteron yourATV.Plus, the new location makes it easier to clean and maintain the radiator. Thats whatvou callwin-win.



#### **Protection Where It Counts**

This model is equipped with heavyduty front and mear burn pers. Think of these as your ATV sprotective arm or:no m atterthe temain, this ATV is protected from the worst of it. C lear the way confidently with enhanced protection from obstacles you drive across.



#### Lending a Hand for Steering

The Can-Am OutlanderX mr1000R com es with Tri-Mode Dynamic Power Steering (DPS). With progressive trimodes (min, med, max), the technology counteracts unstable ordifficult steering caused by external forces like strong crosswinds or uneven roads.With DPS, you get proper steering assistance from the steering gear to neverveer off path.



#### Made for the Muddier Ride

The Can-Am Outlander X m r 1000R comes equipped with a 3,500-lb (1,588 kg) w inch. You can engage itw ith only the flick of a switch to dominate the m ostchallenging terrain. This feature is effective for vehicle recovery, hunting trips, clearing brush, and pushing further on everym ud adventure.



#### Di erential that Makes a Di erence

The Can-Am Outlander X m r 1000R has a Visco-4 Lok front differential that delivers grip and traction for days w hereveryou re riding. Engage 4-w heeldrive bck m ode to deliverequalpower to your fourwheels, and keep solling on.




#### The Perfect Place to Rest

Dependable mud-riding footrests are a godsend on this model. W ith an innovative design that keeps riders in their seat regardless of how messy the adventure gets, these footrests deliver a more thrilling and com fortable mud ride.Stay firm ly saddled on this ATV at alltim es and in allconditions.

# 2024 OJILANDERXFP850 / 1000R







#### Lending a Hand for Steering

The Can-Am Outlander XT-P comes with TriM ode Dynamic Power Steering (DPS). With progressive trim odes (min, med, max), the technology counteracts unstable ordifficult steering caused by external forces like strong crosswinds or uneven roads. With DPS, you get proper steering assistance from the steering gear to never veer offpath.



#### **Protection Where It Counts**

Thism odelis equipped with heavy-duty front and mearbum pers. Think of these as your ATV s protective arm or: no matter the terman, this ATV is protected from the worst of it. Clear the way confidently with enhanced protection from obstacles you drive across.



## Di erential that Makes a Di erence

The Can-Am Outlander XT-P has a Visco-4 Lok front differential that delivers grip and traction for days whereveryour riding. Engage 4-wheeldrive bokm ode to deliver equalpower to your four wheels, and keep rolling on.



#### Versatility in a Pinch

With a Can-Am HD 3500 Winch on, your ATV is fill of versatilty. Engage twith the flick of a switch to get the most difficult tasks done and keep things colling on your Can-Am Outlander XT-P. Whether you need to clear the way, rescue a friend or pullout of a tough spot, this winch helps you make it happen.



## Adapt to Changing Conditions

Ready form one? The FOX 15 POD IJM QS3 shocks are high-perform ance front and rearshocks that modulate handling of the Outlander XTP to adapt to any tenain and riding style. Switch from soft to firm depending where you regoing, then head out form one fun.



#### Wrapping Your Hands Up

The Outlander XT-P hand lebar was designed to elevate your com fort. With an alim inum-taper profile and full wrap handguards, you ve got additionalcom fortand protection from the elements within your grasp.



## Versatile Tires and Aluminum Wheels

The Can-Am Outlander XT-P sits on 26 in. TP Temacross radial times. With an interlocking tread pattern and a wide footprint, the result is exceptional traction. The versatile Temacross is designed to overcome a wide variety of challenging conditions.

# 2024 OJILANDERMAXLIMTED 1000R







#### Lending a Hand for Steering

The Can-Am Outlander MAX Lim ited 1000R comes with TriM ode Dynam is PowerSteering DPS). With progressive tri-m odes (min, med, max), the technology counteracts unstable or difficult steering caused by external forces like strong crosswinds or uneven roads. With DPS, you getproper steering assistance from the steering gear to neverveer of froath.



#### **Protection Where It Counts**

Thism odelisequipped with heavy-duty front and rearbum pers. Think of these as your ATV sprotective arm or: no matter the termain, this ATV is protected from the worst of it. Clear the way confidently with enhanced protection from obstacles you drive across.



## Di erential that Makes a Di erence

The Can-Am Outlander MAX Lim ited 1000R has a Visco-4 Lok front differential that delivers grip and traction fordays whereveryour riding. Engage 4-wheeldrive bokmode to deliver equal power to your four wheels, and keep rolling on



#### Versatility in a Pinch

With a Can-Am HD 3500 Winch on, yourATV is full of versatility. Engage it with the flick of a switch to get the most difficult tasks done and keep things in ling on yourCan-Am OutlanderM AX Limited 1000R. Whether you need to clear the way, rescue a friend or pull outofa tough spot, this winch helps you make it happen: its effective for vehicle recovery, hunting trips, clearing brush, and at the jb size.



## Adapt to Changing Conditions

Ready form one? The FOX 15 POD IJM QS3 shocks are high-perform ance front and rearshocks thatm odulate handling of the Outlander M AX Lim fred 1000R to adapt to any ternain and riding style. Switch from soft to firm depending where you regoing, then head out for more fin.



#### Wrapping Your Hands Up

The Can-Am Outlander M AX Lim ited 1000R handlebar was designed to elevate yourcom fort. With an alum inum taper profile and fullw map handguards, you ve got additional com fort and protection from the elements within your grasp.



## Versatile Tires and Aluminum Wheels

The Can-Am Outlander M AX Lim ited 1000R sits on 27 in.M axxis Bighom 20 times with 14 in.alum inum wheels. Based on the legendary Bighom, its treat design recalls the original with slim merlugs. Its the lightestand most versatile racing time, but that doesn t make ita lightweight!




## Essential Info at Your Fingertips

The 76 in.digitaldisplay keeps crucial inform ation at hand in your Can-Am OutlanderM AX Limited 1000R Features include speedom eter, gear position, tem perature, engine lights control, electronic fuelgauge, clock, and more.

# 2024 OJILANDER XT 850 / 1000R







#### Lending a Hand for Steering

The Can-Am OutlanderXT 850 comes with TriM ode D ynamic Power Steering DPS). With progressive trim odes (n in, m ed, m ax), the technology counteracts unstable ordifficult steering caused by external forces like strong crosswinds or uneven roads. With DPS, you get proper steering assistance from the steering gear to never veeroffpath.



#### **Protection Where It Counts**

Thism odelisequipped with heavy-duty frontand mear bum pers to cover all angles. Think of these as the protective arm or of your Can-Am Outlander XT 850: no matter the termin, this ATV is protected from the worst of than do not off the description.



#### Di erential That Makes a Di erence

The Can-Am OutlanderXT 850 has a Visco-Lok QE Quick Engagem ent) auto-bocking frontd ifferential that delikers grip fordays. The advantage of this feature is that engaging the frontd ifferential is now even quicker: with no rev or speed limiter, optimal wheel traction follows you on every ride.



#### Made for the Longer Haul

The Can-Am OutlanderXT 850 comes equipped with a 3,500-b (1,588 kg) winch. You can engage it with only the flick of a switch to dominate the most difficult tasks. This feature is effective for vehicle recovery, hunting trips, clearing brush, and every tough challenge at the worksite.



#### Versatile Tires and Aluminum Wheels

The Can-Am Outlander XT 850 sits on 26 in. ITP Terracross radial times. With an interlocking tread pattern and a wide bottprint, the result is exceptional traction. The versatile Terracross is designed to overcome a wide variety of challenging conditions.



#### De ect Wind, Not Fun

Whenever you set out on a ride aboard your trusted ATV, you want to be com fortable, and you want to be safe. You can easily in prove both thanks to our stylish line of ATV handlebars that keep the wind and other elements at bay.

# 2024 FENEGACEXMR 1000R







#### Ever Been Snorkeling?

The Rotaxfi snorkeled CVT and engine intake and exhaust on the Can-Am Renegade X mr1000R is every mud riders dream .On this ATV, the air intake provides yourengine with cooler intake air tem peratures for additional perform ance when you hithe swamp. And with a capacity of up to 91 hp, is ready to go full throttle!



#### Versatility in a Pinch

With a Can-Am HD 3500 Winch on, your ATV is full of versatility. Engage it with the flick of a switch to get the most difficult tasks done and keep things rolling on your Can-Am Renegade Xmr1000R. Whether you need to clear the way, rescue a friend or pull out of a tough spot, this winch helps you make it happen: its effective for vehicle recovery, hunting trips, clearing brush, and at the jbsite.



#### Lending a Hand for Steering

The Can-Am Renegade X m r 1000R comes with TitM ode Dynam is Power Steering OPS). With progressive trimodes (min, med, max), the technology counteracts unstable ordifficul steering caused by external forces like strong crosswinds or uneven mads. With DPS, you get propersteering assistance from the steering gear to never veer of figath.



#### Front & Central Skid Plate

The frontand centralskid platem ade of alim num that sits under the Can-Am Renegade X m r 1000R allows you to glide sm oothly overobstacles. The end results great protection in rough termain.



## Di erential that Makes a Di erence

The Can-Am Renegade X mr1000R has a Visco-4 Lok front differential that delivers grip and traction for days wherever you re riding. Engage 4-wheel-drive bock mode to deliver equal power to your four wheels, and keep miling on.



#### **Protection Where It Counts**

This model is equipped with heavyduty front and mearbum pers. Think of these as yourATV spotective arm ormo matter the terman, this ATV is protected from the worst of it. Clear the way confidently with enhanced protection from obstacles you drive across.



## Versatile Tires and Aluminum Wheels

The Can-Am Renegade X m r1000R sis on 30 in. ITP Cryptil times w ith 14 in. alum inum wheels. Its designed and built for those w ho bve the m ud, those w ho bve the tail, and those w ho bve both!



#### **Guarding Your Hands**

This vehicle has an alm inum taperprofile handlebarw ith fullwrap handguards for additional comfort and protection against the outside elements. It fits the profile of the aggressive riderwho likes to push further, because it doesn toom promise on safety or comfort.

#### **OUTLANDER PRO** D esert Tan Tundra G reen COLOR OPTIONS HD5 HD7 Туре 40 hp / 37 lo-ft,Rotax ACE Advanced Com bustion Efficiency) 650 cc, single-cylinder, liquid-cooled 50 hp / 41 lo-ft,Rotax ACE Advanced Combustion Efficiency) 650 cc,single-cylinder,liquid-cooled Fuel Delivery System Electronic Fuel Intection (EFI) ENGINES pD rive prim ary CVT w ith w ork calibration Transmission Extra low L/H/N/R/P Selectable 2W D / 4W D with Visco-Lok auto-locking front differential Drive Train **Driving Assistance** Power Steering N/A Front Suspension Double A-arm 9.75 in. Q48 cm ) travel SUSPENSIONS Front Shocks Tw in-tube Rear Suspension Double A-arm 1025 in. (26 cm) travel Rear Shocks Tw in-tube TIRES / WHEELS 6-ply rating $26 \times 8 / 10 \times 12$ in . Wheels Dual214 mm disc brakes with hydraulic twin-piston calipers Front Rear Single 214 mm disc brake with hydraulic twin-piston caliper Estimated Dry Weight 800 lb (362.9 kg) LxWxH $89.9\times48.8\times48.2$ in . Q28.4 $\times123.9\times122.5$ cm ) DIMENSIONS / CAPACITIES 53 in.(1345 cm) **Ground Clearance** 13 in.(33 cm) Seat Height 38.6 in. 08 cm) Rack Capacity Front:120 lb (64 A kg) / Rear:240 lb (109 kg) Storage Capacity 9 gal (34 L) Towing Capacity 1,830 lb (830 kg) Fuel Capacity 51 gal(195 L) Gauge 4.5 in.digitaldisplay Instrumentation N/A Ignition M echanicalkey Lighting LED headlights and tail lights N/A Winch FEATURES Standard Handlebar Standard Premium frontbum per Protection Rearbum per Fullskid plate 6-m onth BRP lim ited warranty Warranty

Visco-Lok is a tradem ark of GKN Viscodrive Gm bH .Allother tradem arks are the property of their respective owners.

		OUTLAND	ER PRO XU	OUTLANDER PRO	O Hunting Edition
C	OLOR OPTIONS		extTan	W ildian	d Cam o
		Tundra HD5	a G meen HD 7	HD5	HD 7
	Туре	40 hp / 37 b-ft,Rotax <sup>a</sup> ACE Advanced Com buston Efficiency) 650 cc, single cylinder, liquid-cooled	50 hp / 41 b-ff, Rotax <sup>4</sup> ACE Advanced Com bustion Efficiency) 650 cc, single cylinder, liquid-cooled	40 hp / 37 lb-ff,Rotax <sup>4</sup> ACE Advanced Com bustion Efficiency) 650 cc,single cylinder, liquid-cooled	50 hp / 41 b-ff,Rotax ACE Advanced Com buston Efficiency) 650 cc, single cylinder, liquid-cooled
	Fuel Delivery System	IntelligentThrottle Control (ITC )	with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (ITC )	with Electronic Fuel Injection (EFI)
ENGINES	Transmission		w ith w ork calibration /H /N /R/P	pD rive prim ary CVT Extra bw L /	
🗓	Drive Train	Selectable 2W D / 4W D / Lock 4W I	) with Visco-4 Lok front differential	Selectable 2W D / 4W D / Lock 4W D	) with Visco-4 Lok front differential
	Driving Assistance	Intelligent Engine Bzaking (EB ) Speed lim iter	W ork/Standard/Sportmodes IntelligentEngine Braking (EB ) Speed lim iter	IntelligentEngine Braking (EB ) Speed lim iter	Work/Standami/Sportmodes IntelligentEngine Braking (EB) Speed limiter
	Power Steering	Tri-M ode Dynam ic P	owerSteering DPS )	TriM ode Dynam ic Po	owerSteering DPS )
SP	Front Suspension	Double A-arm 9.75	5 in. Q48 cm ) travel	Double A-arm 9.75	in.048 cm) travel
NSIO	Front Shocks	Tw in-tube		Tw in-tube	
SUSPENSIONS	Rear Suspension	Double A-arm 1025 in. 26 cm ) travel		Double A-arm 1025 in. Q6 cm ) travel	
	Rear Shocks	Tw in-tube		Tw in-tube	
TIRES / WHEELS	Tires Wheels	XPS TzailKing,6p½ zating,26x8/10x12 in. 12 in.castalum inum		XPS TzallKing,6-plyzating,26x8/10x12in. 12in.castalum hum	
BRAKES	Front Dual214 m m disc brakes with hydraulic tw in-piston calipers		Dual214 mm disc brakes with	n hydrau lic tw in-piston calipers	
BR			Single 214 mm disc brake wit	h hydrau lic tw in-piston caliper	
	Estimated Dry Weight*	816 <b>b</b> (370 l kg)		828 b (	375.6 kg)
ES	LxWxH	899 x 488 x 482 in. Q.	28 A x 123 9 x 122 5 cm )	899 x 48 8 x 48 2 in. Q28 4 x 123 9 x 122 5 cm )	
ACITI	Wheelbase	53 in . (L	34.5 cm )	53 in . (.34.5 cm )	
/ CAP	Ground Clearance		β3 cm )	13 in . β3 cm )	
SNOI	Seat Height		. 98 cm )	38.5 in. 98 cm ) Fmnt:120 ib 64.4 kg/ / Rear:240 ib (0.09 kg)	
DIMENSIONS / CAPACITIES	Rack Capacity Storage Capacity	-	/Rear:240 b (109 kg)		
	Towing Capacity		(630 kg)	9 gal (4 L) 1,830 b (830 kg)	
	Fuel Capacity	51 gal (95 L)		51 gal (195 L)	
	Gauge	4.5 in.dig	italdisplay	4.5 in.dig	italdisplay
	Instrumentation		ne charger		ne charger
	Ignition	RF D igitally Encoded Se	curity System (DESS.)	RFD igitally Encoded Security System DESS.)	
	Lighting	LED head <i>l</i> ight	s and tail <i>li</i> ghts	LED headlight	s and tail lights
ES	Winch	N	/A	3,500 b (1,588 kg) w inch	
FEATURES	Seat	Star	ndard	Standard	
<u>H</u>	Handlebar	Star	ndard	Stan	dard
	Protection	Pmm im fiontbumper Rearbumper Fullskii plate		Prem ium frontbum per Rearbum per Fullskif plate HMWPE footwellskif plate Alum fuum frontand reark-aum protectors	
	Warranty	6+m onth BRP lim ited wanzanty		6 m onth BRP lim ited w arzanty	

		OUTLANDER 500 2WD	OUTLANDER 500 700		
	·		163		
С	OLOR OPTIONS	Legion Red	G zan îze G zay Legion Red	G ran ite G ray Legion Red	
		500	500	700	
	Туре	40 hp / 37 b-ft,Rotax <sup>c</sup> ACE Advanced Com bustion Efficiency) 650 cc,single-cylinder,liquid-cooled	40 hp / 37 lb-ft,Rotax ACE Advanced Com bustion Efficiency) 650 cc,single-cylinder, liquid-cooled	50 hp / 41 b-ft,Rotax* ACE Advanced Com bustion Efficiency) 650 cc,single-cylinder,liquid-cooled	
ES	Fuel Delivery System	Electronic Fuel Injection (EFI)	Electronic Fue	lhýction EFI	
ENGINES	Transmission	pD rive prin ary CVT L/H/N/R/P	pD rive pr L/H/N	in ary CVT N/R/P	
	Drive Train	2W D system	Selectable 2W D / 4W D w ith Visco	-Lok auto-locking front differential	
	Driving Assistance	N /A	N/A		
	Power Steering	N /A	N /A		
8	Front Suspension	Double A-arm 9.75 in. 04.8 cm ) travel	Double A-aum 9.75	in.Q48cm)travel	
Noisy	Front Shocks	Tw in-tube	Tw in-tube		
SUSPENSIONS	Rear Suspension	Double A-arm 1025 in. 26 cm) travel	D ouble A-arm 10 25 in. $\&$ 6 cm ) travel		
	Rear Shocks	Tw in-tube	Tw in-tube		
TIRES / WHEELS	Tires Wheels	25 x 8 / 10 x 12 in. 12 in.steel	25 x 8 / 10 x 12 in. 12 in.steel		
KES	Front	Dual214 m m disc brakes with hydraulic twin-piston calipers	Dua1214 m m disc brakes with	hydrau lic tw in-piston calipers	
BRAKES	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc baske with hydraulic twin-piston caliper		
	Estimated Dry Weight*	718 <b>l</b> ο (325.7 kg)	740 <b>b</b> (335.7 kg)		
S.	LxWxH	86.7 x 47.6 x 48 in. (220.2 x 120.9 x 122 cm)	867 x 47 £ x 48 in. Q202 x 120 9 x 122 cm )		
ONS / CAPACITIES	Wheelbase	53 in.(1345 cm)	53 in. (134.5 cm )		
CAPA	Ground Clearance	12 in. GO 5 cm )	12 h.¢	12 in. G0 5 cm )	
NS /	Seat Height	38 in. 06.7 cm )	38 in. 6	96.7 cm )	
NSIO	Rack Capacity	Front:120 b 64 A kg)/Rear:240 b (109 kg)	Fmnt:120 b 64 A kg)	/Rear:240 b (109 kg)	
DIMENSI	Storage Capacity	9 gal (34 L)	9 gal	(34 L)	
-	Towing Capacity	1,830 <b>l</b> o (830 kg)	1,830 b	(830 kg)	
	Fuel Capacity	51 gal(195L)	51 gal	(195L)	
	Gauge	4.5 in.digitaldisplay	45 in.dig	italdisplay	
	Instrumentation	N/A	N	/A	
	Ignition	M echanicalkey	M echar	nicalkey	
ES	Lighting	LED headlights and taillights	LED headlight	s and tail lights	
FEATURES	Winch	N/A	N	/A	
) H	Seat	Standard	Stan	dard	
	Handlebar	Standard	Stan	dard	
	Protection	Fullskii plate	Fullskid plate		
	Warranty	6-m onth BRP lin ited warranty	6-m onth BRP 1	in ited w ananty	

 $<sup>\</sup>label{thm:color} V is co-Lok is a tradem ark of GKN\ V is codrive \ Gm\ bH\ . \\ All other tradem arks are the property of their respective ow ners. \\ {\tt *Base}\ m\ odeldry\ w\ eight shown\ . \\$ 

		OUTLANDER	DPS 500 / 700	OUTLANDER XT 700	OUTLANDER X mr 700
С	OLOR OPTIONS	Legi	ite G zay on Red Id Cam o	Platinum Satin Neo Yelbw	Legion Red
		500	700	700	700
	Туре	40 hp / 37 b-ff,Rotax*ACE Advanced Com bustion Efficiency) 650 cc, single-cylinder, liquid-cooled	50 hp / 41 b-ft,Rotax ACE Advanced Com bustion Efficiency) 650 cc, single-cylinder, liquid-cooled	50 hp / 41 lb-ff,Rotax <sup>4</sup> ACE Advanced Com bustion Efficiency) 650 cc,single-cylinder,liquid-cooled	50 hp / 41 b-ft,Rotax ACE Advanced Com buston Efficiency) 650 cc, single-cylinder, liquid-cooled with strategically positioned engine air intake
ES	Fuel Delivery System	Electronic Fue	ellnjection (EFI)	Electronic Fuellhjection (EFI)	Intelligent Throttle Control (ITC ) with Electronic Fuel Injection (EFI)
ENGINES	Transmission		rim aryCVT N /R /P	pDriwe prim ary CVT L/H/N/R/P	pD riwe prim ary CVT w ith strategically positioned air intake and exhaust Extra bw L/H/N/R/P
	Drive Train	Selectable 2W D / 4W D w in Visco-I	Lok QE auto-locking front differential	Selectable 2W D / 4W D with Visco-Lok QE auto-boking front differential	Selectable 2W D / 4W D / Lock 4W D w ith Visco-4 Lok frontdifferential
	Driving Assistance	N	/A	N /A	Work/Standard/Sportmodes
	Power Steering	TriM ode Dynam ic P	owerSteering (DPS )	TriM ode Dynam is PowerSteering (DPS )	TriM ode Dynam ic PowerSteering (DPS )
s	Front Suspension	Double A-arm 9.7	5 in. Q48 cm ) travel	Double A-arm 9.75 in. 0.48 cm ) travel	Double A-arm 9 in. Q29 cm ) travel
NSIO	Front Shocks	Twir	n-tube	Tw in-tube	Tw in-tube
SUSPENSIONS	Rear Suspension	Double A-arm 1025 in. Q6 cm ) travel		Double A-arm 1025 in. 26 cm ) travel	Double A-arm 9.75 in. Q48 cm) travel
	Rear Shocks	Twir	n-tube	Tw in-tube	Tw in-tube
TIRES / WHEELS	Tires Wheels	25 x 8 / 10 x 12 in. 12 in.steel		XPS TrailForce 26 x 8 / 10 x 14 in. 14 in.alum inum	XPS Swam p King 28 x 8 / 10 x 14 in. 14 in.alum inum
BRAKES	Front Dual214 m m disc brakes with hydraulic twin-piston calipers		Dual214mm disc brakes with hydraulic twin-piston calipers	Dual214 m m disc brakes w ith hydraulic tw in-piston calipers	
Rear Single 214 mm disc brake with hydraulic tw.		th hydzaulic tw in-piston caliper	Single 214 m m disc brake w ith hydraulic tw in-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper	
	Estimated Dry Weight*	750 <b>b</b> (	840 2 kg)	858 lb (889.2 kg)	876 <b>l</b> o (397.3 kg)
l s	LxWxH	86.7 x 47.6 x 48 in. Q	202 x 1209 x 122 cm)	899 x 48 & x 48 2 in . Q 28 A x 123 9 x 122 5 cm )	899 x 488 x 482 in. Q28 A x 1239 x 1225 cm)
IONS / CAPACITIES	Wheelbase	53 in. (1	.34.5 cm )	53 in. (L34.5 cm)	53 in. (L34.5 cm)
CAPA	Ground Clearance	12 in.(	30.5 cm )	125 in.β18 cm)	13 in.(33 cm)
NS /	Seat Height	38 in. (	96.7 cm )	38.6 in. 08 cm)	38.6 in.(98 cm)
	Rack Capacity	Fmont:120 b 64 A kg	)/Rear:240 b (L09 kg)	Front:120 b 64 A kg)/Rear:240 b (109 kg)	Front:120 b 64 A kg)/Rear:240 b (109 kg)
DIMENS	Storage Capacity	9 ga.	1 (3 4 L)	9 gal (β4 L)	9 gal (34 L)
-	Towing Capacity	1,830 E	(830 kg)	1,830 lb (630 kg)	1,830 <b>b</b> (630 kg)
	Fuel Capacity	51 ga.	1(95L)	51 gal (195 L)	51 gal (195 L)
	Gauge	4.5 in.dig	rialdisplay	45 in.digitaldisplay	4.5 in.digitaldisplay
	Instrumentation	N	/A	USB phone charger	USB phone charger
	Ignition	M echa	nicalkey	M echanicalkey	RFD igitally Encoded Security System  OESS.) with cord
l Si	Lighting	LED headlight	ts and tail lights	LED headlights and tail lights	LED headlights and tail lights
FEATURES	Winch	N	/A	3,500 b (1,588 kg) winch	N /A
<u>H</u>	Seat	Star	ndard	Standard	Standard
	Handlebar	Star	ndard	Standard	Standard
	Protection	Fullsk	cid plate	Frontand marbum per Fullskii plate	Frontbum per X m rfootpegs, fillskil plate
	Warranty	6-m onth BRP	lim ited w arranty	6-m onth BRP lim ited warranty	6-m onth BRP lim ited warranty

2024

		OUTLANDER M A	X DPS 500 700	OUTLANDER MAX XT 700
С	OLOR OPTIONS	G zan <del>le</del> G zay Legion Red	G zan he G zay Legion Red	Plathum Satin Neo Yelibw
		500	700	700
	Туре	40 hp / 37 lb-ff,Rotax ACE Advanced Com bustion Efficiency) 650 cc,single-cylinder,liquid-cooled	50 hp / 41 lo-ff,Rotax ACE Advanced Com bustion Efficiency) 650 cc,single-cylinder, liquid-cooled	50 hp / 41 lo-ft,Rotax ACE Advanced Com bustion Efficiency) 650 cc,single-cylinder,liquid-cooled
	Fuel Delivery System	Electronic Fue	Electronic Fuellhisction (FI)	
ENGINES	Transmission	pD rive pri L/H/N		pD rive prin ary CVT L/H/N/R/P
"	Drive Train	Selectable 2W D / 4W D with Visco-L	ok QE auto-locking front diffierential	Selectable 2W D / 4W D w ith Visco-Lok QE auto-boking front differential
	Driving Assistance	N,	/A	N /A
	Power Steering	TriM ode Dynam ic Po	werSteering (PPS )	TriM ode Dynam ic PowerSteering (DPS )
SN SN	Front Suspension	Double A-aim 9.75	in. 648 cm ) travel	Double A-aim 9.75 in. Q4.8 cm) travel
NSIOI	Front Shocks	Tw in-tube		Tw in-tube
SUSPENSIONS	Rear Suspension	Double A-am 1025 in. Q6 cm ) travel		Double A-arm 1025 in. Q6 cm ) travel
	Rear Shocks	Tw in-tube		Tw in-tube
TIRES / WHEELS	Tires Wheels	25 x 8 / 10 x 12 in. 12 in. steel		XPS TrailForce 26 x 8 / 10 x 14 in. 14 in.alum inum
	Front	Dual214 m m disc brakes with hydraulic twin-piston calipers		Dual 214 mm disc brakes with hydraulic twin-piston calipers
BRAKES	Rear	Single 214 m m disclowake with hydraulic twin-piston caliper		Single 214 mm disc brake with hydraulic twin-piston caliper
	Estimated Dry Weight*	785 <b>b</b> (2561 kg)		893 <b>l</b> o (405.1 kg)
ιχ	LxWxH	942 x 47.6 x 54 in. <b>Q</b> 39	92 x 120 9 x 1371 cm )	942 x 47.6 x 54 in. @392 x 120.9 x 137.1 cm )
NS / CAPACITIES	Wheelbase	60 <i>A</i> in. (1	.53.5 cm )	60 A in. (153 5 cm )
CAPA	Ground Clearance	12 in. 6	0.5 cm)	125 in. (31.8 cm )
	Seat Height	38 á in .	Ø8 cm )	38.6 in.08 cm)
NSIO	Rack Capacity	Fmnt:120 b 64 <i>4</i> kg)	/Rear:240 b (109 kg)	Front:120 b 64 A kg)/Rear:240 b (109 kg)
DIMENSIO	Storage Capacity	9 gal	64 L)	9 gal (34 L)
_	Towing Capacity	1,830 b	(830 kg)	1,830 <b>l</b> o (830 kg)
	Fuel Capacity	5.1 gal	(195L)	51 gal (195 L)
	Gauge	4.5 in.dig	taldisplay	45 in.digitaldisplay
	Instrumentation	N ,	/A	USB phone charger
	Ignition	M echar	nizalkey	M echanicalkey
ES	Lighting	LED headlight:	s and taillights	LED headlights and taillights
FEATURES	Winch	N,	/A	3,500 <b>b</b> (1,588 kg) w inch
12	Seat	Stan	dami	Standard
	Handlebar	Stan	dard	Standard
	Protection	Fullskii plate		Frontand mearbum per Fullskii plate
	Warranty	6-m onth BRP li	in ited warranty	6-m onth BRP lim ited w arranty

 $<sup>\</sup>label{thm:color} V is co-Lok is a tradem ark of GKN\ V is codrive \ Gm\ bH\ . \\ All other tradem arks are the property of their respective ow ners. \\ {\tt *Base}\ m\ odeldry\ w\ eight shown\ . \\$ 

		OUTLANDER 850	OUTLANDER DPS 850	OUTLANDER 3	CT 850 / 1000R
C	OLOR OPTIONS	ViperRed	G zan itse G zay	W ikiland Cam o Platinum Satin Fiery Red	W ikland Cam o P latinum Satin Fiery Red
		850	850	850	1000R
	Туре	78 hp,Rotax <sup>a</sup> 854 cc V-tw in, liquid-cooled	78 hp,Rotax <sup>a</sup> 854 cc V-tw in, liquid-cooled	78 hp,Rotax <sup>4</sup> 854 cc V-tw in, liquid-cooled	91 hp,Rotax <sup>a</sup> 976 cc V-tw in, liquid-cooled
, s	Fuel Delivery System	Intelligent Throttle Control (ITC ) with Electronic Fuellinjection (EFI)	Intelligent Throttle Control (ITC ) with Electronic Fuellinjection (EFI)	IntelligentThmttileContmol(ITC )	with Electronic Fuel Injection (EFI)
ENGINES	Transmission	CVT L/H/N/R/P	CVT L/H/N/R/P		VT N /R /P
"	Drive Train	Selectable 2W D / 4W D with Visco-Lok auto-boking front differential	Selectable 2W D / 4W D with Visco-Lok QE auto-boking front differential	Selectable 2W D / 4W D w ith Visco-I	.ok QE auto-locking frontdifferential
	Driving Assistance	Work/Standard/Sportmodes IntelligentEngineBraking(EB)	W ork / Standard / Sportm odes IntelligentEngine Braking (EB )		d/Sportmodes ne Braking (EB)
	Power Steering	N /A	Tri-M ode Dynam ic PowerSteering (DPS )	Tri-M ode Dynam ic P	owerSteering DPS )
<u>s</u>	Front Suspension	Arched double A-arm with frontswaybar 92 in. Q33 cm)travel	Arched double A-arm with frontswaybar 92 in. 033cm )travel		n with frontswaybar 3 cm)travel
SUSPENSIONS	Front Shocks	Tw in-tube	Tw in-tube	Twi	-tube
	Rear Suspension	TorsionalTrailing am Independent (TTI) 99 in. 251 cm ) travel	TorsionalTrailing arm Independent (ITI) 9.9 in. Q5.1 cm ) travel	TorsionalTrailing arm Independent (TTI) 9.9 in. Q5.1 cm ) travel	
	Rear Shocks	Tw in-tube	Tw in-tube	Tw in-tube	
TIRES / WHEELS	Tires Wheels	6-ply 26 x 8 / 10 x 12 in. 12 in.steel	TTP Tenacross 26 x 8 / 10 x 14 in. 14 in.castalum inum	IIP Termacnoss 26 x 8 / 10 x 14 in. 14 in.castalum inum	
BRAKES	Front	Dual214 mm disc brakes with hydraulic twin-piston calipers	Dual214 mm disc brakes w ith hydraulic tw in-piston calipers	Dual214 m m disc brakes with hydraulic tw in-piston calibers	
BRA	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 m m disc brake with hydraulic twin-piston caliper	
	Estimated Dry Weight*	817 lb (371 kg)	817 lb (371 kg)	817 lb (371 kg)	895 <b>l</b> b (406 kg)
၂ ္က	LxWxH	86 x 48 x 49 5 in. Q18 A x 121 9 x 126 cm )	86 x 48 x 49 5 in. Q18 A x 121 9 x 126 cm)	86 x 48 x 49 5 in . Q1	8 A x 121 9 x 126 cm )
CAPACITIES	Wheelbase	51 in. (1295 cm)	51 in.(129.5 cm)	51 in. (	29.5 cm )
CAPA	Ground Clearance	11 in. 079 cm)	11 in. Q7 9 cm )	11 in.(	27.9 cm )
/ SI	Seat Height	345 in. (877 cm)	345 in. (877 cm)	34.5 in.	(87.7 cm )
NOISI	Rack Capacity	Front:100 lo (45 kg)/Rear:200 lo (90 kg)	Front:100 lb (45 kg)/Rear:200 lb (90 kg)	Front:100 lb (45 kg)	/Rear:200 lb (90 kg)
DIMENSIO	Storage Capacity	5.7 gal @1.4 L)	5.7 gal Q1 4 L)	5.7 ga:	(21 4 L)
	Towing Capacity	1,650 b (750 kg)	1,650 <b>b</b> (750 kg)	1,650 £	(750 kg)
	Fuel Capacity	5 A gal (20 5 L)	5 A gal Q0 5 L)	5 A ga.	(205L)
	Gauge	4.5 in.digitaldisplay	45 in.digitaldisplay	4.5 in.dig	italdisplay
	Instrumentation	DC outlet, 15 A connector	DC outlet, 15 A connector	DC outlet,1:	5 A connector
	Ignition	RFDigitallyEncodedSecuritySystem (DESS.)	RFDigitallyEncodedSecuritySystem DESS.)	RF D igitally Encoded Se	curitySystem DESS.)
ES	Lighting	LED headlights	LED headlights	LED he	adlights
FEATURES	Winch	Prew ired for available winch	Prew ired for available winch	3,500 d 0.03,E	88 kg) w inch
<sub>jj</sub>	Seat	Standard	Standard	Star	ndard
	Handlebar	Standard	Standard	Standard w ith	w ind deflectors
	Protection	M udguards	M udguards	Heavy-duty fiontand mearbum pers M udguards	
	Warranty	6-m onth BRP lim itsed warranty	6-m onth BRP lim ited warranty	6-m onth BRP 3	in ited warranty

		OUTLANDER XT	OUTLANDER X xc 1000R	
С	OLOR OPTIONS	HyperSibers	S Neo Yelbw	Chalk Gray & Can-Am Red
		850	1000R	1000R
	Туре	78 hp,Rotax <sup>e</sup> 854 cc V-tw in, liquid-cooled	91 hp,Rotax <sup>®</sup> 976 cc V-tw in,liquid-cooled	91 hp,Rotax <sup>#</sup> 976 cc V-tw in, liquid-cooled
	Fuel Delivery System	Intelligent Throttle Control (ITC ) v	IntelligentThuotik Control (TC ) with Electronic FuelInjection (FFI)	
ENGINES	Transmission	CV L/H/N		CVT L/H/N/R/P
=	Drive Train	Selectable 2W D / 4W D / Lock 4W D	with Visco-4 Lok frontdifferential	Selectable 2W D / 4W D with Visco-Lok QE auto-bocking front differential
	Driving Assistance	W ork / Standard Tite litigent Engine	-	ECO /Standard/Sportmodes IntelligentEngineBraking (EB )
	Power Steering	Tr <u>i-M</u> ode Dynam ic Po	owerSteering (PPS )	TriM ode Dynam ic Power Steering (DPS )
S	Front Suspension	Arched double A-am with frontsway bar 9 2 in. 233 cm ) travel		Arched double A-arm with frontswaybar 92 in.033 cm )travel
SION	Front Shocks	FOX 15PODIM QS3		FOX 15PODIUM RC2
SUSPENSIONS	Rear Suspension	TorsionalTrailing am Independent (ITI) 9.9 in. 25.1 cm ) travel		TorsionalTrailing arm Independent (FT1) 9.9 in. Q51 cm )travel
	Rear Shocks	FOX 15PODIM QS3		FOX 15PODIUM RC2
TIRES / WHEELS	Tires Wheels	IFP Teracipss $26\times8/10\times14$ in.		MP Tenacross 26 x 8 / 10 x 14 in. 14 in.cast-alum inum beadbok
	Front	Dua1214 m m disc brakes with hydraulic twin-piston calipers		Dual214 mm disc brakes with hydraulic twin-piston calipers
BRAKES	Rear Single 214 m m disc brake with hydraulic twin-piston caliber		h hydraulic tw.in-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper
	Estimated Dry Weight*	817 lb (671 kg)	895 lb (406 kg)	895 <b>b</b> (406 kg)
ر س	LxWxH	86 x 48 x 49 5 in. Q18	8 A x 121 9 x 126 cm )	86 x 48 x 49 5 in . Q18 4 x 121 9 x 126 cm )
NSIONS / CAPACITIES	Wheelbase	51 in. (1295 cm )		51 in.(1295 cm)
CAPA	Ground Clearance	11 in.@	79 cm)	11 in. Q7 9 cm )
NS /	Seat Height	34.5 in. (87.7 cm.)		34.5 in. (87.7 cm )
NSIO	Rack Capacity	Front:100 b (45 kg),	Fmont:100 b (45 kg)/Rear:200 b (90 kg)	
DIME	Storage Capacity	5.7 gal	Q1 A L)	5.7 gal (21 A L)
	Towing Capacity	1,650 b	(750 kg)	1,650 <b>l</b> o (750 kg)
	Fuel Capacity	5.4 gal	205L)	5 A gal 20 5 L)
	Gauge	7.6 in.w ide d	ligialdisplay	7.6 in.w ide digital display
	Instrumentation	DC outlet,15 A connector		D C outlet, 15 A connector
	Ignition	RFD in the light of the RFD in th		RFD igitally Encoded Security System (DESS.)
	Lighting	LED headlights		LED headlights
FEATURES	Winch	3,500 ъ 0,58	88 kg) w inch	P new ined for available winch
FEAT	Seat	Stand		Standard
-	Handlebar	Alım hum taper-profile handle	ebarw th fullw map handguards	A lum inum taperprofile handlebarw ith fullwrap handguards
	Protection	H eavy-duty fionts M udgi		Alm inum fiontbum perwih pm-nunnerand top biace Fiont, centerand footwellalm inum skii plates A-aim HMWPE protectors Mudquards
	Warranty	6-m onth BRP li	in ited warranty	6-m onth BRP lin ited w arranty

 $<sup>\</sup>label{thm:color} V is co-Lok is a tradem ark of GKN\ V is codrive \ Gm\ bH\ . \\ All other tradem arks are the property of their respective ow ners. \\ {\tt *Base}\ m\ odeldry\ w\ eight shown\ . \\$ 

		OUTLANDER Hunting Edition 850	OUTLANDER X mr 850	OUTLANDER X mr 1000R
С	OLOR OPTIONS	W ikiland Cam o	Legion Red	Legion Red HyperSilver& Legion Red
		850	850	1000R
	Туре	78 hp,Rotax <sup>®</sup> 854 cc V+w in,liquid-cooled	78 hp,Rotax <sup>6</sup> 854 cc V-tw in,snorkeled, liquid-cooled with relocated radiator	91 hp,Rotax <sup>e</sup> 976 cc V-tw in,snorkeled, liquid-cooled with relocated radiator
	Fuel Delivery System	IntelligentThrottleControl(ITC ) withElectronicFuelInjection(EFI)	hteligentThrottleControl(ITC ) withElectronicFuelInjection (FFI)	Intelligent Throttle Control (ITC ) with Electronic Fuel Injection (EFI)
ENGINES	Transmission	CVT L/H/N/R/P	CVT P/R/N/H/L	CVT Extra low L/H/N/R/P
	Drive Train	Selectable 2W D / 4W D with Visco-Lok QE auto-boking front differential	Selectable 2W D / 4W D / Lock 4W D w ith Visco-4 Lok fiontdifferential	Selectable 2W D / 4W D / Lock 4W D w lth Visco-4 Lok fiontdifferential
	Driving Assistance	W ork / Standard / Sportm odes Intelligent Engine Braking (EB )	ECO / Standard / Sportm odes Intelligent Engine Braking (EB )	ECO / Standard / Sportm odes Intelligent Engine Braking (EB )
	Power Steering	TriM ode Dynam ic PowerSteering (DPS )	TriM ode Dynam ic PowerSteering (DPS )	TriM ode Dynam ic PowerSteering (DPS )
	Front Suspension	Arched double A-arm with frontswaybar 92 in.033 cm )travel	Arched double A-arm with frontswaybar	Arched double A-arm with frontswaybar
SIONS	Front Shocks	Tw in-tube	SHOW A gas shock	SHOW A gas shock
SUSPENSIONS	Rear Suspension	TorsionalTrailing arm Independent (TTI) 99 in. 051 cm ) travel	TorsionalTrailing am Independent (TT1)	TorsionalTrailing arm Independent (FTI)
	Rear Shocks	Tw in-tube	SHOW A gas shock	SHOW A gas shock
TIRES / WHEELS	Tires Wheels	Carlisle ACTHD 26x8/10x12 in. 12 in.castalum inum	TP Cxyptid 30 x 9 / 9 x 14 in. 14 in.castalum inum	TP Cxyptid30x9/9x14 in. 14 in.castalum inum
-	Front	Dual214 mm disc brakes with hydraulic twin-piston calipers	Dual214 mm disc brakes with hydraulic twin-piston calipers	Dual214 mm disc brakes with hydraulic twin-piston calipers
BRAKES	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper
	Estimated Dry Weight*	817 <b>b</b> (371 kg)	951 <b>b</b> (431 kg)	1,013 <b>l</b> o (459 kg)
S	LxWxH	86 x 48 x 49 5 in. Q18 A x 121 9 x 126 cm )	88 x 50 x 51 5 in. Q24 x 127 x 131 cm )	97 x 50 x 51.5 in. Q46 x 127 x 131 cm )
NSIONS / CAPACITIES	Wheelbase	51 in.(1295 cm)	51 in.(1295 cm)	59 in.(149.9 cm)
APA	Ground Clearance	12 in. (30 5 cm )	13 in. (33 cm)	13 in. (33 cm )
SN	Seat Height	345 in. (677 cm)	368 in. 033 cm)	36.8 in. (93.3 cm )
ISIOI	Rack Capacity	Fmnt:100 b (45 kg)/Rear:200 b (90 kg)	Rear:200 b (90 kg)	Rear:200 b 00 kg)
DIME	Storage Capacity	5.7 gal Q1 4 L)	5.7 gal Q1 A L)	5.7 gal Q1.4 L)
	Towing Capacity	1,650 <b>b</b> (750 kg)	1,650 <b>l</b> o (750 kg)	1,650 <b>b</b> (750 kg)
	Fuel Capacity	5 A gal 20 5 L)	5 A gal 20 5 L)	5 A gal (20 5 L)
	Gauge	45 in.digitaldisplay	76 in.w ide digitaldisplay	7.6 in.w ide digitaldisplay
	Instrumentation	DC outlet,15 A connector	DC outlet, 15 A connector	DC outlet, 15 A connector
	Ignition	RFD igitally Encoded Security System (DESS.)	RFD igitally Encoded Security System DESS.) with cord	RFD in tally Encoded Security System DESS. ) with cord
	Lighting	LED headlights	LED headlights	LED headlights
RES	Winch	3,500 b (1,588 kg) winch	3,500 b (1,588 kg) winch	3,500 b (1,588 kg) winch
FEATURES	Seat	Reinforced seatskin	Standard	Standard
"	Handlebar	Standard with wind deflectors and heated grips & throttle	Standard	Standard
	Protection	Heavy-duty fiont and marbum pers Front, central and botwell alum inum skilp lates A-aum s and TTIHM WPE protectors Mudguards	Heavy-duty fiont and mearbum pers M ud-riting footmests M udguards	Heavy-duty fiontand mearbum pers M ud-riting footmests M udguards
	Warranty	6-m onth BRP lim ited warranty	6-m onth BRP lim ited warranty	6-m onth BRP lim ited w arranty

Part			OUTLANDER MAX DPS 850	OUTLANDER MAX XT 850 1000R		
Page			a de la companya de l			
Part	C	OLOR OPTIONS	Granite Gray	Fiery Red		
1985   1985		_	850	850	1000R	
Page		Type	78 hp,Rotax <sup>s</sup> 854 cc V-tw in, liquid-cooled	78 hp,Rotax <sup>s</sup> 854 cc V-tw in, liquid-cooled	91 hp,Rotax <sup>a</sup> 976 cc V-tw in, liquid-cooled	
Drive Train		Fuel Delivery System		IntelligentThrottleControl(ffC ) withElectronicFuellnjection &FI)		
Drive Train	NGINES	Transmission				
Provided   Provided	<sup></sup>	Drive Train	Selectable 2W D / 4W D with Visco-Lok QE auto-boking front différential	Selectable 2W D / 4W D with Visco-Lo	k QE auto-boking front differential	
		Driving Assistance			-	
Front   Stagle Print   Stagle Prin		Power Steering	TriM ode Dynam ic PowerSteering (DPS )	TriM ode Dynam ic Pow	erSteering (DPS )	
	S	Front Suspension				
	NSION	Front Shocks	Tw.in-tube	Tw in t	ube	
	SUSPER	Rear Suspension				
Proof   Dual214 mm disc bankes with hydraulic but in-piston calipers   Dual214 mm disc bankes with hydraulic but in-piston calipers		Rear Shocks	Tw.in-tube	Tw in-tube		
Proof   Dual214 mm disc bankes with hydraulic but in-piston calipers   Dual214 mm disc bankes with hydraulic but in-piston calipers	TIRES / WHEELS					
	KES	Front	Dual214 mm disc brakes with hydraulic twin-piston calipers	Dual214 m m disc bzakes w ith l	nydraulic tw. in-piston calipers	
DryWalpht   Set D 1974 (A)	BRA	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disclosake with hydraulic twin-piston caliper		
Wheelbase   S9 in. (499 cm)   S9 in. (499 cm)			869 <b>l</b> o (894 kg)	869 <b>l</b> o (394 kg)	954 <b>l</b> o (433 kg)	
Fuel Capacity  Fuel Capacity  S A gal Q O 5 L)  Instrumentation  D C outlet, 15 A connector  Ingition  RF D ij tally Encoded Security System D E S S. )  RF D ij tally Encoded Security System D E S S. )  Lighting  LED head lights  LED head lights  Winch  Puew ired for available winch  Seat  Convertible Rack System CRS)  Convertible Rack System CRS)  Handlebar  Standari  M udguards  M udguards  M udguards  H eavy-duty finnt and marbum pers M udguards	l s	LxWxH	94 x 48 x 53 in. @38.8 x 121.9 x 135 cm)	94 x 48 x 53 in . 238 i	3 x 121 9 x 135 cm )	
Fuel Capacity  Fuel Capacity  S A gal Q O 5 L)  Instrumentation  D C outlet, 15 A connector  Ingition  RF D ij tally Encoded Security System D E S S. )  RF D ij tally Encoded Security System D E S S. )  Lighting  LED head lights  LED head lights  Winch  Puew ired for available winch  Seat  Convertible Rack System CRS)  Convertible Rack System CRS)  Handlebar  Standari  M udguards  M udguards  M udguards  H eavy-duty finnt and marbum pers M udguards	CITIE	Wheelbase	59 in. (149.9 cm )	59 in . (1.4	9.9 cm )	
Fuel Capacity  Fuel Capacity  S A gal Q O 5 L)  Instrumentation  D C outlet, 15 A connector  Ingition  RF D ij tally Encoded Security System D E S S. )  RF D ij tally Encoded Security System D E S S. )  Lighting  LED head lights  LED head lights  Winch  Puew ired for available winch  Seat  Convertible Rack System CRS)  Convertible Rack System CRS)  Handlebar  Standari  M udguards  M udguards  M udguards  H eavy-duty finnt and marbum pers M udguards	CAPA	Ground Clearance	11 in.Q79 cm)	11 in. 07	9 cm )	
Fuel Capacity  Fuel Capacity  S A gal Q O 5 L)  Instrumentation  D C outlet, 15 A connector  Ingition  RF D ij tally Encoded Security System D E S S. )  RF D ij tally Encoded Security System D E S S. )  Lighting  LED head lights  LED head lights  Winch  Puew ired for available winch  Seat  Convertible Rack System CRS)  Convertible Rack System CRS)  Handlebar  Standari  M udguards  M udguards  M udguards  H eavy-duty finnt and marbum pers M udguards	NS / G	Seat Height	345 in.(87.7 cm)	34.5 in. @	7.7 cm.)	
Fuel Capacity  Fuel Capacity  S A gal Q O 5 L)  Instrumentation  D C outlet, 15 A connector  Ingition  RF D ij tally Encoded Security System D E S S. )  RF D ij tally Encoded Security System D E S S. )  Lighting  LED head lights  LED head lights  Winch  Puew ired for available winch  Seat  Convertible Rack System CRS)  Convertible Rack System CRS)  Handlebar  Standari  M udguards  M udguards  M udguards  H eavy-duty finnt and marbum pers M udguards	IOISN	Rack Capacity	Front:100 b (45 kg)/Rear:200 b (90 kg)	Front:100 lb (45 kg)/	Rear:200 lb (90 kg)	
Fuel Capacity  Fuel Capacity  S A gal Q O 5 L)  Instrumentation  D C outlet, 15 A connector  Ingition  RF D ij tally Encoded Security System D E S S. )  RF D ij tally Encoded Security System D E S S. )  Lighting  LED head lights  LED head lights  Winch  Puew ired for available winch  Seat  Convertible Rack System CRS)  Convertible Rack System CRS)  Handlebar  Standari  M udguards  M udguards  M udguards  H eavy-duty finnt and marbum pers M udguards	JIME	Storage Capacity	5.7 gal (21.4 L)	5.7 gal <b>(</b>	21 A L)	
Foliation   Seat   Convertible Rack System   CRS   Convertib	-	Towing Capacity	1,650 <b>b</b> (750 kg)	1,650 b	750 kg)	
Instrumentation   DC outlet, 15 A connector   DC outlet, 15 A connector		Fuel Capacity	5 A gal (20 5 L)	5 A gal (	205L)	
Ignition   RFD hybridy Encoded Security System DESS.)   RFD hybridy Encoded Security System DESS.)		Gauge	45 in.digitaldisplay	45 in.digit	aldisplay	
Handlebar  Protection  LED headlights		Instrumentation	DC outlet, 15 A connector	DC outlet,15;	A connector	
Winch Prew fred for available winch 3,500 b (2,588 kg) winch  Seat Convertible Rack System (CRS)  Handlebar Standard Standard Standard Standard Beavy-duty fiont and rearbum pers Mudguards Mudguards		Ignition	RFD igitally Encoded Security System DESS.)	RF D igitally Encoded Sec	uritySystem (DESS.)	
Handlebar     Standard     Standard with wind deflectors       Protection     Mudguards     Heavy-duty front and meanbum pers       Mudguards     Mudguards	ုန္ပ	Lighting	LED headlights	LED hea	dlights	
Handlebar     Standard     Standard with wind deflectors       Protection     Mudguards     Heavy-duty front and meanbum pers       Mudguards     Mudguards	TURE	Winch	P new ined for available winch	3,500 <b>d</b> 00 <b>3,</b> 5	8 kg) w inch	
Protection Mudguards Heavy-duty finnt and mearbum pers Mudguards	FEA	Seat	Convertible Rack System (CRS)	Convertible Rack	System CRS)	
Protection Mudguards Mudguards Mudguards		Handlebar	Standard	Standard w ith w	ind deflectors	
Warranty 6-m onth BRP lim ited warranty 6-m onth BRP lim ited warranty		Protection	M udguards			
		Warranty	6-m onth BRP lim ited w arranty	6-m onth BRP lim	žed w amanty	

 $<sup>\</sup>label{thm:color} V is co-Lok is a tradem ark of GKN\ V is codrive \ Gm\ bH\ . \\ All other tradem arks are the property of their respective ow ners. \\ {\tt *Base}\ m\ odeldry\ w\ eight shown\ . \\$ 

		OUTLANDER MAX >	CT P850 1000R	OUTLANDER MAX Limited 1000R
С	OLOR OPTIONS	HyperSibers 1	Neo Yelbw	Stone Gray
	Туре	850	1000R	1000R
	1,100	78 hp,Rotax <sup>s</sup> 854 cc V-tw in,liquid-cooled	91 hp,Rotax <sup>6</sup> 976 cc V-tw in,liquid-cooled	91 hp,Rotax <sup>s</sup> 976 cc V-tw in,liquid-cooled
	Fuel Delivery System	hteligentThrottle withElectronicFue		Intelligent Throttle Control (ITC ) with Electronic Fuellhjection (FFI)
ENGINES	Transmission	CVT L/H/N/		CVT L/H/N/R/P
	Drive Train	Selectable 2W D / 4W D / Lock 4W D w	ih Visco-4 Lok frontdifferential	Selectable 2W D / 4W D / Lock 4W D with Visco-4 Lok frontdifferential
	Driving Assistance	W ork / Standard / Intelligent Engine I		Work/Standard/Sportmodes IntelligentEngine Braking (EB )
	Power Steering	Tri-Mode Dynamic Pow	erSteering DPS )	TriM ode Dynam ic Power Steering (DPS )
s	Front Suspension	Arched double A-aim w 92 in. 033 c		Arched double A-arm with frontswaybar 92 in.033 cm)tzavel
Noisi	Front Shocks	FOX 15POD	FOX 15PODIM QS3	
SUSPENSIONS	Rear Suspension	TorsionalTrailing am 99 in. 051 c	TorsionalTzailing arm Independent (TTI) 99 in. 251 cm ) travel	
"	Rear Shocks	FOX 15PODIM QS3		FOX 15PODIM QS3
TIRES / WHEELS	Tires Wheels	ΠΡ Tenacmss26×8/10×14 h. 14 h.cast-alım hum beadbck		M axxis Bighorn 2D 27 x 9 / 11 x 14 in. 14 in.castalum inum
BRAKES	Front	Dual214 m m discbrakes with h	ydraulic tw in-p iston calipers	Dual214mm disc brakes with hydraulic twin-piston calipers
BRA	Rear	Single 214 mm disc bzake with h	Single 214 m m disc brake with hydraulic twin-piston caliper	
	Estimated Dry Weight*	869 <b>b</b> (394 kg)	869 <b>b</b> (894 kg) 954 <b>b</b> (833 kg)	
<u>ر</u>	LxWxH	94 x 48 x 53 in. Q38.8 x 121 9 x 135 cm )		94 x 48 x 53 in . @38 8 x 121 9 x 135 cm )
NSIONS / CAPACITIES	Wheelbase	59 in. (149.9 cm )		59 in.(149.9 cm)
CAPA	Ground Clearance	11 in. Q79 cm)		11 in. Q7.9 cm)
NS /	Seat Height	345 in. @7	7 cm )	34.5 in. (87.7 cm)
NSIO	Rack Capacity	Fmont:100 lb (45 kg)/F	Rear:200 b (90 kg)	Front:100 lb (45 kg)/Rear:200 lb (90 kg)
DIME	Storage Capacity	5.7 gal <b>(</b> :	5.7 gal Q1 A L)	
	Towing Capacity	1,650 b (7	50 kg)	1,650 <b>b</b> (750 kg)
	Fuel Capacity	5.A gal Q	05L)	5 A gal (20 5 L)
	Gauge	7.6 in.wide dig	italdisplay	7.6 in.w ide digitaldisplay
	Instrumentation	DC outlet, 15 A	connector	DC outlet, 15 A connector
	Ignition	RFD <b>igitally</b> Encoded Secu	ritySystem (DESS.)	RFD igitally Encoded Security System (DESS.)
ES	Lighting	LED head	lights	LED headlights
FEATURES	Winch	3,500 b (1,588	kg) w inch	3,500 b (1,588 kg) w inch
<u> </u>	Seat	Convertible Rack	System (CRS)	Convertible Rack System (CRS)
	Handlebar	Alum inum taper-profile handleba	arw ith fullw map handguards	Standard with wind deflectors
	Protection	H eavy-duty fiontan M udgua		Heavy-duty front and rear bum pers Mudguards
	Warranty	6-m onth BRP lim	6+m onth BRP lim ited warranty	

 $<sup>\</sup>label{thm:color} Visco-Lok\ is\ a\ tradem\ aik\ of\ G\ KN\ Viscodrive\ G\ m\ bH\ . \\ A\ llother\ tradem\ aik\ are\ the\ property\ of\ their\ respective\ ow\ ners. \\ *Base\ m\ ode\ ldry\ w\ eight\ show\ n\ . \\$ 

		OUTLANDER M AX 6X6 DPS 450	OUTLANDER MAX 6X6 DPS 650	OUTLANDER MAX 6X6 XT 1000
С	OLOR OPTIONS	Tundra G reen	Tundra G reen	BorealG men
	<b></b>	450	650	1000
	Туре	38 hp,Rotax <sup>6</sup> 427 cc single-cylinder, liquid-cooled	62 hp,Rotax <sup>#</sup> 650 cc V-tw in, liquid-cooled	82 hp,Rotax <sup>s</sup> 976 cc V-tw in, liquid-cooled
	Fuel Delivery System	Electronic Fuellh jection (EFI)	Electronic Fuellinjection (EFI)	Electronic Fuel Injection (EFI)
ENGINES	Transmission	CVT Extra low L / H / N / R / P	CVT Extra low L/H/N/R/P	CVT Extra low L/H/N/R/P
Ē	Drive Train	Selectable 4W D / 6W D with Visco-Lok QE auto-bocking front differential	Selectable 4W D / 6W D with Visco-Lok QE auto-boking front differential	Selectable 4W D / 6W D w ith Visco-Lok QE auto-bocking frontdifferential
	Driving Assistance	N /A	N /A	N /A
	Power Steering	TriM ode Dynam ic PowerSteering (DPS )	TriM ode Dynam ic PowerSteering (DPS )	Tri-M ode Dynam ic PowerSteering (DPS )
	Front Suspension	Double A-arm 9 in. 029 cm ) travel	Arched double A-arm with frontswaybar 92 in. Q33 cm ) travel	Arched double A-arm with frontsway bar 92 in. 033 cm) travel
SIONS	Front Shocks	Tw in-tube	Tw in-tube	Tw in-tube
SUSPENSIONS	Rear Suspension	Double TorsionalTrailing am Independent (TTZ) w in quick-me base swaybar 8 & in. Q2 A cm ) travel	Double TorsionalTrailing am Independent (TTZ) with quirk-me base swaybar 9.9 in. Q5.1 cm ) travel	Double TorsionalTrailing arm Independent (FTE) with quick-melase swaybar 99 in. 251 cm )travel
	Rear Shocks	Tw in-tube	Tw in-tube	Tw in-tube
TIRES / WHEELS	Tires Wheels	Carish ACTHD 26x8/10x12 in. 12 in.castalum inum	MP Tenacross 26 x 8 / 10 x 14 in. 14 in.castalum inum	TP Tenacross 26 x 8 / 10 x 14 in. 14 in.castalum inum
	Front	Dual214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual214 m m disc brakes with hydraulic twin-piston calipers
BRAKES	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual214 m m disc brakes with hydraulic twin-piston calipers
	Estimated Dry Weight*	1,000 <b>l</b> o (454 kg)	1,100 lb (499 kg)	1,170 b (631 kg)
	LxWxH	118 x 46 x 57 in. G00 x 117 x 145 cm)	1248 x 48 5 x 55 3 in. G17 x 123 x 140 cm )	1248 x 485 x 55 3 in. G17 x 123 x 140 cm)
ITIES	Wheelbase	90 in. (228.5 cm )	90 in. (228.5 cm )	90 in. (2285 cm)
APAC	Ground Clearance	10.5 in. Q6.7 cm)	11 in. Q7 9 cm )	11 in. Q7.9 cm)
S/C	Seat Height	33&in. (65&cm)	345 in. (67.7 cm)	34.5 in. (67.7 cm )
SION	Rack Capacity	Front:120 b 64 A kg)/Rear:350 b (159kg)	Front:100 b (45 kg)/Rear:700 b (318 kg)	Fmont:100 b (45 kg)/Rear:700 b (318 kg)
DIMENSIONS / CAPACITIES	Storage Capacity	2.9 gal (LO.9 L)	D ual-level cargo box w ith sidewalls and tailgate $18.5\mathrm{gal}(\!70\mathrm{L})$	D ual-levelcargo box w ith sidew alls and tailgate $185\mathrm{gal}(70\mathrm{L})$
	Towing Capacity	1,650 <b>b</b> (750 kg)	1,650 lb (750 kg)	1,650 b (750 kg)
	Fuel Capacity	5 A gal 20 5 L)	5 A gal 20 5 L)	5 A gal (20 5 L)
	Gauge	4.5 in.digitaldisplay	45 in digital display	4.5 in.digitaldisplay
	Instrumentation	DC outlet, 15 A connector	DC outlet, 15 A connector	DC outlet, 15 A connector
	Ignition	RFD ighally Encoded Security System (DESS.)	RFD ighally Encoded Security System DESS.)	RFDigitally Encoded Security System (DESS.)
	Lighting	70 W headlights	LED headlights	LED headlights
URES	Winch	Prew ired for available winch	Prew ired for available winch	3,500 lb (1,588 kg) w inch
FEATURES	Seat	Convertible Rack System (CRS)	Convertible Rack System (CRS)	Convertible Rack System (CRS)
_	Handlebar	Standard	Standard	Standard with wind deflectors
	Protection	N/A	N/A	Heavy-duty fiontbum per
			II.	1

 $<sup>\</sup>label{thm:color} V is co-Lok is a tradem ark of GKN\ V is codrive\ Gm\ bH\ . \\ All other tradem arks are the property of their respective\ ow\ ners. \\ {\tt "Base\ m\ odeldry\ w\ eightshow\ n.}$ 

		RENEGADE 650	RENEGADE X xc 1000R	RENEGADE X mr 650	RENEGADE X mr 1000R
С	OLOR OPTIONS	C atalyst G ray	CatalystGray & Neo Yellow	CatalystGray & Neo Yellow	CatalystGmay&NeoYelbw HyperSilwer&LegionRed
	_	650	1000R	650	1000R
	Туре	62 hp,Rotax <sup>6</sup> 650 cc V-tw in,liquid-cooled	91 hp,Rotax <sup>s</sup> 976 cc V-tw in,liquid-cooled	62 hp,Rotax <sup>s</sup> 650 ccV-twin,snorkeled, liquid-cooled	91 hp,Rotax <sup>a</sup> 976 cc V-tw in,snorkeled, liquid-cooled
_	Fuel Delivery System	InteligentThrottle Control (ITC ) with Electronic FuelInjection (EFI)	Intelligent Throttle Control (ITC ) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (ITC ) with Electronic Fuel Injection (EFI)	IntelligentThmottleContmol(ITC ) withElectmonicFuelInjection(EFI)
ENGINES	Transmission	CVT L/H/N/R/P	CVT L/H/N/R/P	CVT L/H/N/R/P	CVT Extra low L/H/N/R/P
"	Drive Train	Selectable 2W D / 4W D w ith Visco-Lok auto-boking front differential	Selectable 2W D / 4W D with Visco-Lok QE auto-locking front differential	Selectable 2W D / 4W D / Lock 4W D with Visco-4 Lok front differential	Selectable 2W D / 4W D / Lock 4W D with Visco-4 Lok front differential
	Driving Assistance	Work/Standard/Sportmodes IntelligentEngineBraking (EB)	W ork / Standard / Sportm odes IntelligentEngine Braking (EB )	W ork / Standard / Sportm odes IntelligentEngine Braking (EB )	W ork / Standard / Sportm odes IntelligentEngine Braking (EB )
	Power Steering	N/A	Tri-M ode Dynam ic PowerSteering (DPS )	Tri-M ode Dynam ic PowerSteering (DPS )	Tri-M ode Dynam ic PowerSteering (DPS )
S	Front Suspension	Arched double A-arm with frontswaybar 92 in.033cm)travel	Arched double A-arm with frontswaybar 92 in.033 cm )travel	Arched double A-arm with frontswaybar	Arched double A-arm with frontswaybar
SION	Front Shocks	SHOW A gas shock	FOX 15PODIUM RC2	SHOW A gas shock	FOX 15PODIM QS3
SUSPENSIONS	Rear Suspension	TorsionalTrailing arm Independent (TTI) 99 in. 251 cm ) travel	TorsionalTrailing am Independent (TTI) 9.9 in. 05.1 cm ) travel	TorsionalTrailing arm Independent (FTI)	TorsionalTrailing arm Independent (TTI)
	Rear Shocks	SHOW A gas shock	FOX 15 POD IUM RC2	SHOW A gas shock	FOX 15PODIUM QS3
TIRES / WHEELS	Tires Wheels	ITP Holeshot ATR 25 x 8 / 11 x 12 in. 12 in.castalum inum	ITP Holeshot ATR 25 x 8 / 11 x 12 in. 12 in.castalum inum beadlock	<pre>TP M ega M ayhem 28x8/10x12in. 12in.castalum inum beadlock</pre>	HP Cryptid 30 x 9 / 9 x 14 in. 14 in.cast-alum inum beadlock
BRAKES	Front	Dual214 m m disc brakes w ith hydraulic tw in-piston calipers	Dual214 m m disc brakes w ith hydraulic tw in-piston calipers	Dual214 m m disc brakes w ith hydraulic tw in-piston calipers	Dual214 m m disc brakes w ith hydraulic tw in-piston calipers
BRA	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper
	Estimated Dry Weight*	750 <b>l</b> o (340 kg)	795 <b>l</b> o (β61 kg)	870 lb (395 kg)	971 <b>l</b> o (440 kg)
	LxWxH	86 x 48 x 49 in. (218 A x 121 9 x 124 cm)	86 x 48 x 49 in . Q18 A x 121 9 x 124 cm )	83 x 50 x 56 in. @24 x 127 x 131 cm )	83 x 50 x 56 in . Q24 x 127 x 131 cm )
IS / CAPACITIES	Wheelbase	51 in.(1295 cm)	51 in.(1295 cm)	51 in.(129.5 cm)	51 in.(129.5 cm)
APAC	Ground Clearance	105 in. Q67 cm)	105 in. Q67 cm)	12 in. β0 5 cm )	125 in. 618 cm)
s/c	Seat Height	345 in. (67.7 cm)	345 in. (877 cm)	35 3 in. (69 5 cm)	36.8 in. 03.3 cm)
	Rack Capacity	Rear:35 b (16 kg)	Rear:35 <b>b</b> (16 kg)	Rear:35 lb (16 kg)	Rear:35 lb (16 kg)
DIMENSION	Storage Capacity	N/A	N/A	N /A	N /A
	Towing Capacity	1,300 <b>b</b> (590 kg)	1,300 <b>l</b> o (690 kg)	1,300 lo (590 kg)	1,300 <b>b</b> (590 kg)
	Fuel Capacity	5 A gal (20 5 L)	5 A gal Q0 5 L)	5 A gal (20 5 L)	5 A gal (20.5 L)
	Gauge	4.5 in .digitaldisplay	45 in.digitaldisplay	45 in.digitaldisplay	45 in.digitaldisplay
	Instrumentation	DC outlet, 15 A connector	DC outlet, 15 A connector	DC outlet, 15 A connector	DC outlet, 15 A connector
	Ignition	RFDigitallyEncodedSecuritySystem (DESS.)	RFDigitally Encoded Security System  DESS.)	RFDigitally Encoded Security System  OESS.) with cord	RFD igitally Encoded Security System  DESS.) with cond
	Lighting	LED headlights	LED headlights	LED headlights	LED headlights
FEATURES	Winch	Prew ired for available winch	Prew ired for available winch	Prew ired for available winch	3,500 lb (1,588 kg) w inch
FEAT	Seat	Standard	Standard	Standard	Standard
	Handlebar	Standard	Alım hum taperpınfile handlebar with fullw zap handguards	Alm inum taper-profile handlebar with grab handle and fullwrap handguards	Alum inum taperprofile handlebar with grab handle and fullw rap handguards
	Protection	Frontbum per	Frontbum per Frontand centralskid plate	Frontand mearbum pers M udguards Frontand centralalum inum skid plate	Frontand mearbum pers M udguards Frontand centralalum hum skid plate
	Warranty	6-m onth BRP lim ited warranty	6-m onth BRP lim itsed warnanty	6-m onth BRP lim ited warranty	6-m onth BRP lim ited warranty

 $<sup>\</sup>label{thm:color} Visco-Lok\ is\ a\ tradem\ aik\ of\ G\ KN\ Viscodrive\ G\ m\ bH\ . \\ A\ llother\ tradem\ aik\ are\ the\ property\ of\ their\ respective\ ow\ ners. \\ *Base\ m\ ode\ ldry\ w\ eight\ show\ n\ . \\$ 

		RENEGADE 70 EFI	RENEGADE 110 EFI	RENEGADE X xc 110 EFI	DS 250
				000	
С	OLOR OPTIONS	CatalystGray & Neo Yellow Iceberg Blue & Black	Catalyst Gray & Neo Yellow Iceberg Blue & Black	Black & Legion Red	Black & Can-Am Red
	Time	70 EFI	110 EFI	110 EFI	250
	Туре	4-stroke single-cylinder, air-cooled	112 cc 4-stroke single-cylinder, air-cooled	112 cc 4-stroke single-cylinder, air-cooled	250 cc 4-stroke single-cylinder, liquid-cooled
w	Fuel Delivery System	Electronic Fuel Injection (EFI) with built-in throttle limiter	Electronic Fuel Injection (EFI) with built-in throttle limiter	Electronic Fuel Injection (EFI) with built-in throttle limiter	Carburetion
ENGINES	Transmission	CVT F/N/R	CVT F/N/R	CVT F/N/R	CVT F/N/R
Ш	Drive Train	Chain driven / 2W D Electric starting system	Chain driven / 2W D Electric starting system	Chain driven / 2W D Electric starting system	Chain driven / solid axle
	Driving Assistance	N /A	N /A	N /A	N /A
	Power Steering	N /A	N /A	N /A	N /A
	Front Suspension	Single A-arm 5 in. (12.7 cm ) travel	Single A-am 5 in. (12.7 cm) travel	Double A-arm 55 in. (14 cm) travel	Double A-arm 55 in. (14 cm) travel
SIONS	Front Shocks	Tw in-tube	Tw in-tube	Gaswith piggyback reservoirs	Tw in-tube
SUSPENSIONS	Rear Suspension	Swingam 6 in. (152 cm) travel	Swingam 6 in. (152 cm) travel	Swingarm 6 in. (152 cm) travel	Sw ingarm 6.7 in. (17 cm ) travel
S	Rear Shocks	Tw in-tube	Tw in-tube	Gas	Tw in-tube
TIRES / WHEELS	Tires Wheels	17x7/8x8in. 8in.steel	Front:19 x 7 x 8 in. Rear:18 x 9 5 x 8 in. 8 in.steel	Front:19 x 7 x 8 in. Rear:18 x 9 5 x 8 in. 8 in.steel	Front:Kenda 22 x 7 x 10 in. Rear:Kenda 20 x 11 x 9 in. Front:10 in.silversteel/Rear:9 in.silversteel
BRAKES	Front	Dualdrum brakes	Dualdrum brakes	Dualdrum brakes	Dualhydraulic disc brakes
BRA	Rear	Single drum brakes	Single drum brakes	Single drum brakes	Single hydraulic disc brake
	Estimated Dry Weight*	290 lb (L30 kg)	295 <b>l</b> b (L34 kg)	310 lb (L40 kg)	429 <b>l</b> b (195 kg)
	LxWxH	59 x 38 x 36 in . (150 x 97 x 92 cm )	60.6 x 40.4 x 38.6 in. (154 x 103 x 98 cm)	60 £ x 42 x 38 £ in. (154 x 108 x 98 cm)	72 x 40 5 x 43 5 in. (183 x 103 x 110 5 cm )
E SE	Wheelbase	39 in. 09 cm )	41 in. (105 cm)	41 in.(105 cm)	47 in.(118.7 cm)
MENSIONS / CAPACITIES	Ground Clearance	73 in.(185 cm) underfiam e / 35 in. (9 cm) undermaraxle	83 in. 211 cm ) underfiam e / 45 in. (114 cm ) undermearaxle	83 in. (211 cm ) under fram e / 45 in. (114 cm ) under mearaxle	10.2 in.Q6 cm) centerofATV
ONS /	Seat Height	26 in. (68 cm )	28 in. (71 cm )	28 in.(71 cm )	31.5 in. (80 cm)
ENSI	Rack Capacity	N /A	N /A	N /A	N /A
DIM	Storage Capacity	N /A	N /A	N /A	N /A
	Towing Capacity	N /A	N /A	N /A	N /A
	Fuel Capacity	1 £ gal (6 L)	1.6 gal (6 L)	1.6 gal (6 L)	3.3 gal (12.5 L)
	Gauge	N eutral, reverse, fuelleveland check engine lights	N eutral, neverse, fuelleveland check engine lights	N eutral, neverse, fielleveland check engine lights	Neutrallight, neverse light and oil/tem perature light
	Instrumentation	N /A	N /A	N /A	N /A
	Ignition	M echanicalkey	M echanicalkey	M echanicalkey	M echanicalkey
ES	Lighting	Halogen zunning headlights	Halogen zunning headlights	Halogen running headlights	2 headlam ps (35 W ) w ith tail light and brake light
FEATURES	Winch	N /A	N /A	N /A	N /A
)   ਜ਼	Seat	Standard	Standard	Standard Sporthandguards	Standard
	Handlebar	Ergonom ics and controls sized for 6 years old and up	Ergonom ics and controls sized for 10 years old and up	Ergonom its and controls sized for 10 years old and up	Standard
	Protection	Frontbum per Rem ovable footboard spacers	Frontbum per	Frontbum per	N /A
	Warranty	6-m onth BRP lim ited warranty	6-m onth BRP lim ited warranty	6-m onth BRP lim ited warranty	6-m onth BRP lim itsed warranty

 $<sup>\</sup>label{thm:color} V is co-Lok is a tradem ark of GKN\ V is codrive\ Gm\ bH\ . \\ All other tradem arks are the property of their respective\ ow\ ners. \\ {\tt "Base\ m\ odeldry\ w\ eightshow\ n.}$ 



# CP. CP. CPS ACCESSIFIES

LinQ:EasyOn,EasyO Cargo	44
Racks & Holders	49
Cargo & Storage	50
Can-Am W indshields	52
Handlebars & Mirrors	53
Seats	54
HMWPESkidPlates	55
Alum inum SkidPlates	56
HMWPE&AluminumSkidPlates	58
Bum pers & Guards	59
Lights & Electrical	62
W inches	65
Hitches	67
Perform ance	68
Covers,Decals & Add-Ons	70
Apache Track System s	72
ProMountPbws	74



# BINDEUPTONEARCOMPROMSE YORATVBINDES

SI	

OHOOSE YO	G2L G2L M AX	G2 G2 M AX		
	LinQ Base	715002350	N /A	
STARTER	LinQ 23 Gal (86 L) Trunk Box	715004923	715004923	
	HandlebarW ind Deflectors	715001706	715001706	
	LinQ Heavy-Duty Basket	715001215	715001215	
ADVANCED	LinQ ToolKit	715006829	715006829	
	HandlebarM imors	715005366	715005366	
PEAK	Bluetooth HandlebarSoundbarby M TX	219400840	219400840	

SIEP2: FICKYOUR/	4DONBINDE	G2L G2L M AX	G2 G2 M AX
	Self-C learing Footwells	715004759	715004759
	Electronic Device Holder	715004919	715004919
ADVENTURE	Storage 2.6 Gal (10 L) Bag	269502121	269502121
	FenderFlames	715001909	N/A
	M ud Flaps	N/A	715007089
	LinQ GearGrips	715005340	715005340
LUINT	GunBootRack	715001918	715002113
HUNT	Gun Boot 6 D Im pactby Kolpin	715001419	715001419
	Expedition FrontBum per	715007233	715007233
	Large Cargo Box	715007001	715007001
WORK	LinQ ToolHolder	715007358	715007358
WORK	USB PowerOutletKit	219400510	219400510
	RachetTie-Downs	715008309	715008309
	SeatHeater	715007211	715007211
WINTER	Heavy-Duty Seat Cover	715007212	715007212
	High Windshield Kit	715006382	715006382

<sup>&#</sup>x27; 2023 Bom barrierRecreationalProducts Inc.Allrights reserved.®,TM and the BRP logo are tradem arks of Bom barrierRecreationalProducts Inc.or is affiliates.Because of is ongoing com m im entro product quality and innovation,BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring any obligation.

# LINQ EASY OF CARCO



## LinQACCESCRES

Com patibility/requirem ents

		раны шеу, то чатоп		
• No tools needed:Quickly install and mem ove accessories by hand. • Equip yourCan-Am forspecialized tasks in no time. • Sturdym ounting system that holds up to the roughest tenain.	<b>OJTLANDER</b> 450/570	OJILANDER	FENECADE	
LinQ Accessories with 16" Base	<ul> <li>Low er bading capacity that</li> </ul>	nches apart, center to center. n the LinQ with 36"base acce TV and SxS vehicles, Can-Am S iDoo snowmobiles.	ssories.	
LinQ 4.2 Gal (16 L) Cooler 219400964 •Black/295100698 •W hite				
LinQ Tool Box 715008111			LinQ Luggage Rack 715001734	
LinQ SR 5.5 Gal (21 L) Bag 860202449			& LinQ AnchorAdapterKit	
LinQ 4.5 Gal (17 L) Sport Bag 860202447	LinQ AdapterPlate 715007273	LinQ AnchorAdapterKit 715004960 &	715004960 OR	
LinQ Modular Box 715005494 • (0 L) 715007112 • (0 L) 715006830 • (0 L)	LinQ Base Installation Kit 715008125	LinQ Base Installation Kit 715008125	LinQ AdapterPlate 715007274 &	
LinQ Tool Kit 715006829			LinQ Base Installation Kit. 715008125	
LinQ Roll-Top Bag 715008110				
LinQ Accessories with 36" Base		used by Can-Am ORV vehicles an the LinQ w ith 16"base acce ORV vehicles.		
LinQ 12 Gal (45 L) Cargo Box 715003879	LinQ Base			
LinQ 23 Gal (86 L) Trunk Box 715004923	715002350			
LinQ 32 Gal (121 L) Trunk Box 715001747 (Lup) 715001749 (MAX)	No compatibility		LinQ Luggage Rack	
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018	LinQ Base 715002350	No further mequiments		
LinQ 8 Gal (30 L) Cooler Box 715004778 •Back/715004698 •Gray	N o com patibility	-	715001734	
LinQ Premium Storage Bag by OGIO 715002923 •Black				
LinQ Heavy Duty Basket 715001215	LinQ Base 715002350			
LinQ Low Pro le Basket 715004282				
LinQ Holders				
LinQ 4" (10 cm) Rack Extension 715001711 •Silver/715001665 •Black	Notcom patble *Alternative 5" or 8"	Rack		
LinQ 6" (15 cm) Rack Extension 715001712 •Silver/715001671 •Black	Extension§1\$001913 or 715001914) are available for G2L		LinQ Luggage Rack	
LinQ Mounted Gear Grips 715005340	LinQ Base	No further mequimem ents	715001734	
LinQ Tool Holder 715007358	715002350			
LinQ Gun Boot Rack 715002112 715002113	Notcom patble *Alternative Gun Boot F (715001918 or715001919) are available for G2		No com patbility	

## LinQ Accessories with 16" Base

## LinQ Modular Box

G2,G2L,G2S

715005494 • (LO L) \$139.99 715007112 • @0 L)

\$159.99 715006830 • (30 L) \$179.99



- $\bullet$  A lbw s stacking of otherm odularboxes to alw ays have the right gear access ble.
- · Alw ays have the rightbox size to fit everything.
- Can be installed on any LinQ Base with a 16"width.
- · See table for installation location and requirem ents.

## Thermal Insert for LinQ Modular Box (10 L)

G2,G2L,G2S

219401110

\$55.99



- Fits very wellin the LinQ M odularBox (10 L).
- Can contain seven 355 m lcans.
- · Keeps ice cold forone day.
- Interiordim ensions: 9"L x 17"W x 2 "H.



- Includes:
- -Cutterpliers
- -Long-nose pliers
- -Locking pliers
- -Ratchetwrench "drive
- 6" ratchet extension
- Integrated CVT belt storage bcation (beltnotincluded)
- -Long-socket19 m m "drive -6 pts
- -Socket18 m m "drive
- -Long-socket17 m m "drive -6 pts
- -Socket15 m m "drive
- -Socket13 m m "drive -Socket10 m m "drive -Socket8 m m "drive
- -Combined wrench 19 mm  $-\operatorname{Com}\nolimits$  bined w mench 18 m m
- -Combined wrench 15 mm
- -Combinedwirench13mm
- -Combined wrench 10 mm
- -Combined wrench 8 mm
- -SocketTorxT40 "drive
- -SocketTorxT30 "drive
- -SocketTorxT20 "drive
- -Breakerbar "drive
- See table for installation bcation and requirem ents.

#### LinQ 4.2 Gal (16 L) Cooler

G2,G2L,G2S

- · Allthe benefits of LinQ simple, fast and secure.
- · Rotom olded construction for exceptional rigidity and durability.
- Premium -quality foam insulation for optimal ice retention.
- Uses LinQ mounting system (PatentUS 8777531 and US 8875830).
- 219400964 •Black 295100698 •W hite  $\bullet$  Easy one-second on/offtoolless system .
- · Can contain twenty 355 m lcans.
- Keeps ice cold forthree days.
- Exteriordim ensions:13"Lx20"W x10"H.
- Interiordim ensions: 9"L $\times$ 17"W  $\times$ 7"H.
- See table for installation location and requirem ents.

#### **LinQ Tool Box** 715008111 G2,G2L,G2S \$174.99



- · High precision in jected HDPE construction provides rigidity and durability.
- 5 gal (19 L) m axim um capacity.
- W eather-resistant, sealed and bckable cover.
- M arinized for salt waterpurposes.
- See table for installation boation and requirem ents.



G2,G2L,G2S

715008110

\$229.99

\$369.99



- Fully waterproofRolHopdrybagwillsecurelystore and confine your equipm ent.
- · LinQ m ounted using heavy-duty rigid plastic base.
- High capacity storage solution 10.6 gal (40 L).
- · Bottom foam linerforadditionalequipm entprotection.
- · Integrated handle for easy transportation on/off the
- M arinized for salt waterpurposes.
- Dim ensions:14"Lx19"W xadjustable H.
- · See table for installation boation and requirem ents.

2024



- Sem irigid expandable bag.
- 5.5 gal (21 L) capacity.
- See table for installation location and requirem ents.

#### LinQ 4.5 Gal (17 L) Sport Bag

G2,G2L,G2S

860202447

\$204.99



- 4.5 gal (17 L) capacity.
- Rigid bottom , sem i-rigid top.
- See table for installation location and requirem ents.

## LinQ Accessories with 36" Base

## LinQ 12 Gal (45 L) Cargo Box

G2 (frontonly for 6x6 & MAX models 2013-2014),G2L,G2S

715003879

\$319.99



· LinQ m ounted foreasy on, easy off installation.

- Holds cargo safely and securely while riding.
- See table for installation boation and requirem ents.

#### LinQ 23 Gal (86 L) Trunk Box

G2 (except6x6 m odels), G2L, G2S

715004923

\$369.99



- · LinQ m ounted foreasy on, easy off installation.
- Lockable and weather-resistant.
- Holds cargo safely and securely while riding.
- Com fortpads forpassenger.
- See table for installation location and requirem ents.

## LinQ 32 Gal (121 L) Trunk Box

G2 (exceptM AX m odels & 6x6), G2SEuropean Version (EC com pliant)

715001747 715001748 •No meartaillight. \$539.99 \$489.99

• LinQ RetrofitAdapterPlate (715001334) is required forG1 m odels.



- Trunk Box Panels available in m any colors to m atch your vehicle (sold separately).
- See table for installation boation and requirem ents.

## LinQ 32 Gal (121 L) Trunk Box for Outlander Max

G2 MAX models only except 6x6 models)

European Version (EC com pliant)

715001749

715001750 •No meartaillight.

\$629.99



- Passenger com fort is ensumed on active rides as wellas longer mecmational rides thanks to the ergonom ically designed  $passenger padding, w \ hich is com \ for t-fitted \ w \ ith \ a portion \ m \ ade \ of closed \ cell foam \ that w \ on \ tabsorb \ w \ ater.$
- · Very easy to em bark even when driver is seated.
- Trunk Box Panels available in m any colors to m atch your vehicle (sold separately).

#### LinQ 32 Gal (121 L) Trunk Box Panels

G2 (except 6x6 m odels), G2S

\$59.99



- Cobrpane's to m atch the LinQ 32 Gal (121 L) Trunk Box to your vehicle.
- 715001391 •Black
- 715001392 •Yellow
- 715001395 •ViperRed
- 715002481 •W hite 715002480 •LightG ray
- 715002984 •O ctane Blue

- 715002985 •M anta Green
- **715002986** •Can-Am Red
- 715006119 •O range C rush
- **715006120 •**Squadron G reen
- 715007074 •Tundra G reen

G2,G2L,G2S ATVs ACCESSORES

2024

- Cobrpane's to m atch the LinQ 32 Gal (121 L) Trunk Box to your vehicle.
- · No meartaillight.

■ 715001397 •Black

715001398 •Yellow

**715006124** •ViperRed

715002483 •W hite

**715006122** •M anta G reen

■ 715006121 •Can-Am Red

■ 715006123 •O range C rush

## LinQ 11.5 Gal (43 L) Audio Cargo Box

G2 (frontonly for 6x6 & MAX models 2013-2014), G2L, G2S

715003018

\$759.99



- M ounts on/offeasily to hold/carry cargo safely and securely.
- The Bluetooth enabled receiver and 65" (165 cm) speakers are sm artly concealed and integrated in the cover.
- Autom atic shut-offfinction protects your battery by turning the system offafter 10 m inutes of inactivity.
- $\bullet \; {\tt Backlit} control panel per {\tt fect for night riding.}$
- · W ater-resistant speakers.
- Delivers the best sound quality on the market to sweeten your ride courtesy of a built-in full range high-efficiency amplifier.
- See table for installation boation and requirem ents.

## LinQ 8 Gal (30 L) Cooler Box

G2 (except6x6 m odels),G2S

■ 715004778 •Black
■ 715004698 •Gray

v \$439.99



- · LinQ m ounted foreasy on, easy off installation.
- Rotom olded construction provides exceptional rigidity and durability.
- $\bullet$  P  $\operatorname{rem}$  ium -quality foam insulation for optimalice retention.
- Integrated, fully-rem ovable com partm entprotects food.
- Robust rubber latches keep the covertightly closed.
- W eather-resistant.
- · Convenientdrain plug.
- See table for installation boation and requirem ents.

#### LinQ Premium Storage Bag by OGIO

G2 (except 6x6 m odels), G2L, G2S

■715002923 •Black

\$439.99



- $\bullet$  LinQ m ounted for easy on, easy off installation .
- Holds cargo safely and securely while riding.
- $\bullet$  See table for installation boation and requirem ents.

## LinQ Low Pro le Basket

G2,G2L (frontonly for MAX & 6x6 m odels),G2S

715004282

\$209.99



- Low profile, open basket increases cargo space.
- Perfect for easy access to tools, rope, winch and plow accessories.
- M ultiple bungee cord and tie-down anchorpoints.
- M ade of in pact-resistant in jected polypropylene.
  See table for installation location and requirem ents.

## LinQ Heavy-Duty Basket

G2,G2L (frontonly forM AX & 6x6 m odels),G2S

715001215

\$269.99



- M ade ofhigh-strength, bw-alby steel.
- $\bullet$  LinQ m ount for easy on, easy off installation.
- $\bullet$  C an be placed on both front and back racks of vehicle.
- $\bullet$  See table for installation boation and requirem ents.

## Large Cargo Box

G2,G2L (except6x6)

715007001

\$639.99



- $\bullet$  Rearbed to carry large item s.
- $\bullet$  Anchorpoints (D-ring), LinQ fixtures for toolholder, and marks to allow the installation of a 16 accessory.
- Also has a matforthe floorand slotto enable the installation of a dividerand a slot for a divider to close the mecess on the mean vertical lip.
- It is installed on ATV platform s through the LinQ system and hooks to make iteasily installable and removable.

## LinQ Holders

LinQ Tool Holder G2,G2L,G2S 715007358 \$54.99



- U ltra-versatile toolholder.
- Convenientswive Hatch allows tools to be stored in any orientation.
- · Sold in pairs.

LinQ Gear Grips | G2,G2L,G2S | 715005340 | \$144.99



- Durable and flexible grips provide a custom fit for a variety of item s from 1" to 4" Q.5 cm to 10 cm) in diam eter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- $\bullet$  Quick-release button opens grip quickly for easy access to gear.
- $\bullet$  H eavy-duty base system built for the toughest adventures.
- $\bullet$  M ake transporting your tools a snap by combining the GearGrips with the LinQ system .
- 360 orientation.
- · Sold in pairs.

## **LinQ Mounting**

LinQ Anchor Adapter Kit g2,G2S 715004960 \$75.99



- Allows the installation of accessories with LinQ Base of 16" on LinQ racks.
- · Toolless installation and rem oval.
- ForG 2S, the LinQ Luggage Rack (715001734) is required for installation.

LinQ Base G2L 715002350 \$24.49



- M ade ofglass fiber reinforced polypropylene.
- Allows you to installLinQ accessories.
- Sold in pack of4.

LinQ Lock G2,G2L,G2S 860201968 \$61.99



- Simple way to securely bck most LinQ accessories.
- $\bullet$  Lock coverprotects bck from the elements.
- Comosion resistant.
- Pack of1, includes 2 keys.
- Notcom patible with Ling 42US Gal (16L) Cooler Ling ToolBox, Ling ToolHolder and Ling GearGrips.

LinQ Replacement Parts 715001707 \$27.99



- Unique m ounting fastenerusable on any LinQ system accessory.
- $\bullet$  TooHess installation and  $\operatorname{rem}$  oval.
- Sold in pairs.

## RYCKS&HOLDERS

## LinQ Rack Extension 4" (10 cm)

G2,G2S

■ 715001711 •Silver ■ 715001665 •Black

\$234.99



• Fits frontormear.

- Strong and durable.
- $\bullet$  Helps keep cargo securely in place.
- $\bullet$  Easy and toolless installation thanks to the LinQ system .
- Anti-comosion coating with durable powdercoat finish.
- LinQ Luggage Rack (715001734) is required for G2S.

## LinQ Rack Extension 6" (15 cm)

G2.G2S

**715001712** •Silver

■ 715001671 •Black

\$249.99



• Fits frontor rear.

- Strong and durable.
- $\bullet$  Helps keep cargo securely in place.
- $\bullet$  Easy and toolless installation thanks to the LinQ system .
- Anti-comosion coating with durable powdercoat finish.
- LinQ Luggage Rack (715001734) is required for G2S.

Rack Extension	5"	(13	cm)	,
----------------	----	-----	-----	---

G 2T

715001913

\$139.99



• Fits frontor rear.

- M ade of carbon steel.
- Provides tie-down points to secure cargo on racks.
- · Easy installation on tubular rack.
- Anti-comosion coating with durable powdercoat finish.

#### Rack Extension 8" (20 cm)

G2L

715001914

\$159.99



• Fits frontorrear.

- M ade of carbon steel.
- Provides tie-down points to secure cargo on racks.
- Easy installation on tubular rack.
- Anti-comosion coating with durable powdercoat finish.

### LinQ Luggage Rack

G2S (exceptX m rm odels)

715001734

\$319.99



• Bolt-on rack.

 $\bullet$  Enables use of LinQ m ounted accessories on the G2S .

## **LinQ Base Plate**

G 21

715007273

\$114.99



- $\bullet$  Enables use of 16  $\,$  wide LinQ Base accessories on G 2L to extend cargo options and journey opportunities.
- Requires LinQ Base Kit (715008125).

**LinQ Base Plate** 

G2S

715007274

\$149.99



- Enables use of 16 wide LinQ Base accessories on G2S to extend cargo options and journey opportunities.
- Requires LinQ Base Kit (715008125).

#### **Gun Boot Rack**

G2L (exceptM AX m odels) 715001918 G2L MAX models only) 715001919 \$154.99



- M ade ofsteel
- · Designed for the tubular rack.
- Foruse with Gun Boot 6 D Im pactby Kolpin.
- Can be mounted to either side of the vehicle.

## Gun Boot 6.0 Impact† by Kolpin†

G2,G2L

715001419

\$109.99



- Extra room forpistol-grip-type weapons and sm allbipods.
- Easily fits firearm sup to 51" (130 cm ) in total length.
- Provides am ple room for 2 " (60 mm) scopes.
- Hatchback design allows easy access.
- Ergonom ically designed handle and molded attachment points forsling.
- · Snap-close coverwith boking capability.
- Designed to accomm odate left and right hand bolt-action rifles and shotguns.
- Includes rem ovable, shock absorbing foam and nybn im pact liner for superior interior protection.
- Requires appropriate m ounting kit for installation.

LinQ	Gun	<b>Boot</b>	Rack
(Not ill	ustrate	d)	

G2 (exceptM AX, 6x6 & X m r1000) G2 (MAX&Xmr1000 models only) 715002112 715002113

\$184.99 \$144.99

• This lightweightGun BootRack can be mounted on either • Foruse with Gun Boot61 Impactby Kolpin. side of your Outlander using the toolless LinQ system .

## Multi-Fit Holder

G2.G2T

715002354 •Single 715001945 •D ouble \$62.99 \$89.99



- Open U-shaped bracket for carrying tools (shovel, axe) and hunting weapons (rifle, bow) that are safely secured, buteasily accessible.
- Easy installation on tubular rack, extension racks, basket orbum pers.
- ForG2, the LinQ Rack Extension (715001711) is required.
- Sold in pairs.

## LinQ Gear Grips

715001421

\$87.99



- Durable, flexible grips cushion and protects hile providing a custom fit for a variety of item s from 1" to 4" (2.5 cm to 10 cm ) in diam eter.
- · Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- · Quick-re-base button opens grip quickly foreasy access to gear.
- Heavy-duty base system built for the toughest adventures.
- · Easy installation on tubular racks, extension racks, brackets or bum pers.
- · Sold in pairs.



Log Bars

G2 (6x6 m odels only)

715001987

\$1,159.99



- Log bars allow you to convert the cargo bed into a perfect transport space for 4' (120 cm ) timber.
- The drivers safety is guaranteed by the protective front screen.

## **Hard Top**

G2 (6x6 m odels only)

715002394

\$1,079.99



- The hard top provides a 116 gal (440 L) cargo box.
- · Locking secures your belongings.
- · The cover raises assisted by gas cylinders.

G2,G2L,G2S ATVs ACCESSORES

2024

Cargo Box Pool | G2L (6x6 m odels on ly) | 715005256 | \$379.99



- $\bullet$  Transforms the flatbed into a large capacity cargo box for increased bading possibilities.
- $\bullet$  M ade of durable form ed HDPE and shaped to maxim ize cargo space.
- $\bullet$  Albws access to vehicles water-resistant rearcom partment.
- $\bullet$  Designed for perfect fit and easy installation .

#### Tailgate Extension/ Divider

G2 (6x6 m odels only)

715002017

\$509.99



- $\bullet$  The sturdy tailgate extension provides a 10  $\hbox{\tt ''}$  Q5 cm ) extension to the cargo space.
- $\bullet$  Thanks to the bngercargo bed, even  ${\tt brge}$  bads pose no problem .
- $\bullet$  W ith the help of LinQ quick books, the extension also acts as a solid space divider for the cargo bed.

Tarpaulin	C2 Ky6 m adala an ky	715002416	\$399.99
iaipaulii	G2 (6x6 m odels only)	/15002416	\$399.99



- $\bullet$  Fitted to coverall of the item s in your cargo box thoroughly.
- Prevents splash from entering cargo box.
- Easily rem ovable for quick access.

18 Gal (70 L) Utility Box	G2 (6x6 m odels only)	715001999	\$559.99



- $\bullet$  W hereveryou go and w hateveryou do, this handy 18 gal (70 L) utility box is yourm obile storage.
- $\bullet$  The  $\mbox{lid}$  keeps your equipm ents afe from the elem ents in all conditions.
- Slides under the flatbed with handles for easy access.

0 B N :			
Cargo Box Net	G2 (6x6 m odels on ly)	715001371	\$71.99



 $\bullet$  Solid netdesigned to hook to the bottom of the cargo box for secure and compact confinement of your cargo.

## Soft Storage Bag | G2,G2L,G2S | 715003759 | \$179.99



- 3 -section bag.
- Transport gear in a w eatherproofbag.
- $\bullet$  118 gal (45 L) capacity softcargo bag designed with vehicles rack in mind to maximize potential storage.
- LinQ Luggage Rack (715001734) is required for G2S.

## Storage 2.6 Gal (10 L) Bag 269502121 \$37.99



- Roll-top dry bag for fully protecting your cargo from the elements.
- $\bullet$  Fits in rearcom partm entofyour vehicle.

# CANAMWINDSHE



**Deluxe Fairing** 

G2 (exceptX m r& 6x6),G2L

- 715001232 •Black 715000935 •Yellow 2000 715002479 •LightGray ■ 715006125 •Squadron Green ■ 715007073 •Tundra Green
- \$259.99



- · Innovative, richly featured w ind protection.
- Quick toolless rem ovalonce base brackets are m ounted
- Two cup holders.
- Ready for GPS m ounting kit.

- · Optionalm irrors and auxiliary lighting.
- Requires low , high or extra high w indshield.
- $\bullet$  Tapered H and lebar Adapter K it is required for vehicles with 1 "  $0.8\,\mathrm{m}\,\mathrm{m}$  ) tapered alum inum handlebars.

<b>Tapered Handlebar</b>	Adapter Ki	t
(Not illustrated)		

Deluxe Fairing

715002470

\$32.99

ullet Required to installDeluxe Fairing on an Outlander X-TP and on any vehicle equipped with 1 "  $Q8\,\mathrm{m\,m}$ ) tapered alum inum handlebars.

#### Extra High Windshield

Deluxe Fairing

715000936

\$129.99



- $\bullet$  16" (41 cm ) w indshield provides the ultim ate protection against the elements while touring.
- Forw ind protection and w interapplications.
- Too Hess installation and replacement.

## **High Windshield**

Deluxe Fairing

715001211

\$85.99



- 11" (28 cm ) high, forw ind protection and w interapplications.
- Too Hess installation and replacement.

## Low Windshield

Deluxe Fairing

715001227

\$79.99



- 6" (15 cm ) windshield allows you to keep your vehicle boking sporty while giving you some protection from the elem ents and the possibility of enjoying directional lighting.
- · Tool-less installation and replacement.

## **Accessories**

### **Auxiliary Windshield Lighting**

Deluxe Fairing

715003115

\$389.99



- 2 prem ium LED spots for Deluxe Fairing for both increased output and directional lighting.
- 1,800 lum ens.
- 2 x 10 W LED Cree lightkit.
- $\bullet$  Long-range illum ination up to 350' (107 m ), draw ing less than 1 am p per light.

## **Deluxe Mirror Kit**

Deluxe Fairing

715002353

\$71.99



- Im proved m ounting system .
- W ide mearview.
- Perfect fitw ith yourDeluxe Fairing.

## Windshield Kits

## Extra High Windshield Kit

G2,G2L,G2S (exceptX m rm odels)

715003023

\$299.99



- M ade ofpolycarbonate with integrated ventto reduce air turbulence and rum ble noise at high speeds for a quieter and sm oother ride.
- Quick toolless rem ovalonce base brackets are m ounted on handlebar.
- Fits straight and tapered handlebars.
- Im proved design forenhanced rigidity.
- Steering Cover (709400939) is required for XT and MossyOakmodels.
- 16" (41 cm ) w indshield.
- Forultim ate w ind protection and w interapplications.

#### High Windshield Kit

G2,G2L,G2S (exceptX m rm odels)

715006382

\$259.99



- M ade ofpolycarbonate with integrated ventto reduce air turbulence and num ble noise at high speeds for a quieter and sm ootherride.
- Quick toolless rem ovalonce base brackets are m ounted on handlebar.
- Fits straight and tapered handlebars.
- Im proved design forenhanced rigidity.
- Steering Cover (709400939) is required for XT and M ossy Oak m odels.
- 11" (28 cm ) w indshield.
- · Forw ind protection and w interapplications.

#### Low Windshield Kit

G2,G2L,G2S (exceptX m rm odels)

715003021

\$219.99



- M ade ofpolycarbonate with integrated vent to reduce air turbulence and rum ble noise at high speeds for a quieter and sm oother ride.
- Quick toolless rem ovalonce base brackets are m ounted on handlebar.
- Fits straight and tapered handlebars.
- Im proved design forenhanced rigidity.
- Steering Cover (709400939) is required for XT and Mossy Oak models.
- 6" (15 cm) windshield.
- Allows you to keep your vehicle boking sporty while giving you some protection from the elements.

## HANDLEBARS & MIRRORS



#### Handlebar Wind De ectors

G2,G2L,G2S

\$32.99



- Rugged in jected plastic construction with Can-Am bgo.
- $\bullet$  Include  $\operatorname{rem}$  ovable cap for air flow  $\operatorname{ad}\operatorname{justm}$  ent.
- M ounting kit sold separately.
- 715000525 •Black / Yellow
- 715000537 •W hite / Black ■ 715001706 •Black / Black
- 715003811 •Can-Am Red/Black
- 715003812 •M anta G reen / B lack
- 715003813 •O range / Black
- 715003814 •O ctane Blue / Black
- 715006117 •Squadron Green / Black
- **715006118** •ViperRed / Black

#### Passenger Wind De ectors

G2 and G2L (M AX m odels only)

715001669

\$92.99



• These w ind deflectors fit on the passenger handles and provide greater com fortwhile riding.

• Easy to installand rem ove.

## Full Wrap Aluminum Mounting Kit

G2,G2L,G2S

715001378

\$104.99



- Lightweightblackdie castalum inum construction.
- Includes com plete hardware.
- Handlebarw ind deflectors sold separately.

#### Aluminum Tapered Handlebar

G2,G2L,G2S

715000550

\$119.99



- "-1 "  $(22\,\mathrm{m\,m}$  -28 m m) tapered hand lebarm ade of 6061-T6 alum inum .
- $\bullet$  Includes all hardware, centersteering from and cover.

G2,G2L

703100352

\$92.99



• Notcompatible with Mud Strap (715003053).

Mirrors Left "(10 mm) G2,G2L,G2S

708200963

\$33.99



• True vision surface 5"x3" (13 cm x8 cm).

- M atte fin ish.
- Stem includes "(10 m m) thread.
- Bracket (715000190) is required for installation on DS 450.
- $\bullet$  Bracket not required for installation on Outlander and Renegade.

Mirrors Right (Not illustrated)

"(10 mm)

G2,G2L,G2S

709400523

\$33.99

- True vision surface 5"x3" (13 cm x8 cm ).
- M atte fin ish.
- Stem includes "(10 mm) thread.

• Bracket (715000190) required except for vehicles with righthand brake.

G2,G2L,G2S

715005366

\$69.99



Handlebar Mirrors

- Adjustable handlebarm ounted convex m irrors.
- The convex surface allows in proved visibility with a wider field of view.
- Doesn trequire a windshield or fairing to be mounted.
- W orks with allwindshield options.





G2L (exceptM AX m odels)	715003941	\$264.99
G2 (except 6x6 & M AX m odels)	715003940	\$259.99
G2 (6x6 m odels only, exceptM AX)	715003611	\$249.99



**Driver Backrest** 

- Provides the riders back with that extra support that makes riding that extra mile way more comfortable.
- Adjusts horizontally to m atch the drivers height and preference.
- $\bullet$  M ounts and locks firm ly onto the vehicle .



Outlander Max Passenger Seat Kit	G2 2015 & up.G2T, MAX models on lv)	715002373	\$699.99



• Perfect to replace used ordam aged passenger seat.



Our plastic plates glide smoothly and silently over obstacles, o ering great protection in rough terrain.

Made of "(6 mm) thick abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

- $\bullet \, \text{Lighter} \text{than alum inum}$  .
- Superiorstress crack resistance.
- High in pactstrength.

## CUTLANDER, PENECADE

					- COII		,				
				G	2			G	2L	G	2S
		2016 8	& Prior	2017	-2018	2019	& Up			2017- 2018	2019- 2022
		Except MAX&Xmr 1000R models	MAX& Xmr1000R modelsonly	Except Max&Xmr 1000R models	MAX& Xmr1000R modelsonly	Except MAX&Xmr 1000R models	MAX& Xmr1000R modelsonly	Except MAXmodels	MAXmodels only		
H	M WPE Skid P	late Pro	tection	Kit							
		715004214	715004215	715004209	715004210	715004806	715004807	715004211	715004212	715004213	715004809
In	dividual HM V	VPE Ski	d Plates	S							
1	A-Arm Protectors	715002924	715002924	715002924	715002924	715004822	715004822	715002924	715002924	715002924	715004822
2	Underbelly Plates Footwell portion not compatible with Renegade X mr	715002926	715002927	715002926	715002927	715002926	715002927	715002928	715002929	715002974	715002974
3	Trailing Arm Protectors			715003466	715003466	715004823	715004823	715003466 2015 to 2020 m odels only)	715003466 2015 to 2020 m odels only)	715003466	715004823





For ultimate durability and strength, all our Aluminum Skid Plates are made with "(4.5 mm) thick High Strength 5052 H32 Aluminum.

- U ltim ate durability.
- High strength.

## **WILANDER**

			WIL	HULL			
		G	i2			G	2L
2016	& prior	2017	-2018	2019	& up	Any	year
ExceptM AX & X m r1000R m odels	MAX& Xmr1000R modelsonly	ExceptM AX & X m r1000R m odels	MAX& Xmr1000R modelsonly	ExceptM AX & X m r1000R m odels	MAX& Xmr1000R modelsonly	ExceptM AX m odels	M AX m odelsonly
on Kit							
715002137	715002138	715004197	715004198	715004804	715004805	715004199	715004200
es							
715001667	715001667	715001667	715001667	715004820	715004820	715001667	715001667
715000926	715000926	715000926	715000926	715000926	715000926	715001906	715001906
715002078	715002078	715002078	715002078	715002078	715002078	715002078	715002078
715000922	715000922	715000922	715000922	715000922	715000922	715000922	715000922
		715008595	715008595	715004821	715004821	715008595	715008595
715000920	715000920	715000920	715000920	715000920	715000920	715000920	715000920
715002028	715002029	715002028	715002029	715002028	715002029	715002028	715002029
	ExceptM AX & X m r1000R m odels  On Kit  715002137  CS  715001667  715000926  715000922	& X m r 1000R models only  Con Kit  715002137 715002138  CS  715001667 715001667  715000926 715000926  715000922 715000922  715000920 715000920	2016 & prior 2017  ExceptM AX & M AX & X m r1000R m odels only models only only only only only only only only	### G2  2016 & prior	2016 & prior 2017-2018 2019  ExceptM AX & M AX & X m r1000R m odels only models only only models only	### G2    2016 & prior   2017-2018   2019 & up	G2  2016 & prior  2017-2018  2019 & up  Any  ExceptM AX & Xm r1000R Xm r1000R xm r1000R m odels only models  Nodels models  715002137  715002138  715004197  715004198  715004804  715004805  715004806  715000926  715000926  715000926  715000922  715000920

# Auminum Stid Plates





For ultimate durability and strength, all our Aluminum Skid Plates are made with "(4.5 mm) thick High Strength 5052 H32 Aluminum.

## FENECADE


		G	2S	
	2016 & prior	2017-2018	2019-2022	2023 & up
<b>Aluminum Skid Plate Protection</b>	on Kit			
Not compatible on X mr models	715002139	715004201	715004808	715009730
Individual Aluminum Skid Plat	es			
② A-Arm Protectors	715001667	715001667	715004820	715004820
② Front Skid Plate	715000925	715000925	715000925	715001906
3 Central Skid Plate	715002078	715002078	715002078	715002078
4 Footwell Protector Plates Not compatible on X mr models	715001359	715001359	715001359	715001359
5 Trailing Arm Protectors	715001129	715008595	715004821	715004821
Rear Di erential Protectors	715000920	715000920	715000920	715000920
7 Rear Skid Plate	715002028	715002028	715002028	715002028

<sup>•</sup> U Itim ate durability.

<sup>•</sup> High strength.

# HMMPE&ALLMINLMS





Our Plastic and Aluminum Plates glide smoothly and silently over obstacles, o ering great protection in rough terrain.

#### **HMWPE**

M ade of "(6mm)thick abrasion resistant therm of om ed H igh M obcularW eightPolyethylene (HMWPE).

- Lighterthan alum inum .
- Superior stress crack resistance.
- High im pact strength.

## **ALUMINUM**

M ade with High Strength  $\,$  " (4.5 m m ) thick 5052 H 32 A lum inum .

- U ltim ate durability.
- $\bullet\,\mbox{H}$ igh stængth.

## **CUTLANDER 6X6**

	G2 6x6		G2L 6x6
2016 & prior	2017 - 2018	2019 & up	Any year
S			
715002924	715002924	715004822	715002924
715005290 (exceptM ax)	715005290	<b>715005290</b> (exceptM ax)	715005259
<b>715005320</b> M AX on ly)	715005320	<b>715005320</b> M AX on ly)	(M AX only)
	715003466	715004823	715003466 @020 m odels & prioronly)
tes			
715001667	715001667	715004820	715001667
	715008595	715004821	715008595
	715002924  715005290 (exceptM ax)  715005320 (M AX on ly)	2016 & prior 2017 - 2018  S  715002924 715002924  715005290 715005290 (exceptM ax) 715005290  715005320 715005320 715003466  CS  715001667 715001667	2016 & prior 2017 - 2018 2019 & up  S  715002924 715002924 715004822  715005290 715005290 (exceptM ax)  715005320 715005320 (M AX on ly)  715003466 715004823  T15001667 715001667 715004820

# BLMPHS& GLAFTS



## **Bumpers**

## **Expedition Front Bumper**

 $G2_rG2L$  (exceptX m rm odels & X xc m odels 2022 & up)

715007233

\$294.99



- M ade of 15 profiled steeltubes for complete protection of the vehicles front.
- Protects and doesn tobstruct the vehicle's headlights.
- · Integrated m ounting spots for lights.
- Inside and outside anticomosion coating with a durable pow dercoat finish.

#### **Expedition Rear Bumper**

G2,G2L

715007234

\$269.99



 $\bullet$  M ade of 1.5  $\,$  profiled steel tubes for complete protection of the vehicle's rear.

- · Protects and doesn tobstruct the vehicle's taillights.
- Inside and outside anticorrosion coating with a durable powdercoat finish.
- $\bullet$  G2 base and DPS mearbum perinstallation requires 705008164 and 705008165.

#### X mr Front Bumper

G2S 2023 & up

715008198

\$289.99



 $\bullet \ \texttt{Enhanced vehicle front protection.} \\ \texttt{Required as a mounting point for Radiator Rebeator (715008898).} \\$ 

#### **XT Front Bumper**

G2

715004837

\$209.99



- Provide additional protection against obstacles.
- Tough and durable, can be added on base Outlanderm odel to convert wehicle into XT m odel.
- Standard on XT, XT-P, M ossy Oak and Lim ited m odels.
- Large tube construction with textured black finish and metalcomers.

## XT Rear Bumper

l G2

715004920

\$209.99



- Provides additional protection against obstacles.
- $\bullet \ \, \text{Tough and dumble, can be added on base Outlanderm odel to convert vehicle into XT model.}$
- $\bullet$  Standard on XT,XT-P,M ossyOak and Lim ited m odels.
- Large tube construction with textured black finish and metalcomers.

## XT Front Bumper

G2L

715001910

\$169.99



- W inch com patible.
- $\bullet$  Large tube construction.
- Protects vehicle against obstacles.
- Standard on XT m odels.

## XT Rear Bumper

G2L

715001911

\$134.99



- · Large tube construction.
- Protects vehicle against obstacles.
- Standard on XT m odels.

### **Extreme Front Bumper**

G2 715001286\* \$309.99 G2L 715004279 \$279.99



- U lbra-sturdy build.
- · Enhances front-vehicle protection.
- Com patible with XT FrontBum per.
- Fits the Apache $^{\text{TM}}$  360 Track System (when side panels are removed).

\*Not compatible with Front Hitch.

#### Rancher Front Bumper

G2,G2L (exceptX m rm odels)

715003461

\$339.99



- The bw frontend protection and plates allow you to use yourATV w ithin cattle herds and guard the safety of both the vehicle and the animals.
- $\bullet \ \ \text{The flat front portion facilitates gently prodding cattle or pushing light objects, e.g. closing a fence.}$
- ullet The full frontage coverage extends to provide an extra layer of defense to your headlights and radiator.
- Inside and outside anti-comosion coating with durable powdercoat finish.
- Notcom patible with track system s,plows and fronthitch.

#### Rancher Rear Bumper

G2,G2L (except6x6 m odels)

715003462

\$289.99



- · Ideal for using your ATV within cattle herds and guarding the safety of both the vehicle and the animals.
- Coverage extends to provide an extra layer of defense to your tail lights.
- Inside and outside anti-comosion coating with durable powdercoat finish.
- · Not compatible with track systems.

## Renegade Extreme Front Bumper

G2S 2022 and prior (exceptX m rm odels)

715002469

\$269.99



- · Enhanced vehicle front protection.
- Required as a mounting point for Radiator Reb cator (715008898).

## Guards

## **Body Side Protector**

G2 2012 to 2018 with stock XT Bum per, G2 2012 & up with RancherBum per, G2L with RancherBum per, (exceptX m rand 6x6 m odels)

G2 2019 & up with XT Bum pers, (exceptX m rand 6x6 m odels)

715003459
715004940\*
\$369.99



- The heavy-duty fenderguard designed to pulldouble duty, protecting your ATV and also enhancing the bok of your ATV.
- M ade tough and designed to delivera sugged appearance, this fenderguard offers full side protection for farm er, rancherand forestry applications.
- Durable and bold 1.25 % cm ) diam etersteel-tube construction, with inside and outside anti-corrosion coating with durable powdercoat finish.
- Notcom patible with SelfClearing Footwell.
- XT Front and RearBum pers or RancherFront and RearBum pers are required for installation.
- Requires Body Side Protector Extensions (715003460) for installation on M AX models.

\*Not compatible with Front and Rear Rancher Bumpers.

## **Body Side Protector Extensions** (Not illustrated)

G2,G2L (M AX m odels only)

715003460

\$72.99

• This specially designed extension for the Body Side Protector is m ade specifically to fit and seam lessly integrate into the bok of Outlander M AX m odels.

Mud Flaps | G2 W ith stock fender flares) | 715007089 | \$58.99



- Keeps m ud, snow and debris out of cargo area and protects trailer and vehicles behind you.
- Adds aesthetic appearance to your vehicle.
- Requires stock fender flare.
- · Sold in pairs.

G22012-2018 (exceptw ith 30"times) (except6x6 m odels)	715001764*	
G2 2019 & up (with 30"times) (except 6x6 m odels)	715004250**	
G 2L	715001909***	
G 2L European vehicles on ly 2015 & up	715004487	\$159.99

#### **Fender Flares**



- $\bullet \text{ Kitdesigned to deliver extra protection from dirt and debris, therefore a must if you enjoy riding in the mud. } \\$
- M ade of injected plastic that hugs your vehicle fenders perfectly.
- Gives vehicle added flair forthat nugged coolbok.
- Includes front and rear extensions and all m ounting hardware.
- \*Comes stock on G2 models 2019 & up (except X mr models).
- \*\*Standard on G2 X mr 1000R.
- \*\*\*Not compatible with European vehicles.

Fender Flare Extension	26



715005111\*

\$249.99



- Block terrain debris from kicking up onto you as you ride ordam aging yourvehicle thanks to these extra-large Fender
  Flame Extensions, which also include mud flaps for added protection from mud/snow, especially when riding with
  track kits.
- M ade of H igh M olecular W eight Polyethylene (H M W PE) for advanced abrasion resistance.
- · Include front and rear extensions.
- \*Must be used with Fender Flare for G2 (715001764).

#### **Fender Flares**



705012695

\$244.99



- Integrated extended FenderFlares for sporty bok and fullbody protection from dirt and water.
- · Include front and rear extensions and all m ounting hardware.

### **Flatbed Protection Tubes**



715002030

\$519.99



- Bolt-on bum pers for the sides of the 6x6 flatbed.
- Protect the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or bading cargo onto the bed.

## **Flatbed Protection Tubes**

G2L (6x6 m odels only)

715005266

\$359.99



- $\bullet$  Bolt-on bum pers for the sides of the 6x6 flatbed.
- Protect the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or bading cargo onto the bed.

2024

# LIGHTS& ELECTRICAL



## **Integrated Heated Grips & Thumb Throttle Combo**

G2,G2L,G2S (2024 & up)

715005072

\$299.99



- Heat levels forgrips and thum b displayed on vehicle screen.
- Ergonom ic button integrated on LH grip.
- $\bullet$  Single button for both grips and thum b heat selection .
- Five tem perature settings for the thum b and grips.
- Adjustable heat ratio between grip and thum bw arm er.
- · Hold button to meach maxim um heatquickly.
- · Rem em bers your lastheat setting.
- $\mathbb{P}$  67-matted w attemproofsealing keeps the elements out.
- ECE com pliant.
- Plug-and-play installation.
- · Clam p-on grips, no glue required.

## and 201

G2,G2L,G2S (except2020 & up m odels equipped w ith 850 engine and 2019 & up m odels w ith 1000R engine,T Category m odels)

G2,G2L,G2S 2020 & up m odels equipped with 850 engine and 2019 & up m odels with 1000R engine,T Category models)

715003250 Notcom patible with IntelligentThrottle Control

715008739

Compatible with Intelligent Throttle Control (ITC)

\$279.99



- LED dim m erfacilitates meading tem perature settings.
- 4 tem perature settings with individual controls for thum b and grips.
- Returns to previous heat setting.

- One-touch shutdown.
- W iring Cable is required for installation on  $G\ 2L\ m$  odels only.



Wiring Cable (Not illustrated)

- --

710004567

\$11.99

• Required for installation of Heated Hand Grips and Throttle Combo.

## **Heated Visor Outlet**

G2,G2L

715001246

\$56.99



- Strategically positioned on vehicle to maintain your agility.
- $\bullet$  Optional visor outlet that delivers fog-free riding.
- Quick and easy installation.
- · Sold individually.
- Heated Visornotincluded.

### **Heated Passenger Grips & Visor Outlet**

G2,G2L (M AX m odels only)

715008794

\$239.99



- Replace yourstock passengerhandles.
- $\bullet$  Dualtem perature sw itch integrated into seatarm for 3-zone heated handles and grips.
- $\bullet$  Heated visoroutlet integrated into seatarm .

## **USB Power Outlet Kit**

G2,G2L,G2S

219400510

\$39.99



- Recharges your electronic devices while  ${\rm riding}^*$  (sm  ${\rm artphone}$ , M P3, heating gear, etc.).
- $\bullet$  DualportUSB connectors.
- $\bullet$  The poweroutlet is not capable of mechanging all device types while riding.

## Seat Heater

G2,G2L

715007211

\$134.99



- 25 W seatheaterdelivers chill-free riding com fort.
- One tem perature only.
- $\bullet$  H eated pad and electrical harness only.
- Heavy Duty Seat Cover (715007212) is required for the installation.



- Bluetooth speakerwith the unbeatable convenience of fingertip control.
- Rugged P66-rated weather-resistant speaker designed for outdooruse.
- Driven by 150 watts of quality audio power.
- Seam less integration and operation from Bluetooth enabled devices.

 Includes input, ground and ignition wires, plus auxiliary port and 35" 889 cm) connector cable.

- Not compatible with XT HandlebarProtectorKit.
- EC com pliant.

Note: We recommend you use 320 Kbps MP3 - 192-256 Kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.

#### **Electronic Device Holder**

G2,G2L (except 6x6 & X m rm odels)

715004919

\$144.99



- Robust in jected-polypropylene construction allows for the right fit and easy installation.
- Adjustable unitsafely holds smartphones or small tablets with a length or with m esuring between 29 % 05 cm ) and 51 % 130 cm ) with or without protective case.
- Integrated storage (0.6 gal/2.1 L).

- Guiding wire grooves to pass charging cable through the lid.
- Possibility of melocating 12V pow eroutletor installing USB outlet in storage com partment (USB pow eroutlet sold separately).
- · Notcompatible with windshields or Snorkel Kit.

## 3.5" (9 cm) LED Lights (2 X 14 W) LED Driving Lights

G2,G2L (exceptX m rm odels)

715003666

\$254.99



- $\bullet$  14 W LED lights producing 1,260 lum enseach.
- Equipped with 6 high powerLEDs in a heavy-duty die castalim inum housing.
- Features 2 attachm entpoints if one attachm entpoint fails due to a collision, rotate to the next channel point and re-m ount the light.
- · Sold in pairs.
- · EC com pliant.
- Spotlens for a narrow and long lightbeam spread, ideal when driving athigher speeds.
- Expedition FrontBum per (715007233) and LightPow er Cable (715007275) required for installation.

## 3.5" (9 cm) LED Lights (2 X 14 W) LED Flood Lights

LED Flood Lights | G2,G2L (exceptX m rm odels)

715003665

\$254.99



- · 14 W LED lights producing 1,260 lum enseach.
- Equipped with 6 high powerLEDs in a heavy-duty die castalum inum housing.
- Features 2 attachm entpoints if one attachm entpoint fails due to a collision, rotate to the next channel point and re-m ount the light.
- Sold in pairs.
- · EC com pliant.
- Flood lens for a wide light beam spread, ideal for working applications like plowing or for comering, dusty or foggy riding conditions.
- Expedition FrontBum per (715007233) and LightPower Cable (715007275) required for installation.

#### 4" (10 cm) Round LED Lights (2 x 25 W)

G2,G2L (exceptX m rm odels)

715002935

\$449.99



- 25 W LED spotlights.
- 1,800 lum ens.
- Rugged and waterproof.
- $\bullet$  Includes basic w iring and sw itch.
- Can-Am branded grill.

- Sold in pairs.
- NotEC compliant.
- Expedition FrontBum per (715007233) and LightPower Cable (715007275) required for installation.

## 10" (25 cm) Double Stacked LED Light Bar (60 W)

G2,G2L (exceptX m rm odels)

715002933

\$369.99



- $\bullet$  Equipped with twelve 5 W Cree LEDs.
- 5,400 lum ens.
- Packs a big punch for its size.
- Rugged and waterproof.
- Can be installed on frontbum pers, sport roof and Bim iniroofw ith sun visor.
- $\bullet$  Requires lightpow ercable for installation .
- Lights up to m one than 1,500 ft (460 m ) in frontofthe vehicle and around 65 ft (20 m ) w ide on each side.
- EC-com pliant.

## Light Power Cable (Not illustrated)

G2,G2L

715007275

\$119.99

 $\bullet$  Required for installation of the 10" Q5 cm ) LED LightBar, the 3.5" 0 cm ) and 4" (10 cm ) LED Lights.

#### Baja Designs High Beam Kit

G2 (2022 and prior)

715004284

\$749.99



- Thanks to theirdirect bolt-on and plug-and-play installation right into the original high beam location, upgrading from your stock high beam lights to these powerful Baja Designs Squadron Pro LED Lights become schild splay.
- Each spot is equipped with 4 Cree LEDs producing 4,900 lum ensat 40 watts.
- Driving/Com bo lightpattern for smooth blend of light for both near field applications and distance.

#### 2" (5 cm) Square LED Lights (2 X 10 W)

G2,G2L,G2S

715004293

\$204.99



- 2 x 900 lum ens 10 W LED Cree lightkit.
- Long-range illum ination up to 350' (107 m), drawing less than 1 ampper light.
- $\bullet$  M ulti-Position LightM ountKit is required for installation .
- NotEC compliant.



- Multi-position plastic clamps that fit on various tubing sizes: 0.75" to 1.5" (19 mm to 38 mm).
- Required for the installation of the 2" (5 cm ) Square LED Lights (2 x 10 W ).
- Kitincludes tube clam p m ounts and pow ercables.

## RAM † LED Spotlight

G2,G2L,G2S

710005423

\$18.49



• 540-lum en LED light @W) heavy-duty spotlight standard-equipped with 1 " @ 5 cm) diam eter rubber-coated double balland socket system .

#### Battery Charger/ Maintainer

715005061

\$69.99



- · Keeps stored lead-acid batteries charged.
- · Charges and maintains smallbatteries.
- M icroprocessorcontrolled multi-stage charging for added precision, safety and battery life.
- Autom atically detects 6-or12-voltbatteries.
- Reverse hook-up protection helps protectbattery and charger from dam age.
- Auto-voltage detection.
- · Press the display button to show the charge progress.
- Content:3 am p battery charger, clam p adapter, D C adapter, 24" (61 cm ) fused ring leads harness with w eathercap, ow ners m anual.
- NotEC compliant.

#### Jump Starter

• IPX3 w ater-resistant and enclosed output ports.

715005062

\$139.99



- 4 LED battery indicators for easy read on battery charge level.
- · Com pactdesign, will conveniently fit in your backpack, glove box orany otherstorage com partm ent.
- 2 AA + 1A/5V USB ports for fast charging of all USB devices.
- Ideal for powersports, motorcycles and 4 or 6 cylinderengines.
- Sm art cable provides protection against reverse polarity, short circuit, bw voltage, high tem perature and reverse charging.
- Built-in LED light (3 m odes).
- Content: 300CA jum p starter, SA 858 sm art cable clam p, M C-USB to USB charging cable, travelbag, userm anual.
- NotEC compliant.

## **Quick Connect Battery Cable**

715005408

\$10.49



- Quickly and easily connectand charge different item swith your charger.
- Included in the Battery Charger/M aintainer (715005061).
- · Sold individually.

## **Quick Connect Cable with Battery Indicator**

715006055

\$22.49



- · Quickly and easily connect and charge different batteries with your charger.
- 3-cobrLED indicator provides constant battery health indication.
- · Sold individually.

#### GPS RAM † Mount for Handlebar

G2-G2T-G2S

715001985

\$68.99



· Convenient bracket for installing the Garm in Montana GPS (not included) onto your units handlebar.

#### Digitally Encoded Security System (D.E.S.S.™) Green Key

G2,G2S (2018 & up)

710005232

\$53.99



- Anti-theft technology, Digitally Encoded Security System  $\mathbb{D} \to SS$ ) key snaps easily on the vehicle and provides riders easy and quick starts every time.
- . The key com m unicates with the vehicle wirelessly so the vehicle starts only when the key code matches the vehicle, forultim ate peace of m ind.
- The Program m able D E S S . Key can also be program m ed
- -W ork mode: Lim its vehicle speed to 40 kph (25 m ph) butdoes not lim itengine torque.
- -Normalmode:Limits vehicle speed to 70 kph (44 mph) and 50% torque reduction.
- -Perform ance mode: No restrictions.

G2,G2L,G2S ATVs ACCESSORES

2024



## **Can-Am HD Winches**

#### Can-Am HD 2500 Winch

G2,G2L

715006414

\$309.99



- Heavy-duty four-way roller fairlead.
- · Ergonom ic clutch handle.
- $\bullet$  Rugged all-steelgears and bushings provide  ${\tt m}$  one torque and  ${\tt bnger}$  life .
- Autom atic 100% bad-holding brake.
- · Sealed solenoid for all-weather protection.
- W ired Rem ote Controlsold separately.
- $\bullet$  P  $\mbox{lug-and-play}\,\mbox{w}$  iring and attachm entbrackets.
- · W eather-sealed handlebarm ounted switch.
- Pulling strength capability of 2,500 b (1,134 kg). • 50 ft.of " (152 m of 48 m m) w ire steel cable.
- · EC-com pliant.

#### Can-Am HD 3500 Winch

G2,G2L

715006415

\$349.99



- · Heavy-duty four-way roller fairlead.
- Ergonom ic clutch handle.
- Rugged all-steelgears and bushings provide m ore torque and longer life.
- Autom atic 100% bad-holding brake.
- · Sealed solenoid for all-weather protection.
- W ired Rem ote Controlsold separately.

- Plug-and-play w iring and attachm entbrackets.
- W eather-sealed handlebarm ounted switch.
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft.of "(152 m of54 m m) w ime steelcable.
- · EC-com pliant.

## WARN† VRX Winch

#### WARN VRX 35-S Winch

G2,G2L,G2S

715006109

\$669.99



- Extrem e P68-rated waterproofsealing keeps the
- Durable all-m etalconstruction.
- Black pow der-coated finish and stainless-steel fasteners for compsion resistance.
- Robustnew clutch design based on 70+ years of W ARN 4 W D hub lock know-how.
- Handlebarm ounted mckercontrol.
- Load-holding brake forgreat control.
- $\bullet$  Sm ooth and reliable all-m etalthree-stage planetary gear train.
- Lim ited lifetim e w arranty (n echanical), 3-yearw arranty electrical).
- Pulling strength capability of 3,500 b (1,361 kg).
- 50 ft.of (15 m of 48 m m) synthetic rope.
- · Castalum inum fairlead.
- $\bullet$  W ine Harness (715002453) required for installation.
- W inch m ounting plate is required for G2S (STD and X xc 2022 and prior only).
- EC-com pliant.

## **Winches Accessories**

## **Wireless Remote Control**

W ARN W inches

715002542

\$214.99

\$89.99

\$29.99

\$30.99

\$124.99



- $\bullet$  The system is quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- $\bullet$  The system allows you to operate yourw inch from anywhere within a 50' (152 m) radius, increasing your recovery options.
- Allcom ponents are weatherproof.

W ARN W inches

## Wired Remote Control

 This kitallows w inch ow ners to add the hand-held rem ote to their winch.

Can-Am HD W inches (715006414 & 715006415)

Can-Am HD W inches (715008140 & 715008141)

- This kialows winch owners to add the handheld remote to vehicles with a stock winch.
- $\bullet$  W orks in conjunction with the minimockerswitch.
- $\bullet$  W imed Rem ote and Rem ote Socket included.

715002409

715006378

715006555

715008121

• EC-com pliant.



## Winch Accessories Kit

• Getthe mostoutofyourwinch.

- Double your pulling power, change your pulling direction and keep your winch in proper working order.
- $\bullet$  Includes tree straps, snatch block, shackle and w inching gloves.





- Double powder-coated construction.
- Required to use the Synthetic W inch.
- $\bullet$  Cable (715004254) on W ARN winches.
- $\bullet$  To be used w ith synthetic w inch cables only.

	W ARN W inches	715007699	\$80.99
Roller Fairlead	Can-Am HD W inch	710007459	\$56.99



• Features top, bottom and side rollers for less cable wear and sm oother operation from any direction for easier winching.

Hook with Safety Latch & Strap Kit (Not illustrated)	Can-Am HD W inches	705014949	\$23.49
H eavy-duty w inch-rope hoo     Includes a nybn safety stra	-		
Replacement Wire Rope Can-Am HD		705014983 705014984	\$21.99 \$35.99



- $\bullet$  Play itsafe, always carry a replacementwire rope.
- 2,500 b (1,134 kg) pulling strength w ith 50 ft. of  $$''(152 \, \text{m of} 4.8 \, \text{m m})$$  w ine nope for 705014983.
- 3,500 b (1,588 kg) pulling strength with 50 ft.of "(152 m of 55 m m) wire rope for 705014984.

Replacement Wire Rope	ATV WARN Winches	
riopiacement who hope	A1 1 11/4111 1111101100	

715006256 \$75.99



- $\bullet$  P by itsafe, alw ays carry a replacem entw ine rope.
- $\bullet$  3,500 b (1,588 kg) pulling strength.
- 50 ft.of "(152 m of 55 m m) aircraft grade steelw ire.

Synthetic Winch Cable ATV W ARN W inches 715004254 \$154.9	Synthetic Winch Cable	ATV W ARN W inches	715004254	\$154.99
--	-----------------------	--------------------	-----------	----------



- Easierto m anipulate than steelcable.
- $\bullet$  Replaces the original cable on any factory installed W ARN winch or sold as an accessory by BRP .
- Kit includes synthetic rope and rock guard sleeve.
- Always use with the new Hawse Fairlead (715007698).
- •50 ft.(152 m) of "(152 m of 48 m m) synthetic rope.
- 3,500 lb (1,588 kg) pulling strength.

Winch Mounting Plate	G 2S 2022 & prior	715000927	\$129.99
----------------------	-------------------	-----------	----------



- Adds functionality to your Renegade.
- Fits Can-Am winches by WARN.

Winch Wire Harness (Not illustrated)	G2 2021 & up,G2S 2021 & up and G2L	715002453	\$45.99
• Poguired plug-end-go triving	a to in ata IIM A BN su in ah on ku		

- $\bullet$  Required plug-and-go w iring to install WARN w inch only.
- Not required for Can-Am HD winches.



\$99.99

## Hitches

Rear Hitch | G2,G2L (except6x6 m odels),G2S | 715001925 | \$58.99



- E-coatfinish.
- Fixed hitch ballm ounting bracket.
- Provides fixed mounting point fortrailer ball to provide vehicle with towing capabilities.
- This hitch offers 1,300 lb (590 kg) of towing capacity.
- $\bullet$  H itch ballnot included.

Front and Rear Hitch Drawbar g2,G2L,G2S	715008350
---	-----------



- $\bullet$  Standard on 2  ${\tt "}$  (5 cm ) receiver hitch .
- Itoffers 1,650 b (750 kg) of towing capacity.
- Hitch ballnot included.
- Forged steel.

_	п.		$\Lambda \circ$	00		ies
ш		-	/ ^ X =			

	G2S 2012 with 800R or 1000 engines G2S		
Rear Receiver Hitch	2013 & up.G2T, & G2	715005186	\$119.99



- E-coatfinish.
- Does not affect ground clearance.
- Trailerballnotincluded.
- On 4x4 use, this hitch offers 1,500 lb (680 kg) of tow ing capacity.
- On 6x6 use, this hitch offers 1,654 lb (750 kg) of towing capacity.
- Com pliantwith European T regulations.
- $\bullet$  Notcom patible with G2L models with RearSkidPlates.

11011t 11ccc1ve1 111tc11   62   715000921   \$104.9	Front Receiver Hitch	G 2	715000921	\$104.99
---	----------------------	-----	-----------	----------



- $\bullet$  Frontreceiverhitch for Outlanderw ith orw ithout a w inch.
- This hitch offers 1,300 lb (590 kg) of towing capacity.
- $\bullet$  A lbw s you to m aneuveryour trailer easily in tight, confined areas.
- $\bullet$  H itch bar sold separately.
- $\bullet$  Notcom patible w ith Extrem e FrontBum per, RancherBum per and ProM ountP bw s.

Rubber Receiver Plug	705204503	\$12.99
nubbei neceivei riuu	/ /03204303	312.99



• Rubbercap for 2" (5 cm ) hitch receiver.

2024

# **PERFORMANCE**

## Performance

## Renegade Snorkel Kit

G2S (2020 & prior) G2S (2021 & up)

715006000 715007083

\$599.99



- · Comprehensive kit.
- Extended air intakes and CVT exhaust.
- · CVT outlet integrates into pod cover.
- · Ideal for muddy conditions.

## Renegade Radiator Relocator Kit

G2S (2023 & up) G2S (2022 & prior) 715008898

715001929

\$469.99



- · Relocates radiator to top mount position.
- Prevents cooling performance loss in muddy conditions.
- · Uses existing radiator.
- · Includes support, hardware and hoses.
- · Engineered for easy cooling system bleeding and maintenance.
- · Radiator not included.
- · Renegade Extreme Front Bumper (715002469) required for G2S 2022 and prior or X mr Front Bumper (715008198) required for 2023 and up for installation (except X mr).

**Mud Strap** 

G2, G2L, G2S

715003053

\$47.99

- · Convenient sturdy grab-handle.
- · Lets drivers redistribute their weight for improved traction in demanding conditions.
- · Not compatible with XT Handlebar Protector Kit (703100352).

#### Radiator Protector

G2, G2S (except G2S with 500 engine)

715001744

\$72.99



· Metal shield that mounts over radiator face, providing protection from stones and branches.

## **Outlander Snorkel Kit**

G2 2015 & up, G2L (except X mr & 6x6 models)

715005999

\$469.99



- · Comprehensive kit.
- Extended air intakes and CVT exhaust.
- · CVT outlet integrates into pod cover.
- Must be installed on a vehicle without XT Handlebar Protector Kit.
- · Ideal for muddy conditions.
- · Not compatible with windshields.

## **Outlander Snorkel Kit**

G2 (X mr models only), G2L (X mr models only)

715002518

\$114.99



- Comprehensive kit.
- Extended air intakes and CVT exhaust.
- · CVT outlet integrates into pod cover.
- · Must be installed on a vehicle without XT Handlebar Protector Kit.
- · Ideal for muddy conditions.

- · Not compatible with windshields.
- · Raised horn only.
- · Provides higher intake.
- · For best fit and finish, appropriate gauge support

## **Outlander Radiator Relocator Kit**

G2, G2L (except X xc 2022 & up and 6x6 models)

715001930

\$469.99



- · Relocates radiator to top mount position.
- · Prevents cooling performance loss in muddy conditions.
- · Uses existing radiator.
- · Includes support, hardware and hoses.
- · Engineered for easy cooling system bleeding and maintenance.
- · Radiator not included.

X mr Traction Plates | G2 M AX m odels on ly), G2L | 715001752 | \$124.99



• Provide extra footgrip fordriverwhen riding in extremem ud conditions.

- Help driverm aintain ideal riding position to maxim ize vehicle traction.
- M ade ofalum inum .
- Notmeantforapassenger.

#### Self-Clearing Footwells

G22015 & up,G2L

715004759

\$309.99



. M ade from alum inum .

- · Replace original footwells.
- Feature large evacuation ports to avoid m ud and snow accumulation in footwells.
- Aggressive design for im proved traction.
- Not compatible with Body Side Protectors.
- · Sold in pairs.

Footpeg Kit

G2,G2L

715001131

\$55.99



 $\bullet$  Provides m axim um integrated grip and m one stability during vigorous riding.

- $\bullet$  Kick-up end generates added grip during hard comering.
- M ade ofalum inum .
- Sold in pairs.

Foam	Air	Filter	by	<b>Twin</b>	Air <sup>†</sup>
------	-----	--------	----	-------------	------------------

G2,G2S,G2L

715001333

\$73.99



 $\bullet$  M axim izes perform ance by increasing air flow throughout RPM range.

 $\bullet \ \texttt{M aintenance-friendly, ie., justwash, re-oiland re-use after riding in severely dusty/m uddy environments. } \\$ 

G22012-2018 Base m odel,DPS,XT,X m rw ith 650 engine only & Lim ited except6x6) G2S Base m odelw ith 500 & 570 engines only)	715003199 •Front	\$149.99
G2L (exceptM ossyOak,PRO,6x6 and X m rm odels)	715007203 •Front	\$124.99
G22012-2018 Basemodel,DPS,XT & Xmrw ith 650 engine only except 6x6) G2S Basemodelw ith 500 & 570 engines only)	715003200 •Rear	\$149.99
G2 2019 & up Rase DPS & XT models except 6v6)	715005159 • Front & Rear	\$264.99

#### **Heavy-Duty Springs**



- $\bullet$  Heavy-duty springs provide enhanced stiffness.
- $\bullet$  Perfect for snow clearing and hauling heavy bads.
- $\bullet$   $\,$  Im prove handling.
- $\bullet$  Standard on OutlanderPRO and M ossyOakmodels.

## Front Shock Covers G2,G2L,G2S 715500301



- Feature ventilation holes.
- $\bullet$  0 ffer added protection in rough terms in and weather conditions.
- Sold in pairs.

## Yoshimura

#### Yoshimura Slip-On Exhaust Outlander

G2 (except 6x6 m odels)

715005480

\$699.99



- $\bullet$  M ade from 304-grade stainless steel.
- $\bullet$  Bettersounding, better boking and lighter than stock m uffler.
- $\bullet$  USDF/USDA approved spark arrester.
- $\bullet$  N on-EPA com pliant (for racing application only).
- NotEC compliant.
- $\bullet$  Fuelinjection system tuning not required.
- $\bullet$  N otcom patible w ith CARB and T Category m odels 2018 and up, NRM M and 650 Engine 2022 and up.

G2S 2012 & up (except 570 engine and X m rm odels)

715005481

\$859.99



- M ade from 304-grade stainless steel.
- Bettersounding, better boking and lighterthan stock muffler.
- $\bullet$  USDF/USDA approved spark arrester.
- Non-EPA compliant (for racing application only).
- · NotEC com pliant.
- · Fuelinjection system tuning not required.
- Not compatible with CARB and T Category models 2018 and up, NRM M and 650 Engine 2022 and up.

## **Emergency Accessories**

**Emergency Kit** 715006102 \$159.99



- · Com plete em ergency kit provides allessential equipm ent and supplies to get out of most unfavorable situations pow ersportenthus iasts m ay find them selves in .
- Includes jum percables, aircom pressor, tire-repairkit, first-aid kit, ratchettie-down, ducttape, 3,300 b (1,500 kg) tow strap, zip ties and cloth rags.



\$55.99

\$249.99

G2 (exceptM AX m odels)	715001737	\$229.99
G2 MAX and X m r1000R m odels only)	715001736	\$279.99
G2L (exceptM AX m odels)	715002026	\$229.99
G2L (MAX models only)	715002025	\$284.99
G2S (exceptX m rm odels)	715000683	\$209.99

715007212

Break-Up Country Cam o



- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Protectwindshield and colored panels from abrasion.
- Allhigh-abrasion areas are reinforced with a double canvas layer.
- ullet Opening for fuelcap access.
- $\bullet$  W eather-resistant trailering coverprotects your vehicle during transportation .
- Quick and easy installation.
- Designed to perfectly fit your vehicle with orwithout Can-Am accessories.

G2,G2L

<b>Heavy-Duty</b>	Seat Co	ver
-------------------	---------	-----

• Heavy-duty materials to coverand protect the seat.



· Abrasion-and tear-resistant.  $\bullet$  S in ply installs by stretching around the original seat; the elastic holds the cover securely in place .

G2,G2L,G2Xmr(except1000),G2LXmr, G2S,G2SXmr	715001720	\$219.99
G2,G2L M AX and X m r1000R m odels only)	715001668	\$224.99
G2 (6x6 m odels only)	715002492	\$309.99
G2,G2L (exceptM AX m odels)	<b>■ 715001597 •</b> M ossy Oak	

#### **Storage Cover**



- W eather-resistant storage covers.
- Forvehicle storage only.
- $\bullet$  UV-resistant solution-dyed polyester construction .
- Quick and easy installation.
- Designed to perfectly fit your vehicle with orw ithout Can-Am accessories.

Flag 715000277 •Yellow \$32.99



- M ake sure everyone knows whatyou re riding.
- Perfect for the dunes and new riders.
- 8-ft. (2.4 m ) length.
- Includes Flag M ount (715000127).

\$20.99

#### Bolt-On<sup>†</sup> Retractable Ratcheting Tie-Downs

295100737

\$30.99



- Perfect fortransporting your powersport vehicle or securing bads.
- M ounts easily: Bolts on any flat surface (e.g., truck bed or fram e).
- 1"x 6' Q 5 cm x 18 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 b (680 kg) break strength.
- Convenient retractable push button autom atically slackens, spools and stores away strap, while the ratchetm echanism tightens the strap snugly to secure yourvehicle or bad into place.
- Rubberratcheting handle provides firm grip, and the hook is vinylcoated to protect whatever surface it hooks into.
- · Sold in pairs.

#### **Ratchet Tie-Downs**

715008309 • Black/G ray

\$24.49



- 400 b (181 kg) safe working bad.
- 1"x10' @ 5 cm x3 m) strap w ith Can-Am, Sea-Doo, and Ski-Doo bgos.
- Deluxe ratchetw ith subberhandle.
- Coated S hooks.
- Pack of2.

#### **Heavy-Duty Ratchet Tie-Down**

715008308

\$44.99



- $\bullet$  1,000 lb (454 kg) safe working load.
- 15"x6' (38 m m x 18 m ) strap w ith BRP brands.
- Deluxe ratchetwith rubberhandle.
- Black-coated clip hooks.
- 12 (300 mm) webbing included.
- · Pack oftwo.

Shifter Lock

G2.G2L

715007337



- Secure the vehicle's shifterby boking it in position.
- $\bullet$  Prevents the vehicle from going into neutral without the bck key.

## Lockable Gas Tank Cap

G2,G2L,G2S

860200387

\$48.99



- Protects your fuel.
- M eets EPA requirem ents.

## License Plate Bracket

G2L



715002498 \$24.49 715001401 \$23.99



- Provides specific area to install license plate.
- M ounts to rear of vehicle.

# APACI-ETRACK SYSTEMS



## **Apache Track Systems**

## Apache Backcountry Track System

G2 (except6x6 m odels), G2L, G2S

715005247



- $\bullet$  Designed to deliver the best flotation leveland deep-snow perform ance on the m arket.
- · Contact patch is 23% bigger than the Apache 360 LT.
- In pressive added ground clearance of 7" (18 cm), keeps the vehicle out of deep snow.
- Aggressive track design w ith 2" (5 cm )  $\log \ \mbox{height}$  form axim um traction on snow .
- Apache Backcountry M ounting Kit and engine and air intake pre-filters are required.
- · Forw interuse only.

#### **Idler Wheel Kit**

Apache Backcountry Track System (meartracks only)

860201230 •141 m m



- Reduces drag and rolling resistance.
- · Includes 2 w heels, brackets and hardw are.
- Add up to 2 kits permeartrack.
- · Can extend slider life in hardened snow conditions.

#### Sliders with Vespel† Inserts

Apache Backcountry Track System

503194815



- Use DuPontVespelinserts for less friction.
- · Longerlife.
- · Can be cutto desired length.
- 8 needed pervehicle.
- · Sold individually.

#### **Rail Ice Scratchers**

Apache Backcountry Track System

860201728



- Provide additional lubrication in hard and icy conditions.
- Railm ounted, sm all, light.
- $\bullet$  Design expands on coilconcept to allow  $\ensuremath{\operatorname{neversing}}$  w  $\ensuremath{\operatorname{ithout}}$  dam age.
- $\bullet$  Easily stored w hen not in use .

## Apache 360 & 360 LT

## **Apache 360 Track System**

G2 (except6x6 m odels), G2L, G2S

715006323



- Multifunctional tracks perfect for any Can-Am ATV.
- $\bullet$  Average ground clearance of 16  $\!\!^{"}$  (41 cm ).
- $\bullet$  1" Q.5 cm ) lugs in the frontand 1.25"  $\mbox{G.2}$  cm ) in the back.
- Apache 360 and 360 LT M ounting Kit and engine and air intake pre-filters are required.

#### Apache 360 LT Track System

G2,G2L,G2S

715005103



- $\bullet \; \texttt{Multifunctional tracks} \; \texttt{designed} \; \texttt{to} \; \texttt{support heavy} \; \texttt{bads} \; \texttt{and} \; \texttt{to} \; \texttt{fiton} \; \texttt{m} \; \texttt{ostCan-Am} \; \; \texttt{O} \; \texttt{ff-Road} \; \texttt{vehicles.}$
- $\bullet$  Extra contact patch adjustment for better performance over rough terrain.
- Contact patch is 7 to 9% biggerthan the Apache 360 s.Average ground clearance of 16" (41 cm ).1" (2.5 cm ) ligs in the front and 125" (3.2 cm ) in the back.
- EC com pliant.
- ATV: Apache 360 and 360 LT M ounting Kit, Track DPS M odule and Engine and CVT air intake pre-filters
  are required and sold separately.

### Apache 360 LT 6x6

### Apache 360 LT (6x6) Track System

G2,G2L (6x6 only)

715005104





- $\bullet \; \texttt{Multifunctional tracks} \; \texttt{designed} \; \texttt{to} \; \texttt{support heavy} \; \texttt{bads} \; \texttt{and} \; \texttt{to} \; \texttt{fiton} \; \texttt{m} \; \texttt{ostCan-Am} \; \; \texttt{O} \; \texttt{ff-Road} \; \texttt{vehicles.}$
- Frontw heelheight adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
- Average ground clearance increase of 45" (11.4 cm).
- $\bullet$  1" Q.5 cm ) lugs in the frontand 1.25" (3.2 cm ) in the back.
- Apache 360 LT M ounting Kit, Track DPS M odule and Engine and Pre-Filter Kitare required.
- Reliable heavy-duty build.
- EC com pliant.
- Exclusively for the Outlander 6x6.
- Recom m ended foruse on snow only.

### **Apache Accessories**

Apache Backcountry Mounting Kit	G2 2018 & prior,G2S 2018 & prior,G2L	715004830	
(Not illustrated)	G2 2019,G2S 2019	715004796	
Required for installation of the Apache Backcountry Track System .			

-	tallation of the Apache Backcountry Track System . I pre-filter are required and so bi separately.	
Track DPS M odule (Not illustrated)	G2,G2L,G2S	715007338
m ake forperfect	PS m odule that ensumes speedom eteraccumacy and optim ized steering assist, which track controland riding ease. allthe Apache and Backcountry Track Systems.	1
	G22018 & prior (except6x6 m odels) G2S2018 & prior, G2L G22019 & up (except6x6 m odels), G2S2019 & up	715007207
Apache 360 & 360 LT Mounting Kit	G2 2018 & prior, G2L (6x6 m ode is)	715004991
(Not illustrated)	G2 (6x6 m odels 2019 & up)	715005105

- Required to installApache 360 and 360 LT Track System s.
- DPS m odule and pre-filternotincluded.

### **Apache Track System Accessories**

### Air Intake Pre-Filter

715003483



- $\bullet$  Adds extra protection to your engine in harsh riding conditions.
- $\bullet$  Filterblocks particles larger than 0.007  $\hbox{\tt ''}$  (0.19  $\hbox{\tt m}$  m).
- Easy, toolless installation.
- $\bullet$  N ecessary to m aintain vehicle warranty when tracks are installed.
- Required to install the Apache and Backcountry Track System s.
- $\bullet$  Standard on Outlander 650,650 X m r,850,1000,1000R engines and G 2L PRO .
- $\bullet$  Notcom patible with SnorkelKits.

### **Engine Air Intake Pre-Filter**

G2,G2L,G2S

715004729



- Adds extra protection to your engine in harsh riding conditions.
- Filterblocks particles larger than 0.005" (0.13 m m ).
- $\bullet$  N ecessary to m aintain vehicle w arranty when tracks are installed.

2024

### APAG-ETRACKS/STEVSHTTINGGUDE

Apache Backcountry					
Model Year / Model	Track	Track Mount	Track DPS M odule	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up G2L		745004000		715004729	
2018 & Prior G2,G2S	715005247	715004830	715007338	& <b>715003483</b> (standard on G 2	715004729
2019 & Up G2,G2S	71	715004796		m odels and G2L PRO m odel)	

Apache 360 and Apache 360 L	T				
Model Year / Model	Track	Track Mount	Track DPS M odule	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up G2L	715006323	715007207		715004729	
2018 & Prior G2,G2S	Apache 360) OR - 715005103	715007207	715007338	% 715003483 (standard on G 2	715004729
2019 & Up G2,G2S	(Apache 360 LT)	715007206		m odels and G2L PRO m odel)	

Apache 360 LT 6x6					
M odel Year / M odel	Track	Track Mount	Track DPS M odule	Prefilter without Snorkel	Prefilter with Snorkel
2018 & Prior G2 6x6		715004001		715004729	
2019 & Up G2L 6x6	715005104	715004991	715007338	\$ 715003483 (standard on G 2	715004729
2019 & Up G2 6x6	-	715005105		m odels and G2L PRO m odel)	

# **PROMONTROVS**



### **PROMOUNT PLOWHTS**

Reference Cl	hart						
	54" Black Steel	54" Yellow Steel	60" Black Steel	60" Yellow Steel	66" Black Steel	66" Yellow Steel	60" Flex2
Plow Kit	715007753	715008178	715007754	715008179	715007755	715008180	715008181
B lade	715004472	715005316	715004202	715005317	715006337	715006338	715004203
Push Fram e	715007752	715007752	715007752	715007752	715007752	715007752	715007752
M ounting Plate	715007751	715007751	715007751	715007751	715007751	715007751	715007751

G2,G2L,G2S ATVS ACCESSORES 2024

### **Steel Plows**

### Can-Am ProMount Steel Plow Kits 54" (137 cm) Blade

G2,G2L,G2S

■ 715007753 •Black 715008178 •Yellow

\$989.97



- These kits include:
- -Can-Am ProMountSteelBlade
- -Push Fram e w ith Quick-Attach System
- -M ounting Plate

### Can-Am ProMount Steel Plow Kits 60" (152 cm) Blade

G2,G2L,G2S

■ 715007754 •Black

715008179 •Yellow

\$1,019.97



· These kits include:

- -Can-Am ProMountSteelBlade
- -Push Fram e w ith Quick-Attach System
- -M ounting Plate

Can-Am	<b>ProMount</b>	Steel	<b>Plow</b>	<b>Kits</b>
66" (168	cm) Blade	)		

G2,G2L,G2S

■ 715007755 •Black 715008180 •Yellow

\$1,069.97



• These kits include:

- -Can-Am ProMountSteelBlade
- -Push Fram e w ith Quick-Attach System
- -M ounting Plate

### Can-Am ProMount Steel Blades 54" (137 cm) Blade

Fits ProMountPush Frame

■ 715004472 •Black

715005316 •Yellow

\$329.99



- $\bullet$  B lades available individually to create your own kit.
- Compatible with Can-Am ProMountBlade accessories to further enhance plow versatility (some plow accessories are not compatible with 54" (137 cm) plows).
- $\bullet$  N ot com patible w ith P roM ountD riftCutters,B kde Extensions and Edge M arkers.
- $\bullet$  Clears 50" (127 cm ) when plow is fully angled.
- Blade heightof14.75" (37 cm ).

### Can-Am ProMount Steel Blades 60" (152 cm) Blade

Fits ProM ountPush Fram e

■ 715004202 •Black ■ 715005317 •Yellow

\$359.99



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMountBlade accessories to further enhance plow versatility.
- $\bullet$  C lears  $54\,\text{{\it "}}$  (137 cm ) when plow is fully angled.
- Blade heightof17" (43 cm ).

### Can-Am ProMount Steel Blades 66" (168 cm) Blade

Fits ProM ountPush Fram e

■ 715006337 •Black 715006338 •Yellow

\$409.99



- $\bullet$  B lades available individually to create your own kit.
- $\bullet \ \texttt{Compatible} \ w \ \textit{ith} \ \texttt{Can-AmProMountBlade} \ accessories \ to \ further enhance \ plow \ versatility. \\$
- Clears 60" (152 cm) when plow is fully angled.
- Blade heightof17" (43 cm ).

### Can-Am ProMount Steel Blades 72" (183 cm) Blade

Fits ProM ountPush Fram e

■ 715004474 •Black 715006021 •Yellow

\$479.99



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMountBlade accessories to furtherenhance plow versatility.
- Clears 66" (168 cm ) when plow is fully angled.
- $\bullet$  Blade heightof17" (43 cm ).

### Can-Am ProMount Flex2 Plow Kit

### Can-Am ProMount Flex2 60" (152 cm) Plow Kit

G2,G2L,G2S

715008181

\$1,099.97



· These kits include:

- -Can-Am ProMountFlex2Blade
- -Push Fram e w ith Quick-Attach System
- -M ounting Plate

### NEW Can-Am ProMount Flex2 66" (168 cm) Plow Kit

G2,G2L,G2S

■ 715008182 •Black

\$1,169.97



· This kit includes:

- -Can-Am ProMountFlex2Blade
- -Push Fram e w ith Quick-Attach System
- -M ounting Plate

### **Angle Plows**

### Can-Am ProMount Angle Blades 60" (152 cm) Steel Oneway State Blade

G2,G2L,G2S

715007261

\$419.99



- $\bullet$  M ake the pb easierw in the righttools, clear long alleys and m ake the task easier by sending the snow further out of the way.
- $\bullet$  W ing end ofplow m easures 25" (63 cm ) high and tapers down to 17" (43 cm ).
- One-way winged state plow designed to throw snow higher.
- RubberFlap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

### Can-Am ProMount Angle Blades 66" (168 cm) Steel Oneway State Blade

G2,G2L,G2S

715007263

\$489.99



- M ake the pb easierw in the righttools, clear long alleys and m ake the task easier by sending the snow further out of the way.
- $\bullet$  W ing end of plow m easures 25" (63 cm ) high and tapers down to 17" (43 cm ).
- One-way winged state plow designed to throw snow higher.
- RubberFlap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

### Can-Am ProMount Angle Blades 72" (183 cm) Steel Oneway State Blade

G2,G2L,G2S

715007264

\$539.99



- M ake the pb easierw in the righttools, clear long alleys and m ake the task easier by sending the snow further out of the way.
- $\bullet$  W ing end ofplow m easures 26" (67 cm ) high and tapers down to 17" (43 cm ).
- $\bullet$  One-way winged state plow designed to throw snow higher.
- RubberFlap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- · Can-Am branded.

### **ProM ount One-Way State Blade Rubber Flap** (Not illustrated)

715007299

\$119.99

• Allows form one efficient snow projections in various snow conditions.

G G2,G2L,G2S ATVS ACCESSORES 2024

### **Can-Am ProMount Flex2 Plows**

### Can-Am ProMount Flex2 60" (152 cm) Blade

Fits ProM ountPush Fram e

715004203

\$439.99



- P bw blade m ade of UHM W PE, flexible and in pact absorbing m aterial prevents dam aging yourplow when accidentalin pacts occur.
- · Replaceable wearblade.
- Large pin designed for easy blade notation to elim in ate snow buildup atpivotpoint.
- · Blade design provides bestsnow roll-offatany angle.
- Compatible with Can-Am ProMountBlade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- Blade heightof17" (43 cm ).

### Can-Am ProMount Flex2 66" (168 cm) Blade

Fits ProM ountPush Fram e

715006265

\$509.99



- Plbw blade m ade of UHM W PE, flexible and im pact absorbing m aterial prevents dam aging your plow when accidentalim pactoccurs.
- Replaceable wearblade.
- · Large pin designed for easy blade rotation to elim in ate snow buildup atpivotpoint.
- Blade design provides bestsnow roll-offatany angle.
- Clears 60" (152 cm ) when plow is fully angled. • Blade heightof17" (43 cm ).
- Compatible with Can-Am ProMountBlade accessories to furtherenhance plow versatility.

### Can-Am ProMount Flex2 72" (183 cm) Blade

Fits ProM ountPush Fram e

715004485

\$589.99



- · Plow blade m ade of UHM W PE, flexible and im pact absorbing material prevents damaging your plow when accidentalim pacts occur.
- Replaceable wearblade.
- · Large pin designed for easy blade rotation to elim in ate snow buildup atpivotpoint.
- $\bullet$  Blade design provides best snow  $\operatorname{roll}\!\operatorname{-off}$  at any angle.
- · Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 66" (168 cm ) when plow is fully angled.

### **Can-Am ProMount Plow Accessories**

### Can-Am ProMount Push Frame with Quick-Attach System

G2,G2L,G2S

715007752

\$499.99



- · Heavy-duty steel tubes designed to with stand the roughestuse.
- · M id-m ount carriage provides ultim ate push strength and traction.
- · Designed form axim um plow liftheight.
- Features a selfaligning quick-attach system , an easy footre lease pedaland an ergonom ic handle forp low angle adjustment.
- · Plow RollerFairlead and Plow Lim it Switch recom m ended to extend w inch cable lifespan.
- · Can-Am ProM ountM ounting Plate required for installation.
- Blade swivels leftorright, 5 positions.
- Large pin designed for easy blade rotation to elim in ate dirtand snow buildup atpivotpoint.

#### Can-Am ProMount Mounting Plate

G2-G2T-G2S

715007751

\$159.99



- Required to install the Can-Am ProMountPush Framewith Quick-Attach System.
- $\bullet$  M ounting plate precision-designed to stay on year round w ithout com promising ground clearance.
- Fits on ATVs with orwithout Can-Am Skid Plates.
- · Plow RollerFairlead included.

### Can-Am ProMount Push Frame Extension

G2,G2L,G2S

715006257

\$174.99



- 12" (30 cm ) push fram e extension.
- Required when plow is installed with Apache Track System.

#### Can-Am ProMount Edge Markers

G2.G2I..G2S

715004206

\$45.99



- Help bcate the edges of yourplow.
- Height: 24" (60 cm).
- · Sold in pairs.
- Compatible with Can-Am ProMountSteeland Flex2 Blades with orwithoutBlade Extensions (except for the Can-Am ProM ount Steel 54" (137 cm ) Blades).

G2,G2L,G2S ATVs ACCESSORES



715006258

\$159.99



- $\bullet$  Help keep snow in the plow .
- D im ensions:17" $\times$ 13" (432 cm  $\times$ 33 cm ).
- Compatible with Can-Am ProMountSteeland Flex2 Blades with orwithoutBlade Extensions (except for the Can-Am ProM ountSteel54" (137 cm ) Blades).

### Can-Am ProMount Curved Wear Blade

G2,G2LG2S

715007791 •60" (152 cm ) 715007792 •66" (168 cm )

\$114.99



- W earblade designed with a folded back bottom lip.
- The increased surface allows for less digging while plowing uneven surfaces.
- $\bullet$   ${\tt Ideal for snow}$  covered gravel, grass, paver stone and other soft surfaces.

		715004480 • 54" (137 cm )	\$139.99
		715004481 • 60" (152 cm )	\$159.99
		715004482 • 66" (168 cm )	\$179.99
Can-Am ProMount Plastic Wear Blade	G2,G2L,G2S	715004483 • 72" (183 cm )	\$199.99

 $\bullet$  To help prevent scratches on sm ooth drivew ays and m arkable surfaces.



### **Can-Am ProMount Blade Extensions**

G2,G2L,G2S

■ 715004205 •B bck

715005319 •Yellow

\$119.99



- Add 3" 8 cm ) each side.
- Compatible with Can-Am ProMountBlades (exceptforCan-Am ProMountSteel54" (137 cm) Blade).
- $\bullet$  LongerW earB lade can be installed to further extend the extra length a leady provided by the extensions.
- $\bullet \ \texttt{Compatible} \ \texttt{with} \ \texttt{Can-AmProMountSteel} \ \texttt{landFlex2} \ \texttt{Blades} \ \ \texttt{(except for the Can-AmProMountSteel} \ \texttt{137 cm})$ Blades).

Back Drag Blade	Dank and Diana (Collandar and	715007704	¢270.00
Dack Drag blade	ProMountPlows (60" and more)	715007794	\$279.99



- · thick steelsw ivelscraper.
- . Lifts up when the vehicle is moving forward so as to not affect the scraping.
- Increased capacity to pullsnow.
- $\bullet$  M ore aggressive scraping in reverse  ${\tt m}$  ode.
- $\bullet$  Lifts the blade off the ground so that it scrapes evenly.
- Adjustable in length forcom patibility with 60", 66" and 72" blades.
- Com patible with ProM ountblades (Flex and Steel).

Plow Boller Fairlead	G2 G2T G2S	705009222	\$60.00



- $\bullet$  Largerdiam eterbwermollermeduces wearon wime mope forplow application.
- Can be used with all ProM ountplows.
- Included in Plow Mounting Plate Kit (715007751).

Pulley Kit for Alpine Super-Duty Plow	G2,G2L	715000279	\$57.99
---------------------------------------	--------	-----------	---------



- $\bullet$  Pulley kit to be used in conjunction with the winch when using a snow plow .
- Recom m ended to increase w inch efficiency.
- To be used with the XT FrontBum per.

G2,G2L,G2S ATVs ACCESSORES



- Specially designed forplowing applications.
- 8' Q Am) section of durable, extra-strong synthetic rope.
- $\bullet$  Stands up to repeated, sharp angle pulls used to lift heavy plow blades.
- $\bullet$  Tem porarily replace yourw inch mope for plow season to save we arand tearon wire mope.

 Plow Limit Switch
 G2,G2L,G2S
 715006259
 \$134.99

- $\bullet$  For controlling the cable tension when over-raising yourplow system .
- Prevents winch, plow push fram e and vehicle dam age.

Can-Am ProMount Plow Angling System	G2,G2L,G2S	715007801	\$799.99
-------------------------------------	------------	-----------	----------



- Converts yourplow system into an easy-to-controlunit from the drivers seat.
- Using one hand to controlallplow motions willallow you to easily concentrate and manage yourplowing tasks.
- Com patible with ProMountBlade.

- Push Fram e (715007752) is required.
- Push Fram e Extension (715006257) is required for installation with the Front Rancher Bum per.
- W inch and plow sold separately.

2024





# GL ACESCRES

LinQ Accessories: Easy On, Easy O	Cargo	84
Cargo & Storage		90
Can-Am W indshields		90
Handlebars & Mirrors		91
Skid Plates		92
Bum pers & Guards		93
Electrical& Lights		94
W inches		97
H itches		98
Perform ance		99
Covers & Add-Ons		100
Apache Track System s		101
DroM ount Dlove a		100



# BINDEUPTONEARCOMPROMSE YORATVBINDES

SIEP1: CHOOSE VOI RESSENTIAL BLADE

O DOLLO		G3L	G3L M AX	
	Console Extension	715005368	715005368	
STARTER	Console Extension USB PowerOutlet	715008750	715008750	
	LinQ Cargo Box (53 L)	715006997	715006997	
	LinQ ToolKit	715006829	715006829	
	FenderFlames	715005349	715005349	
ADVANCED	DriverFullW rap Handguards	715005361	715005361	
	LinQ M odularBox (10 L)	715005494	715005494	
	Bluetooth HandlebarSoundbarbyM TX	219400840	219400840	
	Adventure H igh W indshield	715005377	715005377	
PEAK	M ud and D ustW ash	9779340	9779340	
	M ul <del>tiS</del> urface G lass C leaner	9779331	9779331	
	Black Plastic & RubberRestorer	9779335	9779335	

STEP2: FICK YOURADD ON BUNDLE

HUNTUR	HUNTURALIUNBULLE		G3L M AX
	LinQ Stackable FuelCaddy -4 Gallons	860202246	860202246
ADVENTURE	XT RearBum per	715004953	715004953
	XT FrontBum per	715004952	715004952
	3.5" (9 cm ) LED Driving Lights (2 x 14 W )	715003666	715003666
LIINT	LinQ Gun Case	715004968	715004968
HUNT	XU FrontBum per	715006614	715006614
	LinQ GearGrips	715005340	715005340
	LinQ Chainsaw Holder	715004975	715004975
WORK	LinQ Rack Extension	715004954	715004954
	LinQ ToolHolder	715007358	715007358
	Integrated Heated Grips & Thum b Throttle Combo	715005072	715005072
	Adventure Side Wind Deflectors	715005862	715005862
WINTER	Heated VisorOutlet	715001246	715001246
	Heated PassengerGrips & VisorOutlet	N /A	715005358
	Trailering Cover	715005074	715005075

# LINDACCESSORES EASY ON EASY OF CARCOL



- No tools needed: Quickly installand rem ove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- $\bullet$  Sturdy m ounting system that holds up to the roughest termain .

G3L	_	①	2	3	4	L'nO
LinQ A	ccessories w ith 16"Base	FrontCargo Com partm ent	Front Rack	RearCargo Compartment	Rear Rack	Can Stack on Top
	LinQ 4.2 Gal (16 L) Cooler 219400964 • Black / 295100698 • W hite	YES, w ith LinQ Base Installation Kit.860201806				
	LinQ Tool Box 715008111	Can be installed inside*oron the fiontcargo com partm ent.				NO
	<b>LinQ SR 5.5 Gal (21 L) Bag</b> 860202449	YES,with LinQ Base Installation Kit860201806  Mustbe installed on the fiontcargo compartment lid only.				NO
9	<b>LinQ 4.5 Gal (17 L) Sport Bag</b> 860202447					
	<b>LinQ M odular Box (10 L)</b> 715005494			YES,with LinQ Base Installation Kit. 860201806		YES
	<b>LinQ M odular Box (20 L)</b> 715007112	YES, with LinQ Base Installation Kit860201806 Can be installed inside*oron the front cargo compartment.	NO		NO	123
The same of	<b>LinQ M odular Box (30 L)</b> 715006830		NO		NO	NO
	LinQ Tool Kit 715006829					YES
	LinQ Roll-Top Bag 715008110	YES, with LinQ Base Installation Kit860201806  Mustbe installed on the frontcargo compartment lid only.			NO	
	LinQ Fuel Caddy - 4 Gallons 860202246	YES, w ith Ling Base Installation Ki: 860201806				NO
	LinQ Oil Caddy - 1 Gallon 860202445	M ustbe installed inside*the figntcargo com partm entonly.		NO		NO
	LinQ Gun Case	YES, with LinQ Base Installation Kit860201806  Mustbe installed on the front cargo compartment lid.				
TO THE PERSON NAMED IN	713001300					
LinQ A	ccessories with 36" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top
LinQ A				Rear Cargo Compartment	Rear Rack	Can Stack on Top
LinQ A	ccessories with 36" Base LinQ Large Cargo Box		Rack	Compartment	Rack	
LinQ A	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L)		Rack	Rear Cargo Compartment	Rear Rack	Can Stack on Top
LinQ A	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L)	Front Cargo Compartment	NO NO	Compartment	Rack	Can Stack on Top
LinQ A	LinQ Large Cargo Box 715007001  LinQ Cargo Basket (90 L) 715005274  LinQ Cargo Box (53 L) 715006997  LinQ Low Pro le Box (63 L)		NO YES	NO NO	YES YES	Can Stack on Top
LinQ A	LinQ Cargo Basket (90 L) 715007001  LinQ Cargo Basket (90 L) 715005274  LinQ Cargo Box (53 L) 715006997  LinQ Low Pro le Box (63 L) 715007827  LinQ Trunk Box (139 L)	Front Cargo Compartment	NO NO	NO NO	Rack	NO YES
LinQ A	LinQ Large Cargo Box 715007001  LinQ Cargo Basket (90 L) 715005274  LinQ Cargo Box (53 L) 715006997  LinQ Low Pro le Box (63 L) 715007827  LinQ Trunk Box (139 L) 715006097  LinQ Trunk Box (145 L)	Front Cargo Compartment	NO YES	NO  NO  YES, mem ove the marrack for installation.	YES YES	NO YES
LinQ A	LinQ Large Cargo Box 715007001  LinQ Cargo Basket (90 L) 715005274  LinQ Cargo Box (53 L) 715006997  LinQ Low Pro le Box (63 L) 715007827  LinQ Trunk Box (139 L) 715006097  LinQ Trunk Box (145 L) 715005273  LinQ 9.2 Gal (35 L) Cooler	Front Cargo Compartment	NO YES	NO  YES, mem ove the mearmack for	YES NO	NO  YES
	LinQ Large Cargo Box 715007001  LinQ Cargo Basket (90 L) 715005274  LinQ Cargo Box (53 L) 715006997  LinQ Low Pro le Box (63 L) 715006097  LinQ Trunk Box (139 L) 715005273  LinQ 9.2 Gal (35 L) Cooler 715006998  LinQ Gun Case	Front Cargo Compartment	NO YES	NO  NO  YES, mem ove the marrack for installation.	YES NO YES	NO YES
	LinQ Large Cargo Box 715007001  LinQ Cargo Basket (90 L) 715005274  LinQ Cargo Box (53 L) 715006997  LinQ Low Pro le Box (63 L) 715006097  LinQ Trunk Box (139 L) 715006273  LinQ Trunk Box (145 L) 715005273  LinQ 9.2 Gal (35 L) Cooler 715006998  LinQ Gun Case 715004968	Front Cargo Compartment  NO  Front Cargo Compartment	NO YES NO YES	NO  YES, mem ove the mearrack for installation.  NO  Rear Cargo Compartment  YES, with Ling Base	YES NO YES NO Rear	NO YES NO LinQ
	LinQ Large Cargo Box 715007001  LinQ Cargo Basket (90 L) 715005274  LinQ Cargo Box (53 L) 715006997  LinQ Low Pro le Box (63 L) 715007827  LinQ Trunk Box (139 L) 715006097  LinQ Trunk Box (145 L) 715005273  LinQ 9.2 Gal (35 L) Cooler 715006998  LinQ Gun Case 715004968  lolders and Racks LinQ Gear Grips	Front Cargo Compartment	NO YES NO YES	YES, mem ove the marrack for installation.  NO  Rear Cargo Compartment  YES, with	YES NO YES NO Rear	NO YES  NO LinQ Can Stack on Top
	LinQ Large Cargo Box 715007001  LinQ Cargo Basket (90 L) 715005274  LinQ Cargo Box (53 L) 715006997  LinQ Low Pro le Box (63 L) 715007827  LinQ Trunk Box (139 L) 715006097  LinQ Trunk Box (145 L) 715005273  LinQ 9.2 Gal (35 L) Cooler 715006998  LinQ Gun Case 715004968  lolders and Racks  LinQ Gear Grips 715005340  LinQ Tool Holder	Front Cargo Compartment  NO  Front Cargo Compartment	NO YES  NO YES	YES, mem ove the mean rack for installation.  NO  Rear Cargo Compartment  YES, with Ling Base Installation Kim	NO YES NO Rear Rack	NO YES NO LinQ

\*Removal of front cargo compartment lid is required.

# LINQACCESSORES EASY ON EASY OF CARCO



- No tools needed: Quickly installand rem ove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

G3L	_ M AX	①	2	3	4	LinQ
LinQ A	ccessories w ith 16"Base	FrontCargo Com partm ent	Front Rack	RearCargo Com partm ent	Rear Rack	Can Stack on Top
	LinQ 4.2 Gal (16 L) Cooler 219400964 • Black / 295100698 • W hite	YES,w ith LinQ Base Installation Ki:860201806				
	LinQ Tool Box 715008111	Can be installed inside*oron the fiontcargo com partm ent.		NO		NO
	<b>LinQ SR 5.5 Gal (21 L) Bag</b> 860202449	YES, with LinQ Base Installation Kit860201806 Mustbe installed on the fiontcargo compartment lid on ly.				NO
	<b>LinQ 4.5 Gal (17 L) Sport Bag</b> 860202447			YES,with LinQ Base Installation K±860201806		
	<b>LinQ M odular Box (10 L)</b> 715005494					YES
W.	LinQ M odular Box (20 L) 715007112	YES,with Ling Base Installation Kit860201806 Can be installed inside*oron the fiontcargo com partment.	NO		NO	1110
The same of	<b>LinQ M odular Box (30 L)</b> 715006830		No		No	NO
	LinQ Tool Kit 715006829			NO		YES
	LinQ Roll-Top Bag 715008110	YES,with Ling Base Installation Kit860201806  Mustbe installed on the frontcargo compartment lid only.				
3	LinQ Fuel Caddy - 4 Gallons 860202246	YES,w ith Ling Base Installation Kit860201806				NO
	LinQ Oil Caddy - 1 Gallon 860202445	M ustbe installed inside*the frontcargo com partm entonly.				NO
	LinQ Gun Case 715004968	YES, with LinQ Base Installation Kit860201806  Mustbe installed on the front cargo compartment lid.				
LinQ A	ccessories with 36" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top
LinQ A	ccessories with 36" Base LinQ Large Cargo Box 715007001	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	Can Stack on Top
LinQ A	LinQ Large Cargo Box	Front Cargo Compartment	Rack	Compartment		
LinQ A	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L)	Front Cargo Compartment	Rack	Rear Cargo Compartment	Rear Rack YES	Can Stack on Top  NO
LinQ A	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L)		NO NO	Compartment		Can Stack on Top
LinQ A	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Pro le Box (63 L)	Front Cargo Compartment	NO YES	NO NO	YES	Can Stack on Top  NO
LinQ A	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Pro le Box (63 L) 715007827 LinQ Trunk Box (139 L)		NO NO	NO NO		NO YES
LinQ A	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Pro le Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L)		NO YES	NO  NO  YES, mem ove the marrack for installation.	YES	NO YES
LinQ A	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Pro le Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler		NO YES	NO  YES, mem ove the mear rack for	YES NO	NO  YES
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Pro le Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler 715006998 LinQ Gun Case		NO YES	NO  NO  YES, mem ove the marrack for installation.	YES NO YES	NO YES
	LinQ Large Cargo Box 715007001  LinQ Cargo Basket (90 L) 715005274  LinQ Cargo Box (53 L) 715006997  LinQ Low Pro le Box (63 L) 715007827  LinQ Trunk Box (139 L) 715006097  LinQ Trunk Box (145 L) 715005273  LinQ 9.2 Gal (35 L) Cooler 715006998  LinQ Gun Case 715004968	NO Front Cargo Compartment	NO YES NO YES	NO  YES, mem ove the marrack for installation.  NO  Rear Cargo Compartment  YES, with Ling Base	YES NO	NO YES NO LinQ
	LinQ Large Cargo Box 715007001  LinQ Cargo Basket (90 L) 715005274  LinQ Cargo Box (53 L) 715006997  LinQ Low Pro le Box (63 L) 715007827  LinQ Trunk Box (139 L) 715006097  LinQ Trunk Box (145 L) 715005273  LinQ 9.2 Gal (35 L) Cooler 715006998  LinQ Gun Case 715004968  Olders and Racks LinQ Gear Grips	NO	NO YES NO YES	YES, mem ove the mear rack for installation.  NO  Rear Cargo Compartment  YES, with	YES NO	NO YES  NO LinQ Can Stack on Top
	LinQ Large Cargo Box 715007001  LinQ Cargo Basket (90 L) 715005274  LinQ Cargo Box (53 L) 715006997  LinQ Low Pro le Box (63 L) 715007827  LinQ Trunk Box (139 L) 715005273  LinQ Trunk Box (145 L) 715006998  LinQ Gun Case 715004968  lolders and Racks LinQ Gear Grips 715005340  LinQ Tool Holder	NO Front Cargo Compartment	NO YES NO YES	YES, zem ove the zear zack for installation.  NO  Rear Cargo Compartment  YES, with Ling Base Installation Kir	NO YES NO Rear Rack	NO YES NO LinQ

### LinQ Accessories with 16" Base

### LinQ Fuel Caddy - 4 Gallons

G3L

860202246

\$239.99



- · Quick, easy and secure installation with LinQ system.
- · No-spill spout for easy use.
- · 3.7 US gallon (14 L) capacity.
- · Meet the new latest Flame Mitigation Device (FMD) standard.
- · Must be installed in the Front Cargo Compartment.
- · LinQ Base Installation Kit (860201806) required.
- · No LinQ 16" accessories can be stacked on the LinQ 4-Gallon Fuel Caddy.

### LinQ Oil Caddy - 1 Gallon

G3L

860202445

\$139.99




- · 1 US gallon (3.78 L) capacity.
- · Must be installed in the Front Cargo Compartment.
- LinQ Base Installation Kit (860201806) required.
- · No LinQ 16" accessories can be stacked on the LinQ 1-Gallon Oil Caddy.

#### LinQ Chainsaw Holder

G3L (except X mr models)

715004975

\$179.99



- · This system installs a chainsaw vertically to save space on the rack and serves as a scabbard for storage.
- · Pinch the blade for a solid and quick fix.
- Compatible with the majority of chainsaws available on the market as most blades go up to 18".
- Compatible with all 16" LinQ accessories that fit in the front cargo compartment.
- · Allows installation of the LinQ Tool Holder.
- · Not compatible with the LinQ Rack Extension when installed on the front rack of the vehicle.

### LinQ Modular Box

715005494 · (10 L)

\$139.99 \$159.99

715007112 · (20 L) 715006830 · (30 L)

\$179.99



- · Allows stacking of other modular boxes to always have the right gear accessible.
- · Always have the right box size to fit everything.
- · Can be installed on any LinQ Base with a 16" width.
- See table for installation location and requirements.

### Thermal Insert for LinQ Modular Box (10 L)

G3L

G3L

219401110

\$55.99



- · Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- · Can contain seven 355 ml cans.
- · Keeps ice cold for one day.
- · Interior dimensions: 9" L x 17" W x 21/2" H.

#### **LinQ Tool Kit**

715006829

\$309.99



- Includes:
- Cutter pliers
- Long-nose pliers
- Locking pliers - Ratchet wrench 3/4" drive
- 6" ratchet extension
- Integrated CVT belt storage location (belt not included)
- Long-socket 19 mm 3/4" drive - 6 pts
- Socket 18 mm 3/8" drive
- Long-socket 17 mm 3/4" drive - 6 pts
- Socket 15 mm 3/8" drive
- Socket 13 mm 3/8" drive
- Socket 10 mm 3/8" drive
- Socket 8 mm 3/4" drive
- Combined wrench 19 mm
- Combined wrench 18 mm
- Combined wrench 15 mm
- Combined wrench 13 mm
- Combined wrench 10 mm
- Combined wrench 8 mm
- Socket Torx T40 %" drive
- Socket Torx T30 3/6" drive - Socket Torx T20 %" drive
- Breaker bar 3/8" drive
- · See table for installation location and requirements.

### LinQ 4.2 Gal (16 L) Cooler

■ 219400964 · Black 295100698 · White

\$369.99



- · All the benefits of LinQ-simple, fast and secure. · Rotomolded construction for exceptional rigidity and durability.
- · Premium-quality foam insulation for optimal ice retention.
- · Uses LinQ mounting system (Patent US 8777531 and US 8875830).
- · Easy one-second on/off toolless system.
- · Can contain twenty 355 ml cans.
- · Keeps ice cold for three days.
- · Exterior dimensions: 13" L x 20" W x 10" H.
- · Interior dimensions: 9" L x 17" W x 7" H.
- See table for installation location and requirements.

LinQ Tool Box 715008111 G3L \$174.99



- · High precision injected HDPE construction provides rigidity and durability.
- · 5 gal (19 L) maximum capacity.
- · Weather-resistant, sealed and lockable cover.
- · Marinized for salt water purposes.
- · See table for installation location and requirements.

LinQ Roll-Top Bag

G31

715008110

\$229.99



- · Fully waterproof roll-top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base. · High capacity storage solution 10.6 gal (40 L).
- · Bottom foam liner for additional equipment protection.
- · Integrated handle for easy transportation on/off the
- Marinized for salt water purposes.
- · Dimensions: 14" L x 19" W x adjustable H.
- · See table for installation location and requirements.

SR 5.5 Gal (21 L) LinQ Bag

G3L

860202449

\$224.99



· Semi-rigid expandable bag.

- 5.5 gal (21 L) capacity.
- · See table for installation location and requirements.

LinQ 4.5 Gal (17 L) Sport Bag

G3L

860202447

\$204.99



- 4.5 gal (17 L) capacity.
- · Rigid bottom, semi-rigid top.
- · See table for installation location and requirements.

### LinQ Accessories with 36" Base

LinQ Trunk Box (145 L)

G3L (except MAX models)

715005273

\$639.99



- Polyethylene Trunk Box replacing the rear rack for perfect integration and to increase cargo capacity.
- · Storage capacity of 31 gal (145 L).
- · Easy to install and remove with the LinQ system.
- · LinQ anchors must be installed in the rear cargo compartment (4 LinQ anchors included).
- · Possibility to install LinQ 16" accessories on the cover to increase the cargo capacity.
- · New ergonomic and resistant latch system offers excellent sealing.
- · Ability to install LinQ Tool Holders (715008896) on the box.
- · Lockable with a lock on the front of the box (two keys included).

LinQ Trunk Box (139 L)

G3L (MAX models only)

715006097

\$639.99



- · Polyethylene Trunk Box replacing the rear rack for perfect integration and to increase cargo capacity.
- · Storage capacity of 30 gal (139 L).
- · Easy to install and remove with the LinQ system.
- · LinQ anchors must be installed in the rear cargo compartment (4 LinQ anchors included).
- · Compatible with the passenger seat.
- · New ergonomic and resistant latch system offers excellent sealing.
- · Ability to install LinQ Tool Holders (715008896) on the box.
- · Lockable with a lock on the front of the box (two keys included).

LinQ Cargo Box (53 L)

G3L

715006997

\$399.99

87



- · Made of polyethylene.
- · Storage capacity of 14 gal (53 L).
- · Easy to install and remove with the LinQ system.
- · Can be installed on the front or rear racks.
- · New ergonomic and resistant latch system offers excellent sealing.
- · Possibility to install LinQ 16" accessories on the cover and increase the cargo capacity.
- Ability to install LinQ Tool Holders (715008896) on the box.
- · Lockable with a lock on the front of the box (two keys included).



- M ade of im pact-resistant in jected polypropylene and weatherproof, this box has a storage capacity of 16.6 gal (63 L).
- LinQ m ounted forefficient and secure storage, it is boked in place with only a quarter turn. Easy to install, easy to mem ove using the LinQ system.
- Can be installed in a 36" configuration only.
- LinQ 16"accessories can be installed on the coverto increase cargo capacity.
- Easily carried with the rigid handle. The anti-vibration system prevents the handle from moving while riding.
- Support feetathinge levelso the box can stand on its own.
- The compactdesign allows form aximum rearfield of vision.
- Features a bck on the frontofthe box (tw o keys included).

#### LinQ Cargo Basket (90 L)

G.3T.

715005274

\$239.99



- M ade ofpolyethylene.
- Storage capacity of 23 gal (90 L).
- $\bullet$  Easy to installand rem ove w ith the  $\mbox{LinQ}$  system .
- $\bullet$  C an be installed on the frontormarracks.
- Six handles on the contour to easily install bungee cords.
- · Ability to installLinQ ToolHolders (715008896) to the basket.

Large Cargo Box 931 715007001 \$639.99



- Rearbed to carry large item s.
- Anchorpoints () -ring), Ling fixtures fortoolholder, and marks to allow the installation of a 16 accessory.
- Also has a matforthe floorand slotto enable the installation of a dividerand a slot for a divider to close the recess on the rearventical lip.
- It is installed on ATV platform at through the Ling system and hooks to make iteasily installable and removable.

### NEW LinQ 9.2 Gal (35 L) Cooler

G3L

715006998

\$599.99



- LinQ m ounted forefficient and secure storage, locked in place with only a quarter turn.
- $\bullet$  Easy to install, easy to rem ove using the LinQ system .
- Installation in LinQ 36" configuration.
- M ade ofpolyethylene for exceptional rigidity and durability.
- Storage capacity of 9 2 gal (35 L).
- $\bullet$  Lock the cooleron the vehicle using the LinQ Lock &60201968).
- Prem ium -quality foam insulation for optimal ice metention.

- $\bullet$  Option to add a 5-sbtLinQ Lime Railon the side and at the rearofthe cooler.
- A dry basket is included to protectyour food from water.
- $\bullet$  D  $\min$  plug at the bottom to get  $\min$  of excess w ater.
- $\bullet$  The new ergonom ic and resistant  ${\tt latch}$  system ensures the top is tightly sealed.
- Innovative way to hold 12 cans  $(355\,\mathrm{m}$  1).
- M olded-in handles for quick installation and rem oval.

#### LinQ Rack Extension

G3L

715004954

\$199.99





- $\bullet$  Easy to installand  $\operatorname{rem}$  ove w ith the  $\operatorname{LinQ}$  system .
- Fits frontor rear of the vehicle.
- Provides tie-down points to secure cargo on racks.
- M ade of steelw ith anti-comosion coating and durable powder-coat finish.
- Heightof7".

### **LinQ Holders**

LinQ Tool Holder 931 715007358 \$54.99



- U ltra-versatile toolholder.
- Convenientswive Hatch allows tools to be stored in any orientation.
- · Sold in pairs.

**LinQ Gear Grips** 

G3L

715005340

\$144.99

44

- $\bullet$  Durable and flexible grips provide a custom fit for a variety of item s from 1" to 4" Q.5 cm to 10 cm) in diameter.
- $\bullet$  Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- M ake transporting your tools a snap by com bining the GearG rips with the LinQ system .
  - 360 orientation.
  - Sold in pairs.

LinQ Gear Grips | G3L | 715001421 | \$87.99



- Durable, flexible grips cushion and protect while providing a custom fit for a variety of them s from 1 to 4 v 2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-me lease button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Easy installation on tubular macks, extension macks, brackets orbum pers.
- Sold in pairs.

LinQ Gun Case | G3L | 715004968 | \$269.99



- The practical design lets riders store shotguns and rifles up to 52" (132 cm), even with most optic configurations.
- Adapts to different weapon shapes and features with foam cushions that can be repositioned.
- The Gun Case is Ling-mounted for efficient and secure storage, and is boked in place with only a quarter turn.
- The LinQ Gun Case m ustbe installed on the front com partm entid using the LinQ Base Installation Kit 660201806), on the FrontRack oron fenderposition using the LinQ Gun Case M ounting Kit (715006074).

### NEW LinQ Gun Case Mounting Kit - Fender Position | G3L | 715006074 | \$119.99



- This kit is required to install the LinQ G un Case on fender position on G 3L, G 3L M AX and X m rm odels.
- Installs on the right side of the vehicle, and the safety system allows the driver or passenger to quickly exit the vehicle.
- The bw-profile mounting system can be lefton the vehicle year-round and doesn't get in the way when the Gun Case is not installed.

### **Holders**

**Tool Holder Bolt-On** g3L **715008896 \$45.99** 



- ToolHolderism ade to fitthe LinQ Cargo Basket 00 L), LinQ Cargo Box 63 L), LinQ Trunk Box (139 L) and LinQ Trunk Box (145 L).
- · Convenientswive Hatch allows tools of all shapes to be stored in the proper orientation.
- · Sold in pairs.
- Severaldegrees of adjustment.

		715002354 •Single	\$62.99
Multi-Fit Holder	G3L	715001945 •D ouble	\$89.99



- Open U-shaped bracket for carrying tools (shovel, axe) and hunting weapons (rifle, bow) that are safely secured, but easily accessible.
- $\bullet$  Easy installation on tubu hrack, extension mcks, basketor bum pers.
- Sold in pairs.
- ForG 2, the LinQ Rack Extension (715001711) is required.

### **LinQ Mounting**

LinQ Base Installation Kit 63L 860201806 \$38.99



- $\bullet$  U nique m ounting fastener usable on any LinQ system accessory.
- $\bullet$  Included:2 cargo LinQ bases and hardware.

LinQ Base	G 3T.	715002350	\$24.49



- $\bullet$  M ade of polypropylene glass fiber.
- Allows you to install LinQ accessories.
- Sold in pack of 4.



- Sim ple way to securely lock most LinQ accessories.
- $\bullet$  Lock coverprotects bock from the elements.
- Comosion resistant
- Pack of1, includes 2 keys.
- Notcom patible with Ling 42 US Gal (16 L) Cooler, Ling ToolBox, Ling ToolHolder and Ling GearGrips.

### CARCO&STOPAGE



Soft Storage Bag (70 L)

G3L

715007002

\$219.99



- · Carry your gear in a weather proofbag.
- $\bullet$  Softbag with a storage capacity of 185 gal (70L) designed to maximize space in the frontorrear of the vehicle.
- 3-com partm entbag w ith rem ovable dividers.
- · Easy to install with strap system .
- X m rm odels: Fits on rearrack only.

# CANAMWINDSHELDS



### Adventure High Windshield - Hardcoated

G3L (exceptX m rm odels)

715007268

\$249.99



- Adventure windshield with three-position adjustable height.
- 14" 66 cm ) high to protect against wind and winterweather.
- M ade of in jected polycarbonate with a thickness of "(4 m m) with ultra-resistant Quantum coating.
- $\bullet$  Provides excellent optical clarity and better abrasion resistance.
- Console Extension (715005368) is required for installation.
- Side W ind Deflectors (715005862) available for added protection.

### **Adventure High Windshield**

G3L (exceptX m rm odels)

715005377

\$199.99



- · Adventure w indshield w ith three-position adjustable height.
- 14" (36 cm ) high to protect against wind and weather.
- M ade of in jected polycarbonate w ith a thickness of  $\mbox{"}(4\mbox{ m}\mbox{ m})$ .
- Console Extension (715005368) is required for installation.
- $\bullet$  Side W ind Deflectors (715005862) available for added protection .

### **Adventure Low Windshield**

G3L (exceptX m rm odels)

715005860

\$179.99



- Adventure w indshield with three-position adjustable height.
- $\bullet$  10 in  $(25\ \mathrm{cm})$  high forw ind protection.
- M ade of in jected polycarbonate with a thickness of "(4 mm).
- $\bullet$  Console Extension (715005368) is required for installation .
- $\bullet$  Side W ind Deflectors (715005862) available for added protection .

#### Adventure Side Wind De ectors

G3L (exceptX m rm odels)

715005862

\$129.99



- Side W ind Deflectors for additional wind protection.
- · Easy installation.
- $\bullet$  Console Extension (715005368) is required for installation .
- $\bullet$  W orks w ith Adventure W indshields (715005860,715005377,715007268).
- Notcompatible with Integrated Audio System (715005354).

 Console Extension
 G3L (exceptX m rm odels)
 715005368
 \$199.99



- Integrated storage com partm ent (1 gal/4 L) w ith m agnetic m ountsafe foryoure ectronic device.
- Robust in jected fiber-reinforced-polypropylene construction m akes it easy to fit and install.
- 25 times strongerthan any smartphones weight, so you can ride through rough terrain confidently.
- Two possible positions for your electronic device: portrait and landscape.
- Includes everything needed for installation on your favorite electronic devices: two pre-assembled Can-Amplates with 3M multi-surface adhesive.
- Includes guide clips moded into the door to pass the charging cable.
- Possibility of installing USB outlet in storage compartment (USB poweroutlet sold separately).
- Required for the installation of the Adventure windshield and side wind deflectors.
- Notcom patible with SnorkelKit.
- · Includes tether cord for additional peace of m ind.

### **Console Extension USB Power Outlet**

G3L (exceptX m rm odels)

715008750

\$69.99



- $\bullet$  U seful for the Console Extension (715005368) to plug your electronic device charger into the compartment.
- USB-A and USB-C ports.
- Rubbercap protects ports when not in use.
- Backlitto highlight the USB ports.
- $\bullet$  Console Extension (715005368) is required for installation .

### HANDEBARS&MIRRORS



### **Driver Full Wrap Handguards**

G3L

■ 715005361 •Black

715005362 •N eo Yellow

\$139.99



- Protects againstwind, branches and debris.
- Rugged in jected plastic deflectors with Can-Am logo.
- · Lightweightblackdie castalum inum fullwrap frame.
- New ergonom is design offers better com fort for the hand and increases protection.
- · M ounting system leaves the handlebar free.
- $\bullet$  Includes complete hardware.

### Passenger Wind De ectors

G3L (MAX models only)

715001669

\$92.99



- These wind deflectors fit on the passenger handles and provide greater comfort while riding.
- $\bullet$  Easy to installand  $\operatorname{rem}$  ove .

### Handlebar Mirrors

G3L


715005366

\$69.99



- Adjustable handlebarm ounted convex m irrors.
- $\bullet$  The convex surface allows in proved visibility with a wider field of view .
- Doesn trequire a windshield or fairing to be mounted.
- $\bullet$  W orks w ith allw indshield options.

# SADPLATES



### **WILANDER**

G3L				
20	23			
ExceptM AX m odels	M AX m odels only			
<b>Skid Plate Protection</b>	Kit			
715005309	715005310			
Individual Skid Plate	S			
1 Front Aluminum A-Arm	Protectors			
715005305	715005305			
2 Rear Aluminum A-Arm P	rotectors			
715005308	715005308			
3 HM WPE Underbelly Plat	es			
715005306	715005307			

Our Skid Plates deliver the durability, strength, and reliability your adventures need. Protect the underbelly of your vehicle from front to rear, with folded ends at the footwells for a little extra. They combine materials for peak protection: with aluminum A-arms and a plastic underbelly, your ride can drive across rough terrain confidently.

- Quick and easy, bolt-on installation.
   No need to rem ove factory skid plates.
   No more rivets or rivnuts.
- Thickerunderbelly plates ( $10 \, \text{mm}$ ).

# BLMPHS& GLAFDS



### **Bumpers**

**XU Front Bumper** 

G3L

715006614

\$319.99



 $\bullet$  H eavy-duty tubular construction provides the m ostcom plete protection for your vehicle.

- · Protects vehicle lights and comers.
- · W inch com patible.
- Integrated tow hook.
- Sim ilarto the XU m odels bum per.

### XT Front Bumper

G3L

715004952

\$169.99



 $\bullet$  Provides additional protection for your vehicle against the elements.

- · Tough and durable.
- · Large tube construction with black powdercoat finish.
- Sim ilarto stock bum peron XT m odels.
- M ounting plate included fortow hook.

### **Extreme Front Bumper Plate**

G3L (exceptX m rm odels)

715005439

\$149.99



• Ultra-robust construction provides additional protection to the front of the vehicle in rough terrain.

· Com patible with all front bum pers.

#### **Front Tow Hook**

G.3T.

715008842

\$45.99



 $\bullet$  Provides a solid anchorwhen towing is needed orwhen transporting the vehicle.

- A llow s you to attach m osthooks or straps.
- $\bullet$  This tow hook offers 3,500 b (1,587 kg) of tow ing capacity.
- M ade offorged steel.
- XT FrontBum per (715004952) required for installation.

### Full Rear Bumper

G3L

715008738

\$219.99



- Provides additional protection for your vehicle against obstacles.
- $\bullet$  P rotects the rear lights of the vehicle w  $ithout \, obstructing \, them <math display="inline">\, . \,$
- $\bullet$  Strong and durable, itm us the added to the XT rearbum per (stock oraccessory) for full protection .
- Wide and sturdy tubular construction with black powder-coat finish and metalcomers.

#### **XT Rear Bumper**

G3L (STD,DPS & Xmrm odels only)

715004953

\$129.99



- Sturdy tubular construction.
- $\bullet$  P notects the vehicle against obstacles.
- $\bullet$  Standard on OutlanderXT and OutlanderPRO .
- $\bullet$  Fits base m odels with grab baronly.
- Required to install the FullRearBum per.

### Guards

Fender Flares

G3L

715005349

\$129.99



- $\textbf{K} \pm \text{is designed to deliver extra protection to your vehicle from distant debris. If you enjoy riding in the \texttt{m} \, \text{ud}, \pm \texttt{s} \, \text{a} \, \texttt{m} \, \text{ust.} \\$
- $\bullet$  M ade of in jected plastic that hugs your vehicle fenders perfectly.
- Gives vehicle added flairfora nugged, coolbok.
- $\bullet$  Includes front and rear extensions and all m ounting hardware.
- Notcom patible with European vehicles.

# **ELECTROPL& LIGHTS**



Integrated Heated Grips & Thumb Throttle Combo

G3L

715005072

\$299.99



- Heat levels forgrips and thum b displayed on vehicle screen.
- Ergonom ic button integrated on LH grip.
- Single button for both grips and thum b heat selection.
- Five tem perature settings for the thum b and grips.
- · Adjustable heat ratio between grip and thum bw arm er.
- Hold button to meach maximum heatquickly.
- $\bullet$  Rem em bers your lastheat setting .
- P67-rated waterproofsealing keeps the elements out.
- ECE com pliant.
- Plug-and-play installation.
- Clamp-on grips, no glue required.

### **Heated Passenger Grips & Visor Outlet**

G3L (M AX m odels on ly)

715005358

\$349.99

\$59.99



• Replace your stock passengerhandles.

- Dualtem perature switch integrated into seatarm for 3-zone heated handles and grips.
- Heated visoroutlet integrated into seatarm .

Seat Heater G3L 715007211 \$134.99



- 25 W seatheaterdelivers chill-free riding com fort.
- One tem perature only.
- · Heated pad and electrical harness only.
- Heavy-Duty SeatCover (715008311) is required for installation on 1-up models.
- Heavy-Duty SeatCover (715008313) is required for installation on 2-up models.


### Heated Visor Outlet G3L 715001246 \$56.99



- Strategically positioned on vehicle to maintain your agility.
- $\bullet$  Optional visor outlet that delivers fog-free riding.
- Quick and easy installation.
- Sold individually.
- Heated Visornotincluded.

#### **USB Intelligent Power Outlet Kit**

• Powerallyourelectronics with this easy-to-mountUSB plug.



- Powerrate:36 watts.
- Intelligent USB charger for a fast charge when battery is bw.

G 3T.

 $\bullet$  Replaces the vehicle s 12 V socket.

### NEW Cellphone Holder G3L 715008786 \$99.99



- W aterresistant doorallows for perfect phone positioning.
- Features capacitive and resistive touch screen technology.
- Spring system in back plate autom atically adjusts for thickness.
- Fits all cellphones within 72" ( $185 \,\mathrm{mm}$ ) x 33" ( $85 \,\mathrm{mm}$ ) x 06" ( $15 \,\mathrm{mm}$ ) dimensions.
- $\bullet$  W orks with almostallchargerwires.
- $\bullet$  Does not include cellphone or charging w imes.
- Requires the GPS RAM Mount for Handlebar (715001985) or the Console Extension (715005368) for installation.

715009117

- If installed on the Console Extension, the Console Extension USB PowerOutlet (715008750) is required to charge cellphone.
- If installed on the Console Extension, DriverFullW rap Handguards (715005361 or715005362) are incompatible.



• Convenient bracket for installing the Garm in M ontana GPS (715002830) or the Cellphone Holder (715008786) (not included) onto your units handlebar.

### **NEW Integrated Audio System**

G.3T.

715005354

\$879.99



· Fully integrated and weatherproofaudio system.

- Includes two 65" front fender Bluetooth speakers giving you fingertip control of the tracks you're playing.
- · Designed to be Can-Am tough in the most demanding riding conditions.
- Expertly tuned for exceptional sound, even when you're on the  ${\tt m}$  ove on your Outlander.
- $\bullet$  Com es w ith two speakers, each w ith 50 W dynam ic power, for a total of 100 W dynam ic power.
- · Seam less integration and operation from any Bluetoothenabled devices, orvia an auxiliary port.
- · Plug-and-play audio system specifically designed not to drain the battery.
- Compatible with the Console Extension (715005368) and Adventure W indshields.
- Not compatible with the Adventure Side Wind Deflectors (715005862).
- EC com pliant.

Note: We recommend you use 320 Kbps MP3 - 192-256 Kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.

### Bluetooth Handlebar Soundbar by MTX

219400840

\$489.99



 Bluetooth speakerwith the unbeatable convenience of fingertip control.

- Rugged IP 66-rated weather-resistant speaker designed foroutdooruse.
- Driven by 150 watts of quality audio power.
- · Seam less integration and operation from Bluetooth
- · Includes input, ground and ignition wires, plus auxiliary portand 35" (8.89 cm ) connector cable.
- Not compatible with XT HandlebarProtectorKit.

715003666

• EC com pliant.

Note: We recommend you use 320 Kbps MP3 - 192-256 Kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.

### 3.5" (9 cm) LED Lights (2 X 14 W) LED Driving

\$254.99



• 14 W LED lights producing 1,260 lum enseach.

- Equipped with 6 high powerLED s in a heavy-duty die castalum inum housing.
- Features 2 attachm entpoints if one attachm entpoint fails due to a collision, rotate to the next channel point and re-m ount the light.
- · Sold in pairs.

· EC com pliant.

- · Spotlens for a narrow and long lightbeam spread, ideal when driving athigher speeds.
- XT orXU FrontBum pers (715004952 and 715006614) and LightPowerCable (715005353) required for installation.
- $\bullet$  Can also be installed on the stock frontburn pers (KT and XU).

### 3.5" (9 cm) LED Lights (2 X 14 W) LED Flood Lights

715003665

\$254.99



· 14 W LED lights producing 1,260 lum enseach.

- Equipped with 6 high powerLEDs in a heavy-duty die castalum inum housing.
- Features 2 attachm entpoints if one attachm entpoint fails due to a collision, rotate to the next channel point and re-m ount the light.
- · Sold in pairs.
- EC com pliant.

• Flood lens for a wide lightbeam spread, ideal for working applications like plowing or forcomering, dusty or foggy riding conditions.

- XT orXU FrontBum pers (715004952 and 715006614) and LightPowerCable (715005353) required for installation.
- Can also be installed on the stock frontbum pers &T and XU).

### 10" (25 cm) Double Stacked LED Light Bar (60 W)

715002933

715002934

\$369.99



• Equipped with 125W Cree LEDs.

- 5,400 lum ens.
- Rugged and waterproof.
- · Packs a big punch for its size.

• EC com pliant.

- XT orXU FrontBum pers (715004952 and 715006614) and LightPowerCable (715005353) required for installation.
- $\bullet$  C an also be installed on the stock frontburn pers (KT and XU).

### 15" (38 cm) Double Stacked LED Light Bar (90 W)

G 3T.

\$449.99



• Equipped with 185W Cree LEDs.8,400 lumens.

- Com plem ents the LightRacks and m ostbum pers.
- · Rugged and waterproof.
- · Lights up to m one than 1,900 ft 580 m ) in front of the vehicle and around 65 ft (20 m) wide on each side.
- · EC com pliant.
- XT FrontBum per (715004952) and LightPowerCable (715005353) are required for installation.
- · Can also be installed on the stock frontbum pers (XT and XU).

G3L

715005353

\$19.99

• Required for installation of the 10" Q5 cm ) and 15" Q8 cm ) LED LightBars, as well as the 35" Q cm ) LED Lights.

### RAM † LED Spotlight

G 3T.

710005423

\$154.99



• 540 lum en LED light QW) heavy-duty spotlight standard-equipped w ith 1" Q 5 cm) diam eter nubber-coated double balland socket system .

### Battery Charger/ Maintainer

715005061

715005062

\$69.99


\$139.99



- · Keeps stored lead-acid batteries charged.
- · Charges and maintains smallbatteries.
- M improcessorcontrolled multi-stage charging for added precision, safety and battery life.
- · Autom atically detects 6-or12-voltbatteries.
- Reverse hook-up protection helps protectbattery and charger from damage.
- · Auto-voltage detection.
- $\bullet$  P ress the display button to show the charge progress.
- Content:3 am p battery charger, clam p adapter, DC adapter, 24" (61 cm ) fissed ring leads harness with weathercap, owners manual.
- NotEC compliant.

### Jump Starter

• PX3 w ater-resistant and enclosed output ports.



- Compactdesign, willconveniently fit in your backpack,
- glove box orany otherstorage com partment.
   Real forpowersports, motorcycles and 4 or 6 cylinderengines.
- 2 AA + 1A/5V USB ports for fast charging of all USB devices.
- Sm art cable provides protection against reverse polarity, short circuit, bw volage, high tem perature and reverse charging.
- Built-in LED light (3 m odes).
- Content:300CA jum p starter, SA 858 sm art cable clam p, M C-USB to USB charging cable, travelbag, userm anual.
- NotEC compliant.

### **Quick Connect Battery Cable**

715005408

\$10.49



- $\bullet$  Quickly and easily connectand charge different item s w ith your charger.
- Included in the Battery Charger/M aintainer (715005061).
- Sold individually.

### Quick Connect Cable with Battery Indicator

715006055

\$22.49



- Quickly and easily connectand charge different batteries with your charger.
- $\bullet$  3-cobrLED indicator provides constant battery health indication.
- Sold individually.



### **Can-Am HD Winches**

#### Can-Am HD 2500 Winch

G3L

715006973

\$369.99



- · Ergonom ic clutch handle.
- Rugged all-steelgears and bushings form ore torque and bngerlife.
- $\bullet$  Autom atic 100% bad-holding brake.
- $\bullet$  Corded 10 ft. G m ) we ather sealed wired rem ote control (sold separately).
- Pulling strength capability of 2,500 lb (1,134 kg).
- "(152 m of48 mm) wire steelcable. • 50 ft.of
- Heavy-duty 4-way roller fairlead.
- W eather-sealed handlebarm ounted switch.
- Sealed solenoid for all-weather protection.
- Plug-and-playwiring.
- A-arm sEC and UKCA com plant.

#### Can-Am HD 3500 Winch

G3L

715006974

\$399.99



- Ergonom ic clutch handle.
- Rugged all-steelgears and bushings form ore torque and bngerlife.
- · Autom atic 100% bad-holding brake.
- Corded 10 ft. 6 m ) weather sealed wired rem ote control (sold separately).
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft.of "(152 m of52 m m) wime steelcable.
- Heavy-duty 4-way roller fairlead.
- W eather-sealed handlebarm ounted switch.
- Sealed solenoid for all-weather protection.
- Plug-and-playwiring.
- A-arm sEC and UKCA com pliant.

#### Can-Am HD 3500-S Winch

G3L

715008285

\$499.99



- · Ergonom ic clutch handle.
- Rugged all-steelgears and bushings form one torque and bngerlife.
- Autom atic 100% bad-holding brake.
- $\bullet$  Corded 10 ft. (3 m ) we ather sealed, wired remote control (sold separately).
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft.of "(152 m of 48 m m) synthetic rope.
- Heavy-duty haw se fairlead.
- $\bullet$  W eather-sealed handlebar-m ounted sw itch .
- · Sealed solenoid for all-weather protection.
- Plug-and-playwiring.
- A-arm sEC and UKCA com plant.

### **Winch Accessories**

### Can-Am HD Wired **Remote Control**

Can-Am HD W inches (715008140/715008141/715006973/715009674/715008285)

715008121

\$30.99



- This kit allows owners to add a handheld remote to their winch or a stock winch.
- W orks with the handlebarm ounted switch.
- W ired Rem ote and Rem ote Socket included.

### Winch Accessories Kit

715002409

\$124.99



- Getthe mostoutofyourwinch.
- Double your pulling power, change your pulling direction and keep your winch in proper working order.
- Includes tree straps, snatch block, shackle and w inching gloves.



### **Hitches**

Front Receiver Hitch G3L 715004977 \$99.99



- Installs easily.No drilling required.
- This hitch offers a 1,500 lb (680 kg) towing capacity.
- Allows you to maneuveryour trailereasily in tight, confined areas.
- Hitch barsold separately.

### Rear Hitch Drawbar Kit

G3L

715006230

\$99.99



- W orks on 2" (5 cm ) standard receiver hitch.
- O ffers a tow ing capacity of 3.8 kN (R = 750 kg).
- 50 mm Hitch Ballincluded.
- Forged steel.
- $\bullet$  For European vehicles only.

### Front and Rear Hitch Drawbar

G 3T.

715008350

\$99.99



- $\bullet$  Standard on 2  ${\mbox{\tt "}}$  (5 cm ) receiver hitch .
- Itoffers 1,650 b (750 kg) of tow ing capacity.
- Hitch ballnotincluded.
- Forged steel.

### **Hitch Accessories**

Rubber Receiver Plug 705204503 \$12.99



• Rubbercap for 2" (5 cm ) hitch receiver.

## PHYCHANCE

### **Performance**

**NEW Snorkel Kit** 

G3L

715005073

\$379.99



- Com prehensive snorkelkit for extended air intakes and CVT exhaust.
- The CVT outlet integrates into the pod cover.
- Idealwhen riding in muddy conditions.
- Not compatible with windshields.
- $\bullet$  Can be installed with the Integrated Audio System (715005354).

### **NEW Radiator Relocator Kit**

G 3T.

715004943

\$749.99



• Relocates radiator to top m ountposition.

- · Prevents cooling perform ance loss in m uddy conditions.
- A lbw s riders to open the relocatorhood foreasy radiatorcleaning.
- Engineered for easy cooling system bleeding and maintenance.
- Includes support, hardware and hoses. Uses existing radiator: radiator not included.

Mud Strap | G3L | 715003053 | \$47.99



· Convenient sturdy grab-handle.

- Lets drivers redistribute their weight for im proved traction in dem anding conditions.
- Not compatible with XT HandlebarProtectorKit (703100352).

### Radiator Protector G3L (exceptX m rm odels) 715005333 \$99.99



- $\bullet$  M etalshield m ounts over adiator face and protects vehicle from stones and branches.
- $\bullet$  Slides easily out of its holder for easy cleaning.

		715008202 •Front	
NEW Heavy Duty Spring Kits	G3L (exceptMAX & X m rm odels)	715004942 •Rear	\$149.99

# 

- $\bullet$  A lbw s riders to replicate the standard HD 5/HD 7 suspension setup on the Outlander 500/700 (1-up).
- The heavy-duty springs in prove handling and provide enhanced stiffness, which is perfect for snow clearing and hauling heavy bads.
- Two springs included in the kit.

### NEW Aluminum Footpeg Kit G3L 715008199 \$59.99



- Provides maximum integrated grip and stability during vigorous riding.
- The kick-up end gives riders added grip during hard comering.
- M ade of alum inum , sold in pairs.

### **Emergency Accessories**

Emergency Kit 715006102 \$159.99



- Complete em ergency kippovides allessentialequipm entand supplies to get out of most unfavorable situations powersport enthusiasts may find them selves in .
- Includes jum percables, aircom pressor, time-repairki, first-aid ki, ratchettie-down, ducttape, 3,300 b (1,500 kg) tow strap, zip-ties and cloth rags.

### COATES ADDONS



### **NEW Heavy-Duty Seat Cover**

G3L (exceptM AX m odels)

715008311

\$59.99



- · Heavy-duty materials to cover and protect the seat.
- Designed to fit the vehicle's lines perfectly.
- · Abrasion-and tear-resistant.
- $\bullet$  Easily installed by stretching around the original seat: the elastic holds the cover securely in place .

### **NEW Heavy-Duty Seat Cover**

G3L (MAX models only)

715008313

\$79.99



- Heavy-duty materials to coverand protect the seat.
- · Designed to fit the vehicle's lines perfectly.
- Abrasion-and tear-resistant.
- $\bullet$  Easily installed by stretching around the original seat: the elastic holds the cover securely in place .

### **Trailering Cover**

G3L (exceptMAX models)
G3L (MAX models only)

715005074

715005075

\$229.99



- W eather-resistant trailering coverprotects your vehicle during storage and transportation.
- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- $\bullet$  Innersoft linerprotects windshield and cobred panels from abrasion.
- $\bullet$  Quick and easy clip-on installation .
- ullet D esigned with the vehicle to fit its lines perfectly for less wind resistance and less water accumulation.
- Can be installed with orwithout Can-Am accessories.

### Flag

715000277 •Yellow

\$32.99



- M ake sure everyone knows w hatyou re riding.
- Perfect for dunes and new riders.
- 8-ft. (2.4 m ) length.
- Includes flag m ount (715000127).

Flag	N/I	<b>~</b> 11	nt
riay	IVI	ou	HIL
(Not ill	luci	trate	(he

715000127

\$20.99

### **Ratchet Tie-Downs**

715008309 •Black/Grav

\$24.49



- 400 b (181 kg) safe working bad.
- 1 " x 10 0 5 cm x 3 m ) strap w ith C an-Am , Sea-D oo, and Ski+D oo logos.
- Deluxe ratchetw ith subberhandle.
- · Coated S hooks.
- Pack of2.

### **Heavy-Duty Ratchet Tie-Down**

715008308

\$44.99



- 1,000 lb (454 kg) safe working load.
- 15"x6 (88mm x18m) strap with BRP brands.
- Deluxe ratchetw ith nubberhandle.
- · Black-coated clip hooks.
- $\cdot$  12 (300 m m) webbing included.
- Pack oftw o.

# APACI-ETRACK SYSTEMS



### APAG-ETRACKS/STEVSFITTINGGUDE

Apache Backcountry							
Model Year / Model	Track	Track Mount	Track DPS M odule	Engine Pre-filter	CVT Pre-filter		
2023 G3L	715005247	715004993	715007338 (w ithout IC) OR 715006266 (w ith IC)	715008314	Notrequired		

Apache 360 and Apache 360 LT						
M odel Yea	r/ Model	Track	Track Mount	Track DPS M odule	Engine Pre-filter	CVT Pre-filter
2023	G 3L	715006323 Apache 360) OR 715005103 Apache 360 LT)	715004992	715007338 (w ithoutifc) OR 715006266 (w ith ifc)	715008314	Notrequired

### **Apache Backcountry**

### **Apache Backcountry Track System**

G3L

715005247



- $\bullet$  Designed to deliver the best flotation leveland deep-snow perform ance on the m arket.
- Contact patch is 23% bigger than the Apache 360 LT.
- In pressive added ground clearance of 7  $^{\prime\prime}$  (18 cm ), keeps the vehicle out of deep snow .
- Aggressive track design w ith 2" (5 cm ) lug height form axim um traction on snow .
- $\bullet$  Apache Backcountry M ounting K it and engine and air intake pre-filters are required.
- Forw interuse only.

Idler Wheel Kit

Apache Backcountry Track System (meartracks on ly)

860201230 •141 m m



- Reduces drag and rolling resistance.
- Includes 2 w heels, brackets and hardw are.
- $\bullet$  Add up to 2 kits permear track.
- $\bullet$  C an extend slider life in hardened snow conditions.

**Rail Ice Scratchers** 

Apache Backcountry Track System

860201728



- Provide additional lubrication in hard and icy conditions.
- Railm ounted, sm all, light.
- $\bullet$  Design expands on coilconceptto allow  $\ensuremath{\operatorname{reversing}}\xspace$  without dam age.
- Easily stored when not in use.

### **Apache 360 & 360 LT**

### **Apache 360 Track System**

G3L

715006323



- Multifunctionaltracks perfect for any Can-Am ATV.
- Average ground clearance of 16" (41 cm ).
- $\bullet$  1" Q.5 cm ) lugs in the frontand 1.25" (3.2 cm ) in the back.
- $\bullet$  Apache 360 and 360 LT M ounting K it and engine and air intake pre-filters are required.
- EC com pliant.

### Apache 360 LT Track System

G.3T.

715005103



- Multifunctional tracks designed to support heavy bads and to fit on most Can-Am Off-Road vehicles.
- Frontwheelheightadjistm entprovides enhanced attack angle and betterperform ance overrough terrain when raised orincreased contact patch for improved flotation when lowered.
- Average ground clearance of 16" (41 cm ).
- $\bullet$  1" (2.5 cm ) lugs in the front and 1.25" (3.2 cm ) in the back.
- $\bullet$  Reliable heavy-duty build.
- EC com pliant.
- Contact patch is 7 to 9% bigger than the Apache 360 s.
- Apache 360 and 360 LT M ounting Kit, Track DPS M odule and Engine and air intake pre-filters are required.

o installApache Backcountry Track System . Le and pre-filternot included.	
installation time and switch seasons faster than ever.	
G3L <b>7</b>	15004992
le and pre-filternotincluded.	
G3L (with fIC)	15006266
n odu oved i	ired to installApache 360 and 360 LT Track System s. nodule and pre-filternot included. eved installation time and switch seasons faster than ever.

### **PROMOUNT PLOWNTS**

Steel Refe	eference Chart							
	54" Black Steel	54" Yellow Steel	60" Black Steel	60" Yellow Steel	66" Black Steel	66" Yellow Steel	72" Black Steel	72" Yellow Steel
Plow Kit	715006202	715006206	715006203	715006207	715006205	715006208		
B lade	715004472	715005316	715004202	715005317	715006337	715006338	715004474	715006021
Push Fram e	715004980	715004980	715004980	715004980	715004980	715004980	715004980	715004980
M ounting Kit	715009483	715009483	715009483	715009483	715009483	715009483	715009483	715009483

Flex2 Reference Chart						
	60" Flex2	66" Flex2	72" Flex2			
Plow Kit	715006204	715008206				
B lade	715004203	715006265	715004485			
Push Fram e	715004980	715004980	715004980			
M ounting Plate	715009483	715009483	715009483			

### Steel Plows

Can-Am ProMount 54" (137 cm) Steel Plow Kit

G3L

■ 715006202 •Black 715006206 •Yellow

\$949.99



#### This kit includes:

- -Can-Am ProMountSteelBlade
- -Push Fram e w ith Quick-Attach System
- -M ounting Kit.
- -Plow RollerFairlead

Can-Am	<b>ProMount</b>	60"	(152	cm)
Steel Plo	ow Kit		•	•

G3L

■ 715006203 •Black ■ 715006207 •Yellow

\$979.97



#### This kit includes

- -Can-Am ProM ountSteelBlade
- -Push Fram e w ith Quick-Attach System
- -M ounting Kit
- -Plow RollerFairlead

Can-Am	<b>ProMount</b>	66"	(168 cm)	
Steel Plo	ow Kit		` ,	

G3L

■ 715006205 •Black ■ 715006208 •Yellow

\$1,029.97



#### This kit includes:

- -Can-Am ProMountSteelBlade
- -Push Fram e w ith Quick-Attach System
- -M ounting Kit.
- -Plow RollerFairlead

### Can-Am ProMount Steel Blades 54" (137 cm) Blade

Fits ProM ountPush Fram e

■ 715004472 •Black ■ 715005316 •Yellow

\$329.99



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMountBlade accessories to further enhance plow versatility (some plow accessories are not compatible with 54" (137 cm) plows).
- Notcompatible with ProMountDriffCutters, Blade Extensions and Edge Markers.
- Clears 50" (127 cm ) when plow is fully angled.
- Blade heightof14.75" (37 cm).

### Can-Am ProMount Steel Blades 60" (152 cm) Blade

Fits ProM ountPush Fram e

■ 715004202 •Black ■ 715005317 •Yellow

\$359.99



• Blades available individually to create your own kit.

- Compatible with Can-Am ProMountBlade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- $\bullet$  Blade heightof17" (43 cm ).

Can-Am ProMount Steel Blades
66" (168 cm) Blade

Fits ProM ountPush Fram e

■ 715006337 •Black

\$409.99



· Blades available individually to create your own kit.

- Com patible with Can-Am ProMountBlade accessories to further enhance plow versatility.
- $\bullet$  C lears 60" (152 cm ) when plow is fully angled.
- Blade heightof17" (43 cm ).

Can-	-Am P	roM ou	nt Ste	el Blades
72" (	(183 c)	m) Bla	de	

Fits ProM ountPush Fram e

■ 715004474 •Black

■ 715006021 •Yellow

\$479.99



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMountBlade accessories to furtherenhance plow versatility.
- Clears 66" (168 cm ) when plow is fully angled.
- Blade heightof17" (43 cm ).

### Can-Am ProMount Flex2 Plow Kit

Can-Am ProMount 60" (152 cm) Flex2 Plow Kit

G3L

■715006204 •Black

\$1,059.97



This kit includes:

- -Can-Am ProM ountFlex2 Blade
- -Push Fram e w ith Quick-Attach System
- -M ounting Kit
- -Plow RollerFairlead

### Can-Am ProMount 66" (168 cm) Flex2 Plow Kit

G3L

■ 715008206 •Black

\$1,129.97



This kit includes

- -Can-Am ProMountFlex2Blade
- -Push Fram e w ith Quick-Attach System
- -M ounting Kit
- -Plow RollerFairlead

### **Can-Am ProMount Flex2 Plows**

### Can-Am ProMount Flex2 60" (152 cm) Blade

Fits ProM ountPush Fram e

715004203

\$439.99



- Plow blade m ade of UHM W PE, flexble and in pact absorbing m aterial prevents dam aging your plow when accidental in pacts occur.
- Replaceable wearblade.
- Large pin designed for easy blade rotation to elim in ate snow buildup at pivot point.
- · Blade design provides best snow roll-offatany angle.
- Compatible with Can-Am ProMountBlade accessories to furtherenhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- Blade heightof17" (43 cm).

### Can-Am ProMount Flex2 66" (168 cm) Blade

Fits ProMountPush Frame

715006265

\$509.99



- Plow blade m ade of UHM W PE, flexible and im pact absorbing m aterial prevents dam aging your plow when accidental im pactoccurs.
- Replaceable wearblade.
- Large pin designed for easy blade rotation to elim in ate snow buildup at pivot point.
- $\bullet$  Blade design provides best snow  $\verb"mollom"$  flat any angle.
- Clears 60" (152 cm ) when plow is fully angled.
- Blade heightof17" (43 cm ).
- Compatible with Can-Am ProMountBlade accessories to furtherenhanceplow versatility.

### Can-Am ProMount Flex2 72" (183 cm) Blade

Fits ProM ountPush Fram e

715004485

\$589.99



- Plow blade m ade of UHM W PE, flexible and im pact absorbing m aterial prevents dam aging your plow when accidental im pacts occur.
- · Replaceable wearblade.
- Large pin designed for easy blade rotation to elim in ate snow buildup atpivotpoint.
- $\bullet$  Blade design provides best snow  $\operatorname{roll}\!\operatorname{-off}$  at any angle.
- Com patible with Can-Am ProM ount Blade accessories to further enhance plow versatility.
- Clears 66" (168 cm ) when plow is fully angled.
- Blade heightof17" (43 cm ).

### **Angle Plows**

### Can-Am ProMount Angle Blades 60" (152 cm) Steel Oneway State Blade

G3L

715007261

\$419.99



- M ake the pb easierw in the righttools, clear long alleys and m ake the task easier by sending the snow further out of the way.
- $\bullet$  W ing end of plow m easures 25" (63 cm ) high and tapers down to 17" (43 cm ).
- One-way winged state plow designed to throw snow higher.
- $\hbox{\bf RubberFkp (115007299)} \ designed \ to \ keep \ snow \ away \ from \ the \ driver \ is \ offered \ as \ accessory \ (sold \ separate \ ly).$
- Can-Am branded.

### Can-Am ProMount Angle Blades 66" (168 cm) Steel Oneway State Blade

G3L

715007263

\$489.99



- M ake the pb easierw ith the righttools, clear long alleys and m ake the task easier by sending the snow further out of the way.
- $\bullet$  W ing end of plow m easures 25" (63 cm ) high and tapers down to 17" (43 cm ).
- One-way winged state plow designed to throw snow higher.
- RubberFlap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

### Can-Am ProMount Angle Blades 72" (183 cm) Steel Oneway State Blade

G3L

715007264

\$539.99



- M ake the pb easierw in the righttools, clear bng alleys and m ake the task easier by sending the snow further out of the way.
- $\bullet$  W ing end of plow m easures 26" (67 cm ) high and tapers down to 17" (43 cm ).
- One-way winged state plow designed to throw snow higher.
- RubberFlap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- · Can-Am branded.

### ProM ount One-Way State Blade Rubber Flap (Not illustrated)

715007299

\$119.99

• Allows form one efficient snow projections in various snow conditions.

### Can-Am ProMount Plow Accessories

#### **Can-Am ProMount Push Frame** with Quick-Attach System

G3L

715004980

\$499.99



- · Heavy-duty steel tubes designed to withstand the roughest use.
- Mount location provides the ultimate push strength and traction.
- · Designed for maximum plow lift height.
- · Features a self-aligning quick-attach system, an easy foot-release pedal and an ergonomic handle for plow angle adjustment.
- · Allows blade to swivel left or right in five positions.
- · Compatible with all Can-Am ProMount blades.
- · Plow Roller Fairlead and Plow Limit Switch recommended to extend winch cable lifespan.
- · Can-Am ProMount Mounting Kit required for installation.

#### **Can-Am ProMount Push Frame Extension**

G3I

715006257

\$174.99



• 12" (30 cm) push frame extension.

· Required when plow is installed with Apache Track System.

#### **NEW Can-Am ProMount Mounting Kit**

715009483

\$119.99



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- 20 mm mounting rods are designed to stay in place all year round without compromising on ground clearance.
- · No drilling required.
- · Quick installation directly to the chassis.
- · Plow Roller Fairlead included.

### Can-Am ProMount Edge Markers

715004206

\$45.99



- Help locate the edges of your plow.
- · Height: 24" (60 cm).
- · Sold in pairs.
- · Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

### **Can-Am ProMount Drift Cutters**

G3L

715004207

\$124.99



- · Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- · Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

### **Can-Am ProMount Plastic Wear Blade**

G3L

715004480 · 54" (137 cm) 715004481 · 60" (152 cm) \$139.99 \$159.99

715004482 · 66" (168 cm)

\$179.99



To help prevent scratches on smooth driveways and markable surfaces.

### **Can-Am ProMount Curved Wear Blade**

715007791 · 60" (152 cm) 715007792 · 66" (168 cm) 715007793 · 72" (183 cm)

\$114.99



- · Wear blade designed with a folded back bottom lip.
- The increased surface allows for less digging while plowing uneven surfaces.
- · Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

G3L

\$119.99



- · Add 3" (8 cm) each side.
- Compatible with Can-Am ProMount Blades (except for Can-Am ProMount Steel 54" (137 cm) Blade).
- Longer Wear Blade can be installed to further extend the extra length already provided by the extensions.
- · Compatible with Can-Am ProMount Steel and Flex2 Blades (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

### **Back Drag Blade**

ProMount Plows (60" and more)

715007794

\$279.99



- 1/4" thick steel swivel scraper.
- · Lifts up when the vehicle is moving forward so as not to affect the scraping.
- · Increased capacity to pull snow.
- · More aggressive scraping in reverse mode.
- · Lifts the blade off the ground so that it scrapes evenly.
- Adjustable in length for compatibility with 60", 66" and 72" blades.
- · Compatible with ProMount blades (Flex and Steel).

#### **Plow Roller Fairlead**

G3L

705009222

\$69.99



- · Larger diameter lower roller reduces wear on wire rope for plow application.
- · Can be used with all ProMount plows.
- Included in the Can-Am ProMount Mounting Kit (715009483).

#### **Pulley Kit for Alpine Super-Duty Plow**

G3L

715000279

\$57.99



- Pulley kit to be used in conjunction with the winch when using a snow plow.
- · Recommended to increase winch efficiency.
- To be used with the XT Front Bumper.

Plow Limit Switch			
(Not illustrated)	G3L	715006319	\$134.99

- To control the cable tension when raising your plow system.
- Prevents winch, plow push frame and vehicle damage.

### Can-Am ProMount Plow Angling System

G3L

715007801

\$799.99



- Converts your plow system into an easy-to-control unit from the driver's seat.
- · Using one hand to control all plow motions will allow you to easily concentrate and manage your plowing tasks.
- · Compatible with ProMount Blade.

- Push Frame (715004980) is required.
- Push Frame Extension (715006257) is required for installation with the Front Rancher Bumper.
- · Winch and plow sold separately.



# PARISAND MANIEWAYE

Keep an Eye on These Parts	112
Genuine Parts	114
XPS Times	117
Times & Rims	118
Lubricant& OilChange Kit	121
M aintenance Products	122
Care Products	123











# To m ake sure yourATV perform s as you expect, keep an eye on these components:\*

**AIR FILTER** 

OIL FILTER	420256188
ENGINE OIL	
4T 10W-50 Synthetic Oil	
1 quart/946 m 1	9779234
1 US gallon / 3.785 L	9779235
4T 0W-40 Synthetic Oil	0000100
1 quart/946 m l 1 US gallon/3.785 L	9779139 9779140
4T 5W-40 Synthetic Blend Oil	3113140
1 quart/946 m 1	9779133
1 US gallon / 3.785 L	9779134
OIL CHANGE KIT	
5W-40 Synthetic Blend Oil	
500 cc orm one V-tw in engine	9779258
0W-40 Synthetic Oil	
500 cc orm one V-tw in engine	9779259
10W-50 Synthetic Oil	
500 cc orm one V-tw in engine	9779252
5W-40 Synthetic Blend Oil	
450cc or less	9779256
0W-40 Synthetic Oil	
450cc or less	9779257
FUEL FILTER	709001120

Performance Air Filter by Tw in Air Premium Air Filter	715001333 707800371
CVT AIR FILTER	
G2S	707001786
G2, G2L	715003483
DRIVE BELT	
450 cc & less Prem ium (Stock)	422280283
500 cc & more Prem ium (Stock)	422280360
BRAKE PADS	
Metallic G2 Front& RearLeft Front& RearRight	715900248 715900249
Organic G2, G2L, G2S (exceptX m rm odels) Front& RearLeft Front& RearRight	715601015 715601014

(YTX16 L-BS)

V31500M AA020

<sup>\*\*</sup>Refer to periodic  $\mathbf m$  aintenance chart for proper intervals.







# To m ake sure yourATV perform s as you expect, keep an eye on these components:\*\*

Oil Filter	420256188
Oil Filter Cover O-Ring	420230922
Drain Plug Sealing Ring	420552280
Engine Air Filter	707800846
Spark Plug	715900785
Belt for 700/ HD7	420280225
Belt for 500/ HD5	420280226
Front Left Brake Pad	705602070
Front/ Rear Right Brake Pad	705602071
Front CV Outer Boot Kit G3L	715500456
Front CV Inner Boot Kit G3L	715500457

Rear CV Outer Boot Kit G3L	715500464
Rear CV Inner Boot Kit G3L	715500465
Wheel Bearing	293350150
Suspension Bushing	706004511
Ball Joints Lower	706202045
Ball Joints Upper	706202044
Battery	296000444
pDrive Ramp Roller Maintenance Set	420629231
pDrive Torque Roller Maintenance Set	420629225

<sup>\*\*</sup>Refer to periodic  ${\tt m}$  aintenance chart for proper intervals.

## **GENUNE PARTS**

#### **Oil Filters** Sealing Ring (Oil Filter Cover) Sealing Ring (Drain Plug) **Oil Filters** Oil Filter M odels G2S,G2 & G2L 420256188 \$12.99 420230923 \$2.99 420552280 \$3.49 420256188 \$12.99 420230922 \$0.87 420552280 \$3.49 G3L

Com plete Engine OilChange Kitalso available see page 122

#### **Air Filters** • Premium quality filter. $\bullet$ P revents airborne contam inants from reaching your engine. **Premium Air Filter** $\bullet$ P rotects internal components against premature wear. M odels G2S,G2 & G2L 707800371 \$49.99 G3L 707800846 \$49.99 • The best choice for the harshest conditions. **Performance Air Filter** $\bullet$ M ultiple staged oiled filtering fram for superior dust retaining capacity with high air flow . by Twin Air† • W ashable and reusable. M odels 715001333 \$73.99 G2S,G2 & G2L **CVT Air Filter** (Not illustrated) M odels G2,G2L 715003483 \$51.99 G2S 707001786 \$17.49 G3L 707002886 \$18.49

Spark Plug			
Spark Plug	M odels		
	ATV 450/850/1000R	715900352	\$19.99
	ATV 570/650/1000	715900642	\$5.69
	ATV 500/700	715900785	\$19.99

Batteries							
Yuasa <sup>†</sup> Batteries	• Top of the line m ode	els from the leading prefe	med originale	quipm entbatter	y suppliers in N	orth America.	
	M odels	3 A Wet (YTX4 L-BS)		10 A Wet (YTX12-BS)		18 A Wet (YTX20 L-BS)	
D Prime	G2S,G2 & G2L					296000444	\$159.99
	G3L					296000444	\$159.99
MF	DS 50,70 & 90	V31500M AA020	\$114.99				
and the second s	Renegade 70,110	V31500M AA020	\$114.99				
	DS 250			715900031	\$124.99		

#### **Axles**

#### **Premium CV Axle**

- $\bullet$  P  $\operatorname{rem}$  ium quality design idealforoff-roading, heavy-duty and bw  $\operatorname{speed}$  to  $\operatorname{rque}$  usage.
- Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle.



Models	Front	Left	Front Right		ont Right Rear Left		Rear Right	
G2,G2S (exceptX m r)	705402235	\$229.99	705402236	\$229.99	705502710	\$229.99	705502711	\$229.99
G2,G2SXmr	705403009	\$259.99	705402238	\$259.99	705503025	\$229.99	705503024	\$229.99
G2L (except570 X m r)	705401429	\$229.99	705401428	\$229.99	705501898	\$229.99	705501897	\$229.99
G2L570Xmr	705401115	\$229.99	705401116	\$229.99	705501485	\$229.99	705501486	\$229.99
G3L (non ABS m odels)	705402251	\$229.99	705402250	\$229.99	705502928	\$229.99	705502928	\$229.99
G3L (ABS m odels)	705402612	\$229.99	705402613	\$229.99	705502928	\$229.99	705503078	\$259.99

#### **Brakes**

- $\bullet$  Built strong to last long  $\,$  heavy-duty construction stands up to hard braking .
- Designed to handle dem anding riding conditions with challenging braking environments such as m ud and dunes.

#### Metallic Brake Pad Kit



Models	Front Left		Front Right		Rear Left		Rear F	Right
G2S,G2 & G2L	715900248	\$43.99	715900249	\$43.99	715900248	\$43.99	715900249	\$43.99
G3L	705602070	\$48.99	705602071	\$57.99	N/A	ı	705602071	\$57.99

Please contact your dealer or visit our online store at canamoffroad.com for suggested fitment.

#### **Parts**

A-Arm Bushing Kit	G2,G2L,G2S	703500875	\$15.49
A-Ailli busiling Kit	G Z , G Z L , G Z S	/035006/5	\$15.49



• This bushing kit includes 2 bushings, a sleeve and a wearplate, as illustrated.

• C reated specifically foruse with Can-Am vehicles.

• Allyou need to menew your suspension A-arm s.



	Upper	706202044	\$36.99
Ball Joints	Lower	706202045	\$44.99



• Robustdesign foroff-moad usage and sealed forpmolonged dumbility.

Wheel Bearings			
(Not illustrated)	G2,G2L,G2S,G3L	293350150	\$49.99

 $\bullet$  Sealed bearings for additional protection from water and dist.

#### **CV Boot Kit**

- Com es with clam ps and grease.
- Genuine BRP CV BootKits ensure absolute compatibility and a perfect fit.



Models	From Wheel		Fror Differenti		Rea Wheel		Rea Different	
G2,G2L,G2S (exceptX m r)	705401345	\$39.99	705401346	\$39.99	705501864	\$39.99	705501864	\$39.99
Xmr	705401354	\$39.99	705401355	\$39.99	705501864	\$39.99	705501864	\$39.99
G3L	715500456	\$39.99	715500457	\$39.99	715500464	\$39.99	715500465	\$39.99

#### **Belts**

#### **BRP Premium Drive Belt**

- High-perform ance design idealforoff-road use.
- $\bullet$  BRP-specific calibration adjusted to best suityour Can-Am  $\,$  vehicle.



M odels	Premium Belt		CVT Gasket Cover	
G2,G2S 450 cc & less	422280283	\$94.99	420430126	\$38.99
G2,G2S 500 cc & m ore	422280366	\$169.99	420430126	\$38.99
G2LOutknder450 & OutknderM AX 450	422280283	\$94.99	420630292	\$29.99
G 3L 500/HD5	420280226		420630255	\$29.99
G3L700/HD7	420280225	\$194.99	420630255	\$29.99

Driven Clutch Spreader Tool			
(Not illustrated)	G2,G2L,G2S,G3L	529036098	\$19.49

 $<sup>\</sup>bullet$  A lbw s you to spread the secondary clutch open for easy be  $\ensuremath{\texttt{l}}$  replacem ent.

### pDrive Pulley Service Kits

Ramp Roller Maintenance Set 93L 420629237 \$124.99



pD rive Ram p RollerSet

Torque Roller Maintenance Set

G3L 420629224 \$159.99



pD rive Torque Roller Set

### SHOPBYUSACE



GRAVEL & HARD PACK





#### **XPS Trail Force**



- All-terrain radialtire.
- 8-ply rated construction.
- $\bullet$  Versatile and suitable form any types of termain.
- $\bullet$  Aggressive tread pattern for better traction on dirt, m ud and rocky term in s.
- Tread depth: 20 m m (0.78").

705402754	•27X9R14
705503103	•27X11R14
705403026	•26X8R14
705503322	•26X10R14

\$144.99 \$159.99 \$179.99

\$134.99

#### **XPS Trail King**







- All-terrain radialtire.
- 8-ply rated construction.
- Aggressive tread pattern fortougherterains.
- $\bullet$  An alm ost continuous centertread offers a sm oother trailride.
- Tread depth:26 m m (1.02").

705402825	28X9R14
705403081	27X9R14
705503181	28X11R14
705503355	27X11R14
705402713	26X8R12
705503073	26X10R12

\$159.99 \$174.99 \$164.99 \$169.99

\$169.99

\$174.99

#### **XPS Trac Force**







- All-temain light truck style radial tire.
- 8-ply rated construction.
- $\bullet$  Centraltread for good grip and com forton com pactternain.
- Tread depth:18 m m (0.71").

705403080	30X9R14
705503354	30X10R14
705403416	32X10R16

\$259.99 \$269.99 \$279.99

#### **XPS Hammer Force**







- · Lighttruck-inspired tire.
- $\bullet$  8-ply rated construction.
- Rock-craw ling tread pattern with unique contact patch.
- $\bullet$  Aggressive sidew all form axim um traction when faced with technical termains.
- Tread depth:15 m m (0.59").

#### **XPS Swamp Force**









- Hybrid radialtire form ud and trail.
- · 8-ply rated construction.
- Unique tread pattern allowing good grip in m ud and m ud ejection.
- Centertread provides for com fortable trailriding.
- Tread depth:36-38 m m (1.41"-1.49").

### 705402918 30X10R15

\$279.99

#### **XPS Swamp King**





- Bias times form ud and trail.
- 6-ply rated construction.
- Ultim ate perform ance in m ud without sacrificing good trailhandling.
- Tread depth:38 m m (1.49").

705403201	30X9R14	
705503387	30X11R14	

**705403028** 28X8X14

705503324 28X10X14

\$279.99

\$259.99

\$189.99

\$199.99

### TIFES& RMS

#### **Tires**

#### 



- Front-26"x8"x12".
- Rear-26"x10"x12".

#### **Carlisle ACT Tire**

• Front-25"x8"x12". • Rear-25"x11"x12".



### Carlisle ACT HD Tire \$164.99 705502940 •Rear \$179.99

G2 (500-1000 Base m odels only)

G2 (400 XT m odels only)

- 0
- Front-26"x8"x12".
- Rear-26"x10"x12".

#### Carlisle Badlands A/R Tire

• Front-26"x8"x12".



• Rear-26"x10"x12".

#### Carlisle Trail Wolf Tire

G2 (400 Basem odels only) G2L (450/570) 

 705402890 \*Fxont
 \$144.99

 705400607 \* $\overline{(\epsilon)}$  \$94.99

 705503225 \*Rear
 \$149.99

 705502165 \* $\overline{(\epsilon)}$  \$204.99

705400606 •Front 705400326 •€€

705401331 •Front 705401332 •€€

705501767 •Rear 705501768 •C€

705500598 •Rear (€

\$149.99 \$149.99

\$154.99

\$174.99 \$174.99

\$184.99 \$184.99



- Front-25"x8"x12".
- Rear-25"x11"x12".

#### **ITP TerraCross Tire**

G2 XTP,G2Lim ited 705402973 •Front \$159.99 \$179.99



- This sm ooth-riding time willcom m and every bit of traction from the ground while still managing to float across bose snow, sand and mud.
- Features extrem e-duty construction for improved puncture protection and extra-tough nubber compound for increased tread life. The interlocking tread pattern and write footprintmake it one of the toughest and grippiest radials around.
- NotEC compliant.
- Front-26"x8"x14".
- Rear-26"x10"x14".

#### 705400600 •Front 705400475 •C€ \$184.99 \$184.99 705500926 •Rear 705500820 •C€ \$159.99 \$159.99 **ITP Holeshot ATR Tire** G2S



- Front-205/80R12 -25"x8"x12".
- Rear-270/60R12 -25" $\times$ 10" $\times$ 12".

	G2 X m r570 & 650 2018 & up G2S X m r570	705402131 •Front	\$229.99
ITP M ega M ayhem	2018 & up	705502645 •Rear	\$234.99



- 15" tread depth m ud throw ertimes.
- Surprisingly sm ooth ride on hard pack surfaces.
- 6-ply rated.
- Front-28"x9"x12".
- Rear-28"x11"x12".

ITP Cryptid Tire	G2Xmr850&1000R2018&up G2SXmr1000R2018&up	705402671	\$309.99
------------------	---	-----------	----------



- $\bullet \ G \ \text{raduated lug height and paddle-like shoulder configuration provide maximum side bite for climbing in and out of the state of the state$  $\mathbf{m} \; \mathbf{ud} \; \mathbf{w} \; \mathbf{i} \mathbf{t} \mathbf{houtcom} \; \mathbf{prom} \; \mathbf{ising} \; \mathbf{ride} \; \mathbf{com} \; \mathbf{forton} \; \mathbf{trails} \; \mathbf{and} \; \mathbf{hard} \; \mathbf{pack} \, \mathbf{.}$
- 6-ply rated.
- 30"x9"x14".

- 1				
Gorilla Silverback Tire		G2 (850 & 1000 m odels only)	705401501	\$259.99
	• AT30X9-14 Gorilla Silv • Sold individually. • NotEC compliant. • 30"x9"x14".	ezback m ud time.		
Maxxis Mudzilla Tire		G2 (Kmr570 & 650 m odels on ly)	<b>705501836</b> •Rear	\$214.99



- NotEC compliant.
- Rear-28"x10"x12".

		V42711DGF01HLL • Front	\$104.99
Kenda Klaw M XR Tire	DS 90 X	V42712DGF01HLL • Rear	\$88.99



- Front-20"x6"x10".
- Rear-18"x105"x8".

#### Rims

#### 14" Rim

G2DPS,G2XT,G2MAX

705401852 •Front 705401851 •Front Black and m achined ■ Black with clearcoat Silverwith clearcoat \$149.99 \$144.99 \$139.99 \$159.99

650,G2MAXXT,G2MAX Lim ited

705502402 •Rear 705502401 •Rear 705502400 •Rear

705401853 •Front

■ Black and m achined ■ Black with clearcoat Silverwith clearcoat

Black with charcoat

Black with clearcoat

\$149.99 \$149.99

\$159.99

\$179.99



- $\bullet$  Prem ium castalum inum black painted with machining and clear coatrim .
- Centerhole:72 m m .
- Boltcircle pattern: mm.
- Front-14"x65"offset= 40 m m .
- Rear-14"x8.5"offset= 50 mm.

Note: Matching Nuts - 250100100 Black, 250100082 Chrome/Matching Cap - 705400928

	705402309 •Front	■ Black and m achined	\$139.99
	705402222 •Front	Black with clearcoat	\$164.99
	705402307 •Front	Silverwith clearcoat	\$139.99
	705502770 •Rear	■ Black and m achined	\$159.99
G2DPS,G2XT,G2MAX Limited,G2NorthEdition,	705502702 •Rear	Black with clearcoat	\$164.99
G2MAXNorthEdition	705502768 •Rear	Silverwith clearcoat	\$149.99

#### 14" Rim



- Front-14"x65"offset= 40 m m .
- Rear-14"x85"offset=50 m m .

Outlander X mr and Defender Rim  X m rm odels frontand rearwheels	V m rm odels	705401848 •Front	■ Black and m achined	\$194.99
	705401849 •Front	Black	\$204.99	



 $\hbox{$\bullet$ Castalum inum $rim$ with trend setting explosive styling so you can $ride$ and bok like a traiblazer. } \\$ 

705401127 •Front

705501493 •Rear

• Front-14"x65"offset=10 mm.

Note: Matching Nuts - 250100100 Black, 250100082 Chrome/Matching Cap - 705401541

#### Outlander Rim (Camo Model)

G2.G2L.G2S • Black with clear coatalum inum rim .



- Front-12"x6"offset= 41 mm.
- Rear-12" $\times$ 75"offset=51 m m .

		705401678 •Front	Black	\$244.99
12" Beadlock Rim	G2,G2L,G2S	705502244 •Rear	Black	\$249.99



- · Black with clear coatalum inum rim .
- Needs 16 bolts (250000787) for installing the beadlock.
- Choice ofbeadlock color (not included).
- Front-12"x6"offset= 41 m m .
- Rear-12"x75"offset=51 m m .

705401810 • Yellow	
12" Beadlock Ring G2,G2L,G2S 705401811 - ○ 0 range C msh	\$75.99



- · Castalum inum beadlock.
- Mustbe installed on FrontRim (705401678) and RearRim (705502244).

Note: Matching Nuts - 250100184 Black, 250100185 Chrome/Matching Cap - 705400928

G 2

705401594 •Front 705503191 •Rear

Black

\$279.99

Black \$229.99



- · Black with clear coatalum inum rim .
- · Choice ofbeadbck cobr (not included).
- Needs 16 bolts (250000787) for installing the beadlock.
- Front-14"x65"offset=41 m m .
- Rear-14"x8"offset=51 m m .

14" Beadlock Ring

G 2

705401586 • M anta Green 705401702 • O ctane Blue

705401837 - Can-Am Red 705401840 · Black

\$83.99



· Castalum inum beadlock.

• M ustbe installed on FrontRim (705401594) and RearRim (705503191).

Note: Matching Nuts - 250100184 Black, 250100185 Chrome/Matching Cap - 705400928

## BROANT&OLO-PANCEKIT

#### Lubricant

#### XPS 4T 10 W-50 Synthetic Oil

9779234 •1 qt/946 m 1

9779235 •1 US gal/3.785 L

+50° C +122° F

- · Engineered for heavy-duty and high-perform ance 4-stroke engines, including turbocharged, supercharged and racing engines.
- $\bullet \ \text{Form ulated using carefully selected and strenuously tested base stocks and custom additives. } \\$
- Offers thick film strength to protect bearings, and a proven high-tem p detergency to minimize deposits, prevent shear,  $provide therm \ alstability, and \ combat \ fueld ilution \ to \ ensure \ m \ axim \ um \ perform \ ance \ from \ your engine.$

#### XPS 4T 0 W-40 Synthetic Oil

9779139 •1 qt/946 m 1

9779140 •1 US gal/3.785 L



- · Powersport form ulaw ith premium anti-wearand anti-corrosion additives.
- The best choice for high-perform ance snown obile, ATV and SXS 4-stroke engines used in cold weather.
- Provides superior engine and transmission protection against heat, rust and corrosion.
- Delivers optim alperform ance in high and low tem peratures.

#### XPS 4T 5 W-40 Synthetic Blend Oil

9779133 •1 qt/946 m 1

9779134 •1 US gal/3.785 L





- Off-road form ulaw ith premium anti-wearand anti-corrosion additives.
- Designed for high-perform ance off-road, on-road and PW C 4-stroke engines, including turbo or supercharged powersports engines.
- Provides superior engine and transmission protection against rust and corrosion, even in extreme conditions.

#### Oil Change Kit

#### **Engine Oil Change Kit**



#### • U ltra-convenient all-in-one Engine O il Change Kitsaves tim e and m oney.

• Includes XPS Synthetic or Synthetic Blend Oil, oil filter, O-rings and washer.

#### Models

1	
5W -40 Synthetic Blend Oil/ 450 cc orless	9779256
0W -40 Synthetic Oil/ 450 cc or less	9779257
5W -40 Synthetic Blend O il/ 500 cc orm ore V-tw in engine	9779258
0W -40 Synthetic Oil/ 500 cc orm one V-tw in engine	9779259
10W -50 Synthetic O il/ 500 cc orm one V-tw in engine	9779252
0W -40 Synthetic O il/ 650 ACE	9779481
5W -40 Synthetic Blend Oil/ 900 ACE	9779260
10W -50 Synthetic Oil/ 900 ACE	9779261

### MANIEVANCEPROLCIS


#### Synthetic Gear Oil



75W -90 9779158 •1 qt/946 m 1 75W -140 9779160 •1 qt/946 m 1

- Uses custom additives to provide the best performance in V is co-Lok $^{\text{TM}}$  and Sm art-Lok $^{\text{TM}}$  differentials.
- $\bullet$  A lbw s higher bads, superior shear stability and reduced oxidation .
- $\bullet$  Exceptionalw earp rotection and superior perform ance at all operating tem peratures.


#### **Extended Life Pre-Mixed Coolant**





- Antificeze/coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in BRP cooling systems.
- Long-life,5-year form ula specially form ulated for BRP vehicles.
- Superiorheattransfer.
- Idealreplacem entforvehicles that norm ally use a 2-year antifreeze/coolant (green).
- 5 years (prange).

#### **Anti-Corrosive Lubricant**





- M ultipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion.
- It contains extrem e pressure additives that work as an all-around libricant for just about anywhere librication is needed.

#### **Extreme Duty Suspension Grease**

(Not Illustrated)

**9779708** •14 oz / 400 g

- $\bullet$  D esigned to work specifically with the components found in Can-Am vehicle suspensions.
- Lishighly stable and offers optimal lubrication at both extreme cold and high temperatures while protecting
  suspension components from dirtand moisture, as well as corrosion under extreme washout conditions.

- Enhanced rust and corrosion resistance.
- Protects against seizure, heat-freeze, galling, rust and comosion.

#### **DOT 4 Brake Fluid**

9779151 •12 floz / 355 m l



- $\bullet$  M eets or exceeds all DOT3 and DOT4 brake fluid requirem ents.
- $\bullet$  H igh-tem perature form u.l. resists fade and also conditions seals and 0-rings in braking system .

#### Racing Brake Fluid RS600

9779152 •12 floz/355 m l



- Exceeds DOT4 brake fluid requirem ents for extrem e conditions and competition use.
- Extrem e,579-degree boiling point tem perature is ideal for high-dem and competition conditions to combatbrake fade.
- W illnotharm seals orbraking system components.
- Should be added only to a clean/unfilled system to avoid dilution and dim in shed perform ance.
- $\bullet$  Low -m oisture form ula slow s w atervaporabsorption through m ultiple heat cycles.
- Recom m ended for use in SkiD oo and Can-Am racing applications.

#### **Fuel Stabilizer**

9779171 •8 floz/236 m l



- Ethanolcom patble and will stabilize fuelin your tank to keep it from breaking down and causing hard starting, throttle hesitation and poor nun quality.
- Since ethanolattracts moisture, this product contains powerfulanti-corrosion additives to protect fuel system components.
- Prevents problem s associated with E10 fuels.

### CATERROLCIS

#### Cleaner and Degreaser, All Purpose

9779328 •22 floz / 650 m l

**9779329** •2 qt/189 L



- Ready-to-use form ula.
- Cleans toughest dirt and grim e.
- $\bullet$  Phosphate free eco-friendly form u.a.
- $\bullet$  Low -foam easy rinse form u.la.

#### Matte Finish Waterless Cleaner

9779330 •22 floz / 650 m l



- Easy w aterless use.
- $\bullet$  Perfect form atte, flat and denim surfaces.
- $\bullet$  Contains no wax or silicone .
- $\bullet$  Leaves no unw anted streaks orm arks.

#### Multi-Surface and Glass Cleaner

9779331 •22 floz / 650 m l



- $\bullet$  Easy w aterless spray and w ipe use .
- $\bullet$  Polym erform u.b. cleans and protects.
- $\bullet$  Contains no wax or silicone.
- Leaves no unw anted streaks orm arks.



- Specially form whated foroff-road vehicles, itbreaks the bond holding grim e and dirto your vehicles finish.
- The form ulais biodegradable, eco-friendly with no phosphates or comosive chemicals and is low foam for easy, quick minsing.
- $\bullet$  Effective on oil, grease and other stubborn grim e .
- Safe foruse on all surfaces.

#### **Black Plastic and Rubber Restorer**

9779335 •7.6 floz / 225 m l



- Restores plastic, rubber and vinyl.
- · Long-lasting form ula.
- Protects againstUV rays.

#### **Foaming Wash**

9779337 •16 floz / 473 m 1

**9779338** •2 qt/189 L



- $\bullet \ \texttt{Concentrated form ula for off-road vehicles, \texttt{itproduces} \ \texttt{a thick foam to lift dirt and prevent scratching.} \\$
- $\bullet$  The pH neutral form ula is safe forwax and paint sealants.
- $\bullet$  W orks in pressure washers orby hand.

#### **Quick Detailer Gloss Enhancing**

**9779332** •4 floz/118 m l

9779333 •16 floz / 473 m 1



- Quick detailspraywax.
- · Leaves a high gloss finish at every wipe.
- Nanotechnology polymer formula.
- Repels dirt.
- Nowaterneeded.





## **BRP REIMAGINES THE WAY YOU ACCESS YOUR WORLD**

Can-Am is one of many success stories from BRP, the global company behind some of the most daringly innovative products and experiences that move you.

Because it's not about the destination, it's about the journey — yours.

Discover our brands:

SKI-DOO LYNX SEC-200 CON-OM ROTAX ALUMACTATE MANITOLI QUINTREX

www.brp.com



